

S0 — SECURE WIPE CERTIFICATE

FAILURE — NIST 800-88 category: **Clear**

[!] DEMONSTRATION CERTIFICATE - SIGNED WITH PUBLIC DEMO KEY

This certificate was signed with an unaccredited public demonstration key. DO NOT use for legal chain-of-custody or regulatory compliance.

Device

Certificate UUID	4a2b2f39-bf7d-4da5-be5a-1f0e90838d89
Issued at	2026-10-02T13:18:20Z
Issuer	Digital Forensics & Data Sanitization Lab / operator op-forensic
Tool	s0-erase 2.4.4 (linux)
Device ID	batch-files-1947bb835a56e3f9
Type / storage	file / file
Model / serial	— / —
Capacity	0 bytes

Wipe performed


Method	OVERWRITE_ZERO_1PASS
NIST 800-88 tier	Clear
Passes / pattern	1 / zero
Started / ended	2026-10-02T13:18:20Z → 2026-10-02T13:18:20Z
Bytes processed	0
Result status	failure
Errors	Target is not an existing regular file
Post-wipe verification	post_erase_absence_and_overwrite_readback: 1 samples × 0 B, all match: False

Notes

- Batch sanitized 0/1 files (0 bytes overwritten).
- Target classification: file — 0 director(ies), 1 file(s) supplied.
- Verification: each target was re-stat()ed after overwrite; the file is unlinked and no residual data was readable.
- Metadata cleansing applied: timestamps zeroed, directory entries scrambled.
- File-level sanitization overwrites allocated filesystem clusters and scrubs metadata.
- Caveat: Journaling filesystems (ext4/NTFS) may retain metadata in journal blocks.
- Caveat: Flash storage (SSDs/NVMe) Flash Translation Layer (FTL) wear leveling may prevent physical overwriting of retired blocks.

Cryptographic signature

Algorithm	Ed25519
Issuer key fingerprint	sha256:8396af8c07a7d40f98ba492cf2b61e23fa768e66a9f627b02a9caff464e48c06
Payload SHA-256	sha256:a4b8f535ea6ea481da1232b7eb719ac68c1b840c5e38d3f580edb251b1c6ed69
Signature (base64url)	yG0Ie5zgcMjaPahmSdbAIR-MGaXNJ6rDEwtaq-Zj4HmnII8JmnWb6M2v12hYSytCVFl8BNeIByQ25PnLF9YAA
Verify offline	Scan the QR with any verifier, or run: s0 verify cert.json --key issuer_public.pem



Full signed certificate (offline-verifiable)

The QR and this PDF are renderings of the signed JSON, which is the artifact of record. Signature covers every field above; any alteration invalidates it.

Printed at 104 mm square (153 modules) to stay machine-scannable.

[>] [Verify this certificate online at https://s0-verify.pages.dev/?cert=4a2b2f39-bf7d-4da5-be5a-1f0e90838d89](https://s0-verify.pages.dev/?cert=4a2b2f39-bf7d-4da5-be5a-1f0e90838d89)

LEGAL NOTICE: s0 is a digital forensic sanitization and recovery tool. Issued solely for authorized media operations and legal chain of custody. Verify authenticity at <https://s0-verify.pages.dev/> or via `s0 verify`.