

Download file | ILo | Screenshot (1) (1).pdf | Screenshot (1).pdf | (1) WhatsApp | Delicious Bites Res | Mini Store

127.0.0.1:5500/3.html Verify that it's you Action required

Mini E-commerce Store

Products

T-Shirt - \$10

[Add to Cart](#)

Headphones - \$25

[Add to Cart](#)

Handmade Bracelet - \$8

[Add to Cart](#)

Your Cart

Checkout

Your Name

Type here to search

Windows Start button

Taskbar icons: File Explorer, Edge, File Manager, Mail, Google Chrome, File Explorer, Settings, Network, Battery, Volume, Sound, Display, Language, Date and Time, System, Task View, Taskbar settings.

System tray: ENG IN, 7:57 PM, 12/2/2025, Notifications (3).

Download file | LO | Screenshot (1) (1).pdf | Screenshot (1).pdf | (1) WhatsApp | Delicious Bites Res | Mini Store

127.0.0.1:5500/3.html Verify that it's you Action required

T-Shirt - \$10

[Add to Cart](#)

Headphones - \$25

[Add to Cart](#)

Handmade Bracelet - \$8

[Add to Cart](#)

Your Cart

Checkout

Your Name

Address

[Place Order](#)

Type here to search

7:57 PM
ENG IN 12/2/2025

The screenshot shows a code editor window with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** Q_code
- Code Editor Area:** The active file is 3.html, which contains the following HTML and CSS code:

```
<!DOCTYPE html>
<html>
<head>
    <title>Mini Store</title>
    <style>
        body { font-family: Arial; margin: 20px; }
        .product, .cart-item {
            border: 1px solid #ccc; padding: 10px; margin: 10px 0;
        }
        button { background: black; color: white; border: none; padding: 5px 10px; }
    </style>
</head>
<body><h1>Mini E-commerce Store</h1>
<h2>Products</h2>
<div class="product">
    <h3>T-Shirt - $10</h3>
    <button onclick="addToCart('T-Shirt', 10)">Add to Cart</button>
</div>
<div class="product">
    <h3>Headphones - $25</h3>
    <button onclick="addToCart('Headphones', 25)">Add to Cart</button>
</div>
<div class="product">
    <h3>Handmade Bracelet - $8</h3>
    <button onclick="addToCart('Bracelet', 8)">Add to Cart</button>
</div>
<h2>Your Cart</h2>
```
- Explorer Bar:** Shows files 3.html, index.html, and scv.html.
- Outline Bar:** Shows the structure of the HTML document with sections like html, head, title, style, and body.
- Bottom Status Bar:** Ls 41, Col 39, Spaces:4, UTF-8, CRLF, HTML, Port:5500, ENG IN, 7:57 PM, 12/2/2025.

The screenshot shows a code editor interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** Q code
- Explorer:** Shows files: scv.html, 3.html, index.html.
- Code Editor:** The current file is 3.html, containing the following code:

```
<html>
    <body><h1>Mini E-commerce Store</h1>
    <div id="cart"></div>
    <h2>Checkout</h2>
    <form>
        <input type="text" placeholder="Your Name" required><br><br>
        <input type="text" placeholder="Address" required><br><br>
        <button type="submit">Place Order</button>
    </form>
    <script>
        let cartItems = [];
        function addCartItem(name, price) {
            cartItems.push({name, price});
            displayCart();
        }
        function displayCart() {
            let cartDiv = document.getElementById("cart");
            cartDiv.innerHTML = "";
            cartItems.forEach(item => {
                cartDiv.innerHTML += <div class='cart-item'>${item.name} - ${item.price}</div>;
            });
        }
    </script>
</body>
</html>
```
- Bottom Status Bar:** Ln 41, Col 39, Spaces: 4, UTF-8, CRLF, { } HTML, Port: 5500, ENG IN, 7:57 PM, 12/2/2025.