

## API RESPONSE :

status code - (Meaning of the response)

Headers - Key-value

Body - {Data}

Professional API

Beginner API

## HTTP status code :

1xx

2xx

3xx

4xx

5xx

GET /api/students/1

Host : localhost:8080



1. Student data is available
2. Student data may not be available
3. Maybe Id format is wrong.
4. Maybe the DB is down
5. Maybe server is down
6. Maybe backend application has a bug

Case 1 : data is available

```
200 ok
{
  "id" : 1,
  "name" : "Aditya",
  "email" : "adi@gmail.com"
}
```

Case 2 : Data is not available

404 Not Found

```
{
  "message" : "student with id 1 is not found"
}
```

case 3 : Invalid Request


400 Bad Request

```
{
  "message" : " "
}
```

Case 4 : Server is down

500 Internal Server Error

```
{
  "message" : "Something went wrong"
}
```



## HTTP STATUS CODE :

1xx : Informational

2xx : Successful (200, 201, 204 etc)

3xx : Redirections (301, 302 etc)

4xx : Client Side error (400, 404, 409 etc)

5xx : Server side error (500)

200 ok

201 created

204 No content

400 Bad request

404 Resource not found

409 conflict

500 Internal server error

ResponseEntity = body + status  
= body + status + headers  
= status