

ULIP Integration Requirement Document

Version No.: 1.0

Date: 09/07/2026

Project Name: ULIP

This document contains proprietary information of NLDSL. Unauthorized access, copying and replication are prohibited. This document must not be copied in whole or part by any means, without the written authorization of NLDSL, Noida, India.

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	09/07/2026	Sudhanshu Singh	Nayab Ali	Baseline Version

Table of Contents

Introduction	4
1.1 Purpose	4
The Overall Description	4
1.2 Data Integration between WAREHOUSE System and ULIP application	4
1.3 WAREHOUSE/01	4
1.3.1 Technical Approach	5
1.4 Data Transmission & Authentication Mechanism	80

Introduction

1.1 Purpose

The purpose of this document is to define and provide details for accessing API for WAREHOUSE system information from ULIP system.

This document details the following points:

1. **Data Integration between WAREHOUSE and ULIP web service:** Identification of operational points where data integration between WAREHOUSE and ULIP web service will be needed.
2. **Technical Approach** for performing Data Integration

The Overall Description

Users will share information such as **StateCode**, based on data sent by user ULIP system will call respective **WAREHOUSE** API for accessing information.

Following are the points for accessing different warehouse locations: -

1. This API will share data based on information provided by users.
2. ULIP will expose API for getting data from WAREHOUSE API.
3. **WAREHOUSE/01** API will take **StateCode** from user and get data from WAREHOUSE API.

1.2 Data Integration between WAREHOUSE System and ULIP application

User will share information to ULIP system based on data shared ULIP will provide data to user.

1.3 WAREHOUSE/01

This API will take **StateCode** and connect with WAREHOUSE API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	StateCode	StateCode as available in WAREHOUSE system.	^(?:\d{2} OT)\$	Required	Max 2

1.3.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **StateCode** for which detail is required.
3. WAREHOUSE API will share details of locations of different warehouses which exist in WAREHOUSE system in JSON format.
4. WAREHOUSE Integration will add JSON in **response** key in response body.
5. ULIP system will provide the data in JSON Object format in response body.

Example: "StateCode" "09" is shared by ULIP system, then WAREHOUSE-integration will make a request to WAREHOUSE API.

Request:

The request must be of the following format, where StateCode is passed within the URL body in JSON format.

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/WAREHOUSE/01>

```
{"StateCode": "09"}
```

Curl URL

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/WAREHOUSE/01' \
--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdhcSIsInN1YiI6InVsaXAiLCJpYXQiOiJlE3ODM0ODYzOTI9.3bl_wLmpJAMtyb8D7pjKidcSNwq6q9Gx1k8uT8dxt6vzx-uFkVc2aAsKAaRU33i7vvHQTpFO9DWiSoDUO6gsYQ' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data '{"StateCode": "09"}'
```

For obtaining authentication token, refer [Section 1.4](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format**1. Invalid StateCode**

```
{ "response": null,
  "error": "true",
  "code": "400 BAD_REQUEST",
  "message": "Data format failed OR wrong value entered at: StateCode. Format
should follow ^(?:\\d{2}|OT)$"}
```

b) In case of StateCode does not exist in WAREHOUSE system

```
{ "response": [
  {
    "response": [],
    "responseStatus": "SUCCESS"
  }
],
"error": "false",
"code": "200",
"message": "Success"}
```

c) In case StateCode number exists

```
{ "response": [
  {
    "response": [
      {
        "OfficeId": 647,
        "OfficeName": "CW AYODHYA",
        "StateId": "09",
        "StateName": "UTTAR PRADESH",
        "StateCode": "09",
        "DistrictId": 58,
        "DistrictName": "FAIZABAD",
        "CityId": 58,
        "CityName": "Faizabad",
        "PinCode": "224001",
        "AddressLine1": "Navin Mandi, Raibareilly Road, Faizabad- 224001",
        "Capacity": 8910.0,
        "Longitude": 0.0,
        "Latitude": 0.0,
        "WarehouseOwnerName": "Owned",
```

```
"vaccantspace": 547.7,
"Mobilen": "7405860139",
"Warehousecode": "4712",
"Email": "wmfzd@cewacor.nic.in"
},
{
  "Officeld": 668,
  "OfficeName": "CW SAHARANPUR BD",
  "Stateld": "09",
  "StateName": "UTTAR PRADESH",
  "StateCode": "09",
  "DistrictId": 96,
  "DistrictName": "SAHARANPUR",
  "CityId": 96,
  "CityName": "Saharanpur",
  "PinCode": "247232",
  "AddressLine1": "Base Depot, Pilkhani, Saharanpur - 247232",
  "Capacity": 78970.5,
  "Longitude": 77.47029,
  "Latitude": 29.997423,
  "WarehouseOwnerName": "Owned",
  "vaccantspace": 3412.04,
  "Mobilen": "9458821676",
  "Warehousecode": "4729",
  "Email": "cw.saharanpurbd@cewacor.nic.in"
},
{
  "Officeld": 679,
  "OfficeName": "CW SAHIBABAD-I",
  "Stateld": "09",
  "StateName": "UTTAR PRADESH",
  "StateCode": "09",
  "DistrictId": 63,
  "DistrictName": "GHAZIABAD",
  "CityId": 63,
  "CityName": "Ghaziabad",
  "PinCode": "201007",
  "AddressLine1": "G.T Road, (Mohan Nagar) Sahibabad, Ghaziabad,
UP—201 001.",
  "Capacity": 6879.0,
  "Longitude": 0.0,
  "Latitude": 0.0,
  "WarehouseOwnerName": "Owned",
```

```
"vacantspace": 128.22,  
"Mobilen": "9799040499",  
"Warehousecode": "2919",  
"Email": "cwcdli.sbd1@gmail.com"  
}  
],  
"responseStatus": "SUCCESS"  
}  
],  
"error": "false",  
"code": "200",  
"message": "Success"}
```

Status Code 200: warehouse data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.4 Data Transmission & Authentication Mechanism

All data exchange would be done over secure HTTP (HTTPS). Requests from ULIP's system would be made in WAREHOUSE system through a data exchange URL that has following form:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/WAREHOUSE/01>

Body:

```
{"StateCode": "09"}
```

Access to above data exchange URL would be authorized by use of a security mechanism implemented by the ULIP system. It is as follows:

- First time access: It would require a username and password [which would be shared with user beforehand]. Once user hit with valid user id and password, ULIP system will return a basic authorization token to user, using that token user will communicate with ULIP system until token will not get expired.

Brief summary of HTTP Basic Authentication is as follows:

First time when User will hit ULIP secured API through username and password for access token as follows-

```
curl -X POST
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/user/login'
-H 'accept: application/json'
-H 'content-type: application/json'
-data '{"username":"xxxxxx","password":"XXxxx@12345"}
```

Authorization:**Bearer**

```
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdhcSIsInN1YiI6InVsaXAiLCJpYXQiOiJlE3ODM1NzI4MDI9.1u-w6fZZed25xJa6ng3gy3K5SgXhMhngf9BcLiMQA0HMB4LoJtB79JogHG7une27hjut2nsbSsBgVIfoBH4-6w
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for vehicle details as follow -

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/WAREHOUSE/01' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdhcSIsInN1YiI6InVsaXAiLCJpYXQiOiJlE3ODM1NzI4MDI9.1u-w6fZZed25xJa6ng3gy3K5SgXhMhngf9BcLiMQA0HMB4LoJtB79JogHG7une27hjut2nsbSsBgVIfoBH4-6w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data '{"StateCode": "09"}'
```