

ULIP Integration Requirement Document

Version No.: 2.0

Date: 30/09/2024

Project Name: ULIP

This document contains proprietary information of NLDSL. Unauthorized access, copying and replication are prohibited. This document must not be copied in whole or part by any means, without the written authorization of NLDSL, New Delhi, India.

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	12/09/2023	Girish Chander	Nayab Ali	Baseline Version
2.0	30/09/2024	Ayush Arya	Nayab Ali	Baseline Version

Table of Contents

Introduction	4
1.1 Purpose	4
The Overall Description	4
1.2 Data Integration between DGFT System and ULIP application	4
1.3 AUTHAPI/01	4
1.3.1 Technical Approach	5
1.4 Data Transmission & Authentication Mechanism	10

Introduction

1.1 Purpose

The purpose of this document is to define and provide details for authenticating DGFT Response data with respect to IEC Number, Organization number, PAN, issue date which we have received from DGFT system.

This document details the following points:

1. **Data Integration and verification between DGFT and ULIP web service:** Identification of operational points where data integration and verification between DGFT and ULIP web service will be needed.
2. **Technical Approach** for performing Data Integration

The Overall Description

User will share the information such as **iec number (which is mandatory field) and date of birth and will at least share either organization number, pan or issue date** based on data send by user ULIP system will call respective **DGFT** API for accessing information and then verify data based on user input.

Following are the point for accessing vehicle information: -

1. This API will share iec number data based on information provided by user.
2. ULIP will expose API for getting data from DGFT API and then verify the response if correct information is there or not in the response which we are getting from DGFT API.
3. **AUTHAPI/01** API will take iec number (Which is mandatory field) and will share at least one of the field either organization number, pan or issue date from user and get data from DGFT API and then will verify if correct organization number, pan or issue date is coming from DGFT API response or not.

1.2 Data Integration between DGFT System and ULIP application

User will share information to ULIP system based on data shared ULIP will verify the data for the user.

1.3 AUTHAPI/01

This API will take iec code data and connect with DGFT API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	iecnnumber	Import export code number as available in DGFT system.	[0-9]{10}	Required	10
2	organization Name	Organization name as available in DGFT system.		Optional	10
3	pan	Pan as available in DGFT system.		Optional	
4	issueDate	Issue Date as available in DGFT system.		Optional	

1.3.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **iecn number and will at least share either organization name , pan or issueDate** for which detail and verification needs to be done.
3. DGFT API will share details of iec information which exist in DGFT system in JSON format.
4. ULIP system will verify the response which is received from DGFT API based on the organization name , pan or issueDate which is provided by the user.
5. ULIP system will provide the data in JSON Object format in response body.

Example:

iecn Number **AFAPT1958B**, organization name **VIBGYOR FASHION AND BOUTIQUE** , pan **A*A*T*9*8*** and issueDate **26-07-2020** is shared by ULIP system, then DGFT-Auth integration will make a request to DGFT API.

Request:

The request must be of the following format, where driving license number and date of birth is passed within the URL body in JSON format.

For staging -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/AUTHAPI/01>

```
{
  "iecnnumber": "AFAPT19500",
  "PAN": "AFAPT1958B",
  "Organization name": "VIBGYOR FASHION AND BOUTIQUE",
  "Issue date": "Jul 26, 2020 10:20:46 AM"
}
```

```
}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/AUTHAPI/01' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGwMiIsImIhdCI6MTcyNzY4Mjc0NiwiYXBwcyI6ImRh
dGFwdXNoIn0.aE0keab-65bok8x8VzjgW6hInN7Ymnb7a_k-nviB5jzFe4t-
FK9FFzTuT06vsZFbKNYj4wAtpIE9tLgxGnXP7g' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data '{
  "iecnumber": "AFAPT1958B",
  "PAN": "AFAPT1958B",
  "Organization name": "VIBGYOR FASHION AND BOUTIQUE",
  "Issue date": "Jul 26, 2020 10:20:46 AM"
}'
```

For production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/AUTHAPI/01>

```
{
  "iecnumber": "AFAPT19500",
  "PAN": "AFAPT1958B",
  "Organization name": "VIBGYOR FASHION AND BOUTIQUE",
  "Issue date": "Jul 26, 2020 10:20:46 AM"
}
```

Curl URL

```
curl --location --request POST
'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/AUTHAPI/01' --header
'Accept: application/json' --header 'Content-Type: application/json' --header
'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGwMiIsImIhdCI6MTcyNzY4Mjc0NiwiYXBwcyI6ImRh
dGFwdXNoIn0.aE0keab-65bok8x8VzjgW6hInN7Ymnb7a_k-nviB5jzFe4t-
FK9FFzTuT06vsZFbKNYj4wAtpIE9tLgxGnXP7g' -
g1ahLBoCKnOUmc8V8tpd0bu0__aXv6fuU9NwBK3c0A2A0Voh0bGPJwjK0Hp5FaasiXzGds_28758H
ZuaEmpYw' --data-raw '{
  "iecnumber": "AFAPT19500",
  "PAN": "AFAPT1958B",
  "Organization name": "VIBGYOR FASHION AND BOUTIQUE",
}
```

```
"Issue date": "Jul 26, 2020 10:20:46 AM"
}'
```

For obtaining authentication token, refer [Section 1.4](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of iec number does not exist in DGFT system

```
{
  "response": [
    {
      "response": {
        "error": "Invalid IEC details"
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

b) In case Organization name verified successfully

```
{
  "response": [
    {
      "response": {
        "Organization name": "Verified"
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

c) In case Organization name not verified successfully

```
{
  "response": [
    {
      "response": {
        "Organization name": "Verification Failed"
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

d) In case pan verified successfully

```
{
  "response": [
    {
      "response": {
        "PAN": "Verified"
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

e) In case pan verification failed

```
{
  "response": [
    {
      "response": {
        "PAN": "Verification Failed"
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

f) In case issueDate verified successfully

```
{
  "response": [
    {
      "response": {
        "Issue date": "Verified"
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

g) In case issueDate not verified successfully

```
{
  "response": [
    {
      "response": {
        "Issue date": "Verification Failed"
      }
    }
  ]
}
```

```
    },  
    "responseStatus": "SUCCESS"  
  }  
],  
"error": "false",  
"code": "200",  
"message": "Success"  
}
```

Status Code 200: vehicle data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.4 Data Transmission & Authentication Mechanism

All data exchange would be done over secure HTTP (HTTPS). Request from ULIP's system would be made in SARATHI system through a data exchange URL that has following form:

For production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/AUTHAPI/01>

Body:

```
{ "iecnnumber": "AFAPT1958B",  
  "PAN": "AFAPT1958B",  
  "Organization name": "VIBGYOR FASHION AND BOUTIQUE",  
  "Issue date": "Jul 26, 2020 10:20:46 AM"  
}
```

Access to above data exchange URL would be authorized by use of a security mechanism implemented by the ULIP system. It is as follows:

- First time access: It would require a username and password [which would be shared with user beforehand]. Once user hit with valid user id and password, ULIP system will return a basic authorization token to user, using that token user will communicate with ULIP system until token will not get expired.

Brief summary of HTTP Basic Authentication is as follows:

First time when User will hit ULIP secured API through username and password for access token as follow-

```
curl --location --request POST
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/user/Login' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
    "username": "xxxx",
    "password": "xxxxxx"
}'
```

Authorization:

Bearer

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYzMDU2MTc1NywiYXBwcyI6ImRh
dGFwdXNoIn0.06h4916NwL81GPvjFDUgeEHLnMWhAh_NdW3okMOa6Q2ddw89RwmdDvDx4UYRoUeJ8
yfPZYNBxhTPoQZ-uUzgTg'
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for vehicle details as follow -

```
curl --location --request POST
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/AUTHAPI/01' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYzMDU2MTc1NywiYXBwcyI6ImRh
dGFwdXNoIn0.06h4916NwL81GPvjFDUgeEHLnMWhAh_NdW3okMOa6Q2ddw89RwmdDvDx4UYRoUeJ8
yfPZYNBxhTPoQZ-uUzgTg' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
    "iecnumber": "AFAPT1958B",
    "PAN": "AFAPT1958B",
    "Organization name": "VIBGYOR FASHION AND BOUTIQUE",
    "Issue date": "Jul 26, 2020 10:20:46 AM"
}'
```

For staging –

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/user/login' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
    "username": "xxxx",
    "password": "xxx@123"
}'
```

```
}'
```

Authorization:**Bearer**

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGluIiwiaWF0IjoxNzI3MTYxMDgwLCJhcHBzIjoizGF0YXB1c2gifQ.XhVZm7NiCD05-v9091WJQhYzdk1a0Shs_Ley0T4R2MX63swRyxHbHxh6bVXtzqWwWiSLwwNGRQIcqGhr49hpGg
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for details as follow -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/AUTHAPI/01>

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/AUTHAPI/01' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGluIiwiaWF0IjoxNzI3MTYxMDgwLCJhcHBzIjoizGF0YXB1c2gifQ.XhVZm7NiCD05-v9091WJQhYzdk1a0Shs_Ley0T4R2MX63swRyxHbHxh6bVXtzqWwWiSLwwNGRQIcqGhr49hpGg' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data '{
  "iecnumber": "AFAPT1958B",
  "PAN": "AFAPT1958B",
  "Organization name": "VIBGYOR FASHION AND BOUTIQUE",
  "Issue date": "Jul 26, 2020 10:20:46 AM"
}'
```