

DGFT Integration Document

Version No.: 6.0

Date: 30/03/2026

Project Name: ULIP

This document contains proprietary information of NLDSL. Unauthorized access, copying and replication are prohibited. This document must not be copied in whole or part by any means, without the written authorization of NLDSL, Noida, India.

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	15/07/2021	Kush Tyagi	Nayab Ali	API Integration
2.0	07/10/2021	Hasan Mhad Khan	Nayab Ali	Updated
3.0	04/08/2022	Hasan Mhad Khan	Nayab Ali	Added V3 & itchs API
4.0	18/01/2023	Ayush Arya	Nayab Ali	Response Update
5.0	30/09/2024	Ayush Arya	Nayab Ali	Response Update
6.0	30/03/2026	Gaurav Tyagi	Pranab Manna	Response Update

Table of Contents

Introduction	4
1.1 Purpose	4
The Overall Description	4
1.2 Data Integration between DGFT System and ULIP application	4
1.3 DGFT/01	4
1.3.1 Technical Approach	5
1.4 DGFT/02	7
1.4.1 Technical Approach	7
1.5 Data Transmission & Authentication Mechanism	12

Introduction

1.1 Purpose

The purpose of this document is to define and provide details for accessing API for Import/export details from DGFT system to ULIP system.

This document details the following points:

1. **Data Integration between DGFT and ULIP web service:** Identification of operational points where data integration between DGFT and ULIP web service will be needed.
2. **Technical Approach** for performing Data Integration

The Overall Description

User will share the information such as Import export code number based on data send by user, ULIP system will call **DGFT** API for accessing information.

Following are the point for accessing vehicle information: -

1. This API will share data based on information provided by user.
2. ULIP will expose API for getting data from DGFT API.
3. **DGFT/01** API will take vehicle registration number from user and get data from DGFT API.

1.2 Data Integration between DGFT System and ULIP application

User will share information to ULIP system based on data shared ULIP will provide data to user.

1.3 DGFT/01

This API will take **IEC number** and connect with DGFT API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	iecnnumber	Import export code number as available in DGFT system.	[0-9]{10}	Required	10

1.3.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **IEC number** for which detail is required.
3. DGFT API will share details of exporter/importer information which exist in DGFT system in JSON format.
4. ULIP system will provide the data in JSON Object format in response body.

Example:

IEC number **0388197021** is shared by ULIP system, then DGFT-integration will make a request to DGFT API.

Request:

The request must be of the following format, where **IEC number** is passed within the URL body in JSON format.

For staging -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/DGFT/01>

```
{"iecnumber": "0515920797"}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/DGFT/01' \
--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwMlslmldCI6MTcyNzY5MDAwMCwiYXBwcyI6ImRhdGFwdXNoIn0.2BrY8dCCS_BAH5Y6faXPYAPJEV52bGuZZRtKXD04AOmAUtooBy9TC-wmWVvxyAWsqLR9ifBhYD9xfqGMDPH9_A' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data '{"iecnumber": "0515920797"}'
```

For production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/DGFT/01>

```
{"iecnumber": "0388197021"}
```

Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/DGFT/01' \
--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwliwiaWF0IjoxNjMzNjAzMjYwLCJhcHBzIjoiaZGF0YXB1c2g1fQ.rZPEeDvC3yMHwhG_zCIb_Aby5is9_Kdd25eOEff7OH2Z0UC_Ew1WCTFaDj4zt9rpiHb1_d09cndKi1rs99AaxQ' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{"iecnumber": "0388197021"}'
```

For obtaining authentication token, refer [Section 1.6](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format

1. Invalid IEC number

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: iecnumber. Format
should follow [0-9]{10}"
}
```

b) In case of IEC number does not exist in DGFT system

```
{
  "response": [
    {
      "response": {
        "errorDescription": "No record found - IEC Not
Found",
        "error": "record_not_found"
      },
      "responseStatus": "ERROR"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

c) In case IEC number exist

```
{
  "response": [
    {
      "response": {
        "exporterType": 1,
        "address2": "S*c*o* 4* C*n*a*t N*: 9*9*9*1*5*6*",
        "city": "Gurugram",
        "address1": "1*1*",
        "responseTime": "09:53:34",

```

```

    "iecIssueDate": "Jan 27, 2016 6:30:00 PM",
    "requestTime": "09:53:21",
    "natureOfConcern": 111000113,
    "entityName": "HAMLET E COMMERCE PRIVATE LIMITED",
    "pinCode": 122001,
    "iecStatus": 0,
    "state": "HARYANA",
    "pan": "A*D*H*6*1*",
    "iecNumber": "0515920797"
  },
  "responseStatus": "SUCCESS"
},
"error": "false",
"code": "200",
"message": "Success"
}

```

Status Code 200: IEC data response

Status Code 400: Bad request (Invalid JSON syntax, invalid JSON key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.4 DGFT/02

This API will take **ITC(HS) Code** and connect with DGFT API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	itchs	ITC(HS) Code	[0-9]{8}	Required	8

1.4.1 Technical Approach

- All the data will be shared through rest web services.
- ULIP system will provide **itchs** for which detail is required.
- DGFT API will share import policies related to itchs code which exist in DGFT system in JSON format.
- ULIP system will provide the data in JSON Object format in response body.

Example:

IEC number **29035100** is shared by ULIP system, then DGFT-integration will make a request to DGFT API.

Request:

The request must be of the following format, where **itchs code** is passed within the URL body in JSON format.

For staging -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/DGFT/02>

```
{"itchs": "29035100"}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/DGFT/02' \
--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwMiIsImhhdCI6MTcyNzY5MDAwMCwiYXBwcyI6ImRhZGFwdXNoIn0.2BrY8dCCS_BAH5Y6faXPYAPJEV52bGuZZRtKXD04AOmAUtooBy9TC-wmWVvxyAWSqLR9ifBhYD9xfqGMDPH9_A' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data '{"itchs": "29035100"}'
```

For production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/DGFT/02>

```
{"itchs": "29035100"}
```

Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/DGFT/02' \
--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjMzNjAzMjYwLCJhcHBzIjoizGF0YXB1c2gifQ.rZPEeDvC3yMHwhG_zCib_Aby5is9_Kdd25eOEff7OH2Z0UC_Ew1WCTFaDj4zt9rpiHb1_d09cndKi1rs99AaxQ' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{"itchs": "29035100"}'
```

For obtaining authentication token, refer [Section 1.6](#)

Response

To acknowledge the above request, ULIP will send the below response -

- a) In case of invalid format
2. Invalid itchs code

```
{
  "response": null,
  "error": "true",
  "code": "400",
}
```

```

    "message": "Data format failed OR wrong value entered at: itchs. Format should follow [0-9]{8}"
  }
}

```

b) In case of itchs code does not exist in DGFT system

```

{
  "response": [
    {
      "response": {
        "errorDescription": "No record found",
        "error": "record_not_found"
      },
      "responseStatus": "ERROR"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}

```

c) In case of a 3rd party error-

```

{
  "response": [
    {
      "response": {
        "chapter": null,
        "productDescriptionImportPolicy": null,
        "description": null,
        "error": "System exception while processing request",
        "main": null,
        "policyCondition": null
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}

```

d) In case itchs code exists

```

{
  "response": [
    {
      "response": {
        "chapter": "29",
        "productDescriptionImportPolicy": [
          {

```

```

    "hsCode": "29035100",
    "description": "Unsaturated fluorinated derivatives of acyclic hydrocarbon
s:\n- 2,3,3,3-Tetrafluoropropene (HFO-1234yf), 1,3,3,3-tetrafluoropropene (HFO-
1234ze) and (z)-1,1,1,4,4,4-hexafluoro-2-butene (HFO1336mzz)",
    "notificationNumber": "08.11.2020"
  },
],
"description": "PRODUCTS OF THE CHEMICAL OR ALLIED INDUSTRIES",
"main": [
  {
    "notes": "Within any one heading of this Chapter, derivatives of a chemical
compound (or group of chemical compounds) are to be classified in the same sub-
heading as that compound (or group of compounds) provided that they are not more spec
ially covered by any other sub-heading and that there is no residual sub-
heading named \"other\" in the series of sub-headings concerned.",
    "notificationNumber": "",
    "sI No": "1",
    "notificationDate": ""
  },
  {
    "notes": "Note 3 to this Chapter shall not be applicable to the sub-
heading of this Chapter.",
    "notificationNumber": "",
    "sI No": "2",
    "notificationDate": ""
  }
],
"policyCondition": [
  {
    "notes": "Import is permitted by actual users against a licence from a coun
try which is a party to the Montreal Protocol on Substances that Deplete the Ozone Layer
. List of countries which are parties to the Montreal Protocol (details can be accessed fro
m website: www.unep.org/ozone) is in Appendix IV to this Schedule. However, import fro
m countries, which are not parties to the Montreal Protocol is —
Prohibited.\r\n\r\n\r\n\r\n\r\n\r\n*Import of the Chemicals is allowed from State Parties and Non S
tate Parties to the CWC subject to the condition that the importer shall, for each import c
onsignment, within 30 days of import, notify the details to the National Authority, Chemic
al Weapons Convention, Cabinet Secretariat ; Ministry of External Affairs (DandISA); Dep
artment of Chemicals and Petrochemicals and the Directorate General of Foreign Trade a
nd submit to the DGFT a copy of the bill of entry within 30 days of import.",
    "notificationNumber": "",
    "sI No": "1",
    "notificationDate": ""
  },
  {
    "notes": "All Narcotic drugs and psychotropic substances covered under t
his chapter will be subject to the following conditions\r\n\r\n\r\n(a) Any narcotic drug and ps
ychotropic substance can be imported under the Special Provisions for medical and scie

```

```

ntific purposes as per Chapter VII-
A of the NDPS Rules, 1985 after obtaining an import certificate under the proviso to Rule
53 of the NDPS Rules (details can be accessed from website of Central Bureau of Narcoti
cs, Gwalior: http://cbn.nic.in) \r\n\r\n(b) Imports other than category (a) above will be gov
erned by Appendix- I to this Schedule",
    "notificationNumber": "",
    "sINo": "2",
    "notificationDate": ""
  },
  {
    "notes": "Import of the Chemicals is allowed from State Parties and Non St
ate Parties to the CWC subject to the condition that the importer shall, for each import co
nsignment, within 30 days of import, notify the details to the National Authority, Chemical
Weapons Convention, Cabinet Secretariat ; Ministry of External Affairs (DandiSA); Depar
tment of Chemicals and Petrochemicals and the Directorate General of Foreign Trade an
d submit to the DGFT a copy of the bill of entry within 30 days of import\r\n\r\nNo Objecti
on Certificate (NOC) is required from Narcotics Commissioner, Gwalior, before import of
the item.",
    "notificationNumber": "",
    "sINo": "3",
    "notificationDate": ""
  },
  {
    "notes": "The importer shall, for, each consignment, submit a copy of the B
ill of Entry within 30 days to the Ozone Cell, Ministry of Environment, Forest and Climate
Change, New Delhi.",
    "notificationNumber": "08.11.2020",
    "sINo": "4",
    "notificationDate": ""
  }
]
},
"responseStatus": "SUCCESS"
}
],
"error": "false",
"code": "200",
"message": "Success"
}

```

Status Code 200: itchs data response

Status Code 400: Bad request (Invalid JSON syntax, invalid JSON key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.5 Data Transmission & Authentication Mechanism

All data exchange would be done over secure HTTP (HTTPS). Request from ULIP's system would be made in DGFT system through a data exchange URL that has following form:

For production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/DGFT/01>

Body:

```
{"iecnnumber": "0388197021"}
```

Access to above data exchange URL would be authorized by use of a security mechanism implemented by the ULIP system. It is as follows:

- First time access: It would require a username and password [which would be shared with user beforehand]. Once user hit with valid user id and password, ULIP system will return a basic authorization token to user, using that token user will communicate with ULIP system until token will not get expired.

Brief summary of HTTP Basic Authentication is as follows:

First time when User will hit ULIP secured API through username and password for access token as follow-

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/user/login' \
  --header 'Accept: application/json' \
  --header 'Content-Type: application/json' \
  --data-raw '{
    "username": "xxxx",
    "password": "xxxx@123"}'
```

Authorization:

Bearer

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImhhdCI6MTYyNTIzMDQyNywiYXBwcyI6ImRhdGFwdXN0Ln0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-KpxnfbKDI_8FZsOogggqx3AI-Du1y2qMoUD7uzA'
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for vehicle details as follow -

**curl -X POST **

```
https://www.ulip.dpiit.gov.in/ulip/v1.0.0/DGFT/01 \
-H 'accept: application/json' \
-H 'authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImhhdCI6MTYyNTIzMDQyNywiYXBwcyI6ImRhdGFwdXN0Ln0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-KpxnfbKDI_8FZsOoggqx3AI-Du1y2qMoUD7uzA' \
-H 'cache-control: no-cache' \
-H 'content-type: application/json' \
-H 'postman-token: 8e8a19a4-ea1e-6373-f616-e2e4af9a1338' \
-d '{"iecnumber": "0388197021"}'
```

For staging –

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/user/login' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "username": "xxxx",
  "password": "xxxx@123"}'
```

Authorization:

Bearer

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNzI3MTYxMDgwLCJhcHBzIjoizGF0YXB1c2gifQ.X
hVZm7NiCD05-
v9091WJQhYzdk1a0Shs_ley0T4R2MX63swRyxHbHxh6bVXtzqWvWiSLwwNGRQlCqGhr49hpGg
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired, and user need to re authenticate.

Using The above token, user can request ULIP system for details as follow -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/DGFT/01>

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/DGFT/01' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwMiIsImhhdCI6MTYyNTY5MDAwMCwiYXBwcyI6ImRhdGFwdXN0Ln0.2BrY8dCCS_BAH5Y6faXPYAPJEV52bGuZZRtKXD04AOmAUtooBy9TC-
wmWVvxyAWsqLR9ifBhYD9xfqGMDPH9_A' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data '{"iecnumber": "0515920797"}'
```