

ULIP Integration Document

Version No.: 3.0

Date: 26/03/2026

Project Name: ULIP

This document contains proprietary information of NLDSL. Unauthorized access, copying and replication are prohibited. This document must not be copied in whole or part by any means, without the written authorization of NLDSL, Noida, India.

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	06/09/2024	Girish Chander	Nayab Ali	Baseline Version
2.0	06/09/2024	Girish Chander	Nayab Ali	Added new Emission Factor Unit
3.0	26/03/2026	Abhilash Meena	Pranab Manna	Updated

Table of Contents

Introduction	4
1.1 Purpose	4
1.2 Data Integration between other system and ULIP application	4
1.3 CARBON/01	4
1.3.1 Technical Approach.....	5
1.4 CARBON/02	8
1.4.1 Technical Approach.....	9
1.5 CARBON/03	9
1.5.1 Technical Approach	9
1.6 CARBON/04	12
1.6.1 Technical Approach.....	12
1.7 Data Transmission & Authentication Mechanism	18

Introduction

1.1 Purpose

The purpose of this document is to define and provide details for accessing API for calculating Carbon Emission factor for different mode of transportation from ULIP system. This document details the following points:

1. **Data Integration between Other System and ULIP web service:** Identification of operational points where data integration between other system and ULIP web service will be needed.
2. **Technical Approach** for performing Data Integration

1.2 Data Integration between other system and ULIP application

User will share information to ULIP system based on data shared ULIP will provide data (carbon emission factor) to the user.

1.3 CARBON/01

This API will take **Weight, Distance and Trip Count** and based on the emission factor and user input data, ULIP System will calculate the total carbon emitted and send back the response to the user.

S. No.	Field Name	Field Description	Format	Required/ Not – Required	Length
1	distance	Distance travelled by the rail (In Km).	^(?!0\$)(0 [1-9]\d{0,4})(\.\d{1,3})?\$\$	Required	Max five digit before decimal and max 3 digit after decimal
2	weight	Weight carries by the rail (In Tonne).	^(?!0\$)(0 [1-9]\d{0,4})(\.\d{1,3})?\$\$	Required	Max five digit before decimal and max 3 digit after decimal

3	tripCount	Number of trip made by the rail	^[1-9]\d{0,2}\$	Required	minimum value as 1 and max value as 999
---	-----------	---------------------------------	-----------------	----------	---

1.3.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide data (carbon emitted) for which data is shared.
3. ULIP system will provide the data in JSON Object format in response body.

Example:

Let Distance 182.3 Km, Weight 218.6 tonne and tripCount is 1 this is the data shared by the user, then Ulip system will calculate the total carbon emitted in kg co2 based on the data shared by the user.

Calculation Example: (distance * weight * tripCount * WTT Emission factor) + (distance * weight * tripCount * TTW Emission factor)

Year	WTT Emission factor in Kg Co2e / Ton -KM	TTW Emission factor in Kg Co2e / Ton -KM	WTW Emission factor in Kg Co2e / Ton -KM
	A	B	C=A+B
Rail - Domestic	0.0062	0.0041	0.0103

Request:

The request must be of the following format, where **weight, distance and tripCount** is passed within the request body in JSON format.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/CARBON/01>

```
{
  "distance":182.3,
  "weight":218.6,
  "tripCount":1
}
```

Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip /v1.0.0/CARBON/01' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGwliwiaWF0IjoxNjU3NzAzMjMyLCJhcHBzIjoiZGF0YXB1c2gifQ.woK64SnrOZKvW5Jevd-eJl6PtetLBQ5WNfumvG_bu-
XyX3AdgAzau6Cy0jzqmZcPZpMWNHPzpPadB82bVLAG0g' \
--header 'Accept: application/json' \
--data-raw '{"distance":182.3,
"weight":218.6,
"tripCount":1
}'
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/CARBON/01>

```
{
  "distance": "123",
  "weight": "2.3",
  "tripCount": "1"
}
```

Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip
/v1.0.0/CARBON/01' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGwliwiaWF0IjoxNjU3NzAzMjMyLCJhcHBzIjoiZGF0YXB1c2gifQ.woK64SnrOZKvW5Jevd-eJl6PtetLBQ5WNfumvG_bu-
XyX3AdgAzau6Cy0jzqmZcPZpMWNHPzpPadB82bVLAG0g' \
--header 'Accept: application/json' \
--data-raw '{
  "distance": "123",
  "weight": "2.3",
  "tripCount": "1"
}'
```

For obtaining authentication token, refer Section [1.7](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format

1. Invalid data

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: distance. Format should follow ^(?!\0$)(0|[1-9]\d{0,4})(\.\d{1,3})?$"
}
```

b) In case of valid data sent by the user

```
{
  "response": [
    {
      "response": {
        "Carbon Emission Factor": "2.9139 Kg co2"
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

Status Code 200: corporate data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.4 CARBON/02

This API will take **Distance, vehicle type , weight, fuel type and Trip Count** and based on the emission factor and user input data, ULIP System will calculate the total carbon emitted and send back the response to the user.

S. No.	Field Name	Field Description	Format	Required/ Not – Required	Length
1	distance	Distance travelled by the vehicle (In Km).	$^{(?!0$)}(0 [1-9]\d{0,4})(\.\d{1,3})? \$$	Required	Max five digit before decimal and max 3 digit after decimal
2	vehicleType	Type of vehicle	$^{\{1,150\}} \$$	Required	From below vehicle type table
3	fuelType	Type of fuel	$^{\{1,150\}} \$$	Required	From below fuel type table
4	weight	Weight carries by the vehicle (In Tonne).	$^{(?!0$)}(0 [1-9]\d{0,4})(\.\d{1,3})? \$$	Required	Max five digit before decimal and max 3 digit after decimal
	noOfTrips	Number of trip made by the vehicle	$^{[1-9]\d{0,2}} \$$	Required	minimum value as 1 and max value as 999

1.4.1 Technical Approach

1.5 CARBON/03

This API will take **Weight , Distance and No of Trips** and based on the emission factor and user input data ,ULIP System will calculate the total carbon emitted and send back the response to the user.

S. No.	Field Name	Field Description	Format	Required/ Not – Required	Length
1	distance	Distance travelled (In Km).	$^{(?!0\$)}(0 [1-9]\d{0,4})(\.\d{1,3})? \$$	Required	Max five digit before decimal and max 3 digit after decimal
2	weight	Weight (In Tonne).	$^{(?!0\$)}(0 [1-9]\d{0,4})(\.\d{1,3})? \$$	Required	Max five digit before decimal and max 3 digit after decimal
3	noOfTrips	Number of trip made by the rail	$^{[1-9]}\d{0,2} \$$	Required	minimum value as 1 and max value as 999

1.5.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide data (carbon emitted) for which data is shared.
3. ULIP system will provide the data in JSON Object format in response body.

Example:

Let **Distance** 182.3 Km, **Weight** 218.6 tonne and **noOfTrips** is 1 this is the data shared by the user, then Ulip system will calculate the total carbon emitted in kg co2 based on the data shared by the user.

Calculation Example: (distance * weight * tripCount * WTT Emission factor) + (distance * weight * tripCount * TTW Emission factor)

Year	WTT Emission factor in Kg Co2e / Ton -KM	TTW Emission factor in Kg Co2e / Ton -KM	WTW Emission factor in Kg Co2e / Ton -KM
	A	B	C=A+B
Air - Domestic	0.2444	1.5080	1.7524

Request:

The request must be of the following format, where **weight**, **distance** and **noOfTrips** is passed within the request body in JSON format.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/CARBON/03>

```
{
  "distance": "182.3",
  "weight": "218.6",
  "noOfTrips": "1"
}
```

Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/CARBON/03' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwliwiaWF0IjoxNzI2MTE4Nzgwc2g0YXB1c2gifQ.n5qKgFlkSsxX8JTFWF8ns6gkdlUpb3HloSidNRFVtGO3qpTq_ls57gqjkEsvvxs1DHwkGe8e-i-FAgPT7Aww' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{
  "distance": "182.3",
  "weight": "218.6",
  "noOfTrips": "1"
}'
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/CARBON/03>

```
{
  "distance": "182.3",
  "weight": "218.6",
  "noOfTrips": "1"
}
```

Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/CARBON/03' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNzI2MTE4NzgWLCJhcHBzIjoizGF0YXB1c2gifQ.n5qKgFlkSsxX8JTFWF8ns6gkdlUpb3HloSidNRFVtGOf3qpTq_Is57ggjkEsyvxs1DHwkGe8e-iFAgPT7Aww' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{
  "distance": "182.3",
  "weight": "218.6",
  "noOfTrips": "1"
}'
```

For obtaining authentication token, refer Section [1.7](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: distance. Format should follow ^(?!0$)(0|[1-9]\\d{0,4})(\\.\\d{1,3})?$"
}
```

b) In case of valid data sent by the user

```
{
  "response": [
    {
      "response": {
        "Carbon Emission Factor": "69834.5069 Kg co2"
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

Status Code 200: corporate data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.6 CARBON/04

This API will take **Distance, vessel type, vessel size, weight and No of Trips** and based on the emission factor and user input data, ULIP System will calculate the total carbon emitted and send back the response to the user.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	distance	Distance travelled (In Nautical miles).	^(?!0\$)(0 1-9)\d{0,4})(\.\d{1,3})?\$\$	Required	Max five digit before decimal and max 3 digit after decimal
2	vesselType	Type of vessel	^{1,150}\$	Required	From below vessel type table
3	vesselSize	Size of vessel	^{1,150}\$	Required	From below vessel size table
4	weight	Weight (In Tonne).	^(?!0\$)(0 1-9)\d{0,4})(\.\d{1,3})?\$\$	Required	Max five digit before decimal and max 3 digit after decimal
5	noOfTrips	Number of trip made by the vehicle	^[1-9]\d{0,2}\$	Required	minimum value as 1 and max value as 999

1.6.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide data (carbon emitted) for which data is shared.
3. ULIP system will provide the data in JSON Object format in response body.

Example:

Let Distance **182.3 Nautical Miles**, vessel type is **Products tanker**, vessel Size is **20,000–59,999 dwt**, weight is **218.6 kg** and noOfTrips is **1** this is the data shared by the user, then Ulip system will calculate the total carbon emitted in kg co2 based on the data shared by the user.

Request:

The request must be of the following format, where **distance,vesselType,VesselSize, weight and noOfTrips** is passed within the request body in JSON format.

Vessel Type should be of following type only.

Sr.	Vessel Type
1	Crude tanker
2	Chemical tanker
3	Container ship
4	General
5	LPG Tanker
6	Oil Tanker
7	Other Liquid Tankers
8	Ferry - Pax Only
9	Cruise
10	Ferry Ro-Pax
11	Refrigerated
12	Ro-Ro
13	Vehicle

Vessel Size should be of following type only.

Type	Size	Unit	TTW Emission factor in Kg Co2e / Ton -KM	WTT Emission factor in Kg Co2e / Ton - KM	WTW Emission factor in Kg Co2e / Ton - KM
Crude tanker	0-9999 dwt	tonne.km	0.0242	0.0049	0.0291
	10000-34999 dwt	tonne.km	0.0069	0.0014	0.0083
	35000-59999 dwt	tonne.km	0.0051	0.0010	0.0062
	60000-99999 dwt	tonne.km	0.0042	0.0008	0.0051
	100000-199999 dwt	tonne.km	0.0029	0.0006	0.0034
	200000+ dwt	tonne.km	0.0026	0.0005	0.0031

Chemical tanker	0-4999 dwt	tonne.km	0.0447	0.0089	0.0536
	5000-9999 dwt	tonne.km	0.0215	0.0043	0.0259
	10000-19999 dwt	tonne.km	0.0147	0.0029	0.0176
	20000-39999 dwt	tonne.km	0.0091	0.0018	0.0109
	40000+ dwt	tonne.km	0.0070	0.0014	0.0084
Container Ship	0-999 TEU	tonne.km	0.0198	0.0040	0.0238
	1000-1999 TEU	tonne.km	0.0148	0.0030	0.0178
	2000-2999 TEU	tonne.km	0.0105	0.0021	0.0126
	3000-4999 TEU	tonne.km	0.0092	0.0019	0.0111
	5000-7999 TEU	tonne.km	0.0088	0.0018	0.0106
	8000-11999 TEU	tonne.km	0.0073	0.0015	0.0088
	12000-14499 TEU	tonne.km	0.0058	0.0012	0.0069
	14500-19999 TEU	tonne.km	0.0046	0.0009	0.0055
	20000+ TEU	tonne.km	0.0043	0.0009	0.0052
General	0-4999 dwt	tonne.km	0.0210	0.0042	0.0252
	5000-9999 dwt	tonne.km	0.0172	0.0034	0.0206
	10000-19999 dwt	tonne.km	0.0153	0.0031	0.0184
	20000+ dwt	tonne.km	0.0079	0.0016	0.0095
LPG Tanker	0-49999 cbm	tonne.km	0.0362	0.0073	0.0435
	50000-99999 cbm	tonne.km	0.0112	0.0023	0.0135
	100000-199999 cbm	tonne.km	0.0089	0.0018	0.0106
	200000+ cbm	tonne.km	0.0091	0.0018	0.0110
Oil Tanker	0-4999 dwt	tonne.km	0.0619	0.0124	0.0743
	5000-9999 dwt	tonne.km	0.0349	0.0070	0.0419
	10000-19999 dwt	tonne.km	0.0282	0.0056	0.0338
	20000-59999 dwt	tonne.km	0.0144	0.0029	0.0172
	60000-79999 dwt	tonne.km	0.0083	0.0017	0.0100
	80000-119999 dwt	tonne.km	0.0065	0.0013	0.0078
	120000-199999 dwt	tonne.km	0.0048	0.0010	0.0058
	200000+ dwt	tonne.km	0.0030	0.0006	0.0036
Other Liquid Tankers	0-999 dwt	tonne.km	1.0003	0.2001	1.2004
	1000+ dwt	tonne.km	0.0218	0.0043	0.0261
Ferry - Pax Only	2000+ gt	tonne.km	0.0721	0.0144	0.0866
	0-1999 gt	tonne.km	0.8084	0.1617	0.9700
Cruise	2000-9999 gt	tonne.km	0.2829	0.0566	0.3395
	10000-59999 gt	tonne.km	0.0860	0.0172	0.1032
	60000-99999 gt	tonne.km	0.0923	0.0185	0.1108
	100000-149999 gt	tonne.km	0.0814	0.0163	0.0977
	150000+ gt	tonne.km	0.0665	0.0133	0.0798
Ferry Ro-Pax	2000-4999 gt	tonne.km	0.1921	0.0384	0.2305

	5000-9999 gt	tonne.km	0.1480	0.0296	0.1775
	10000-19999 gt	tonne.km	0.0978	0.0196	0.1174
	20000+ gt	tonne.km	0.0759	0.0152	0.0911
Refrigerated	0-1999 dwt	tonne.km	0.1178	0.0236	0.1413
	2000-5999 dwt	tonne.km	0.0615	0.0123	0.0738
	6000-9999 dwt	tonne.km	0.0464	0.0093	0.0557
	10000+ dwt	tonne.km	0.0341	0.0068	0.0410
Ro-Ro	0-4999 dwt	tonne.km	0.1453	0.0291	0.1743
	5000-9999 dwt	tonne.km	0.0358	0.0072	0.0429
	10000-14999 dwt	tonne.km	0.0299	0.0060	0.0359
	15000+ dwt	tonne.km	0.0151	0.0030	0.0181
Vehicle	0-29999 gt	tonne.km	0.0792	0.0158	0.0951
	30000-49999 gt	tonne.km	0.0386	0.0077	0.0463
	50000+ gt	tonne.km	0.0312	0.0062	0.0375

Calculation Example: (distance * weight * tripCount * WTT Emission factor) + (distance * weight * tripCount * TTW Emission factor)

NOTE: WTT and TTW Emission factor will be based on vessel type and vessel size from the values given in the above table.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/CARBON/04>

```
{
  "distance": "1822.3",
  "vesselType": "Products tanker",
  "vesselSize": "20,000–59,999 dwt",
  "weight": 218.6
  "noOfTrips": "1"
}
```

Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/CARBON/04' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNzI3MTc0NDgyLCJhcHBzljoiZGF0YXB1c2gifQ.Prg1fvNfSz8tBGjCtNs6ySDs4tn5pJm5cs40ZGmd1XxZ-UIJ2M-8E0C5_x5Zf9z51AaXh6SWg80JNh_RgEH_A' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{
```

```
"distance": "1822.3",  
"vesselType": "Products tanker",  
"vesselSize": "20,000–59,999 dwt",  
"weight": 218.6  
"noOfTrips": "1"  
}
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/CARBON/04>

```
{  
  "distance": "1822.3",  
  "vesselType": "Oil Tanker",  
  "vesselSize": "200000+ dwt",  
  "weight": "218.6",  
  "noOfTrips": "1"  
}
```

Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/CARBON/04' \  
--  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwliwiaWF0IjoxNzI3MTc0NDgyLCJhcHBzljoiZGF0YXB1c2gifQ.Prg1fvNfSz8tBGjCtNs6ySDs4tn5plJm5cs40ZGmd1XxZ-UIJ2M-8E0C5_x5Zf9z51AaXh6SWg80JNh_RgEH_A' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{  
  "distance": "1822.3",  
  "vesselType": "Oil Tanker",  
  "vesselSize": "200000+ dwt",  
  "weight": "218.6",  
  "noOfTrips": "1"  
}'
```

For obtaining authentication token, refer Section [1.7](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format

Invalid corporate identification number


```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: distance. Format should follow ^
(?!0$)(0|[1-9]\\d{0,4})(\\.\\d{1,3})? $"
}
```

b) In case of valid data sent by the user

```
{
  "response": [
    {
      "response": {
        "Carbon Emission Factor": "1434.0772 Kg co2"
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

c) In case of invalid vessel type

```
{
  "response": [
    {
      "response": "vesselType is not valid",
      "responseStatus": "ERROR"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

d) In case of invalid vessel size

```
{
  "response": [
    {
      "response": "vesselSize is not valid",

```

```
"responseStatus": "ERROR"
}
],
"error": "false",
"code": "200",
"message": "Success"
}
```

Status Code 200: corporate data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.7 Data Transmission & Authentication Mechanism

All data exchange would be done over secure HTTP (HTTPS). Request from ULIP's system would be made in IWAI system through a data exchange URL that has following form:

For Production

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/CARBON/01>

Body:

```
{
  "distance": "18233.7",
  "weight": "0.0",
  "tripCount": "1"
}
```

Access to above data exchange URL would be authorized by use of a security mechanism implemented by the ULIP system. It is as follows:

- First time access: It would require a username and password [which would be shared with user beforehand]. Once user hit with valid user id and password, ULIP system will return a basic authorization token to user, using that token user will communicate with ULIP system until token will not get expired.

Brief summary of HTTP Basic Authentication is as follows:

First time when User will hit ULIP secured API through username and password for access token as follow-

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/user/login' \
  --header 'Accept: application/json' \
  --header 'Content-Type: application/json' \
  --data-raw '{
    "username": "xxxx",
    "password": "xxxx@123"
  }'
```

Authorization:***Bearer***

eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImh0dCI6MTYyNTIzMDQyNywiYXBwcyI6ImRhdGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-KpxnfbKDI_8FZsOoggqx3AI-Du1y2qMoUD7uzA'

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for CIN details as follow -

```
curl -X POST \
  https://www.ulip.dpiit.gov.in/ulip/v1.0.0/CARBON/01 \
  -H 'accept: application/json' \
  -H 'authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImh0dCI6MTYyNTIzMDQyNywiYXBwcyI6ImRhdGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-KpxnfbKDI_8FZsOoggqx3AI-Du1y2qMoUD7uzA' \
  -H 'cache-control: no-cache' \
  -H 'content-type: application/json' \
  -H 'postman-token: 8e8a19a4-ea1e-6373-f616-e2e4af9a1338' \
  -d '{}'
```

For Staging:

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/user/login' \
  --header 'Accept: application/json' \
  --header 'Content-Type: application/json' \
  --data-raw '{
    "username": "xxxx",
    "password": "xxxx@123"
  }'
```

Authorization:**Bearer**

eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYyNTIzMDQyNywiYXBwcyI6ImRhdGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-KpxnfbKDI_8FZsOoggqx3AI-Du1y2qMoUD7uzA'

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for CIN details as follow -

***curl -X POST ***

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/CARBON/01>

***curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/CARBON/01' ***

--header 'Authorization: Bearer

eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdeSIsInN1Yil6ImhIbHBkZXNrX3VzcilsImIhdCI6MTc3NDQxMzg2OX0.rePutiZabpnQea7IWyfxsizTjInFeM3qtZqxCyfpEoq133BOExzW-om5LgkBL9fLq1IbbjrZEN_PLnU2UIRdg'

***--header 'Content-Type: application/json' ***

***--header 'Accept: application/json' ***

--data '{

"distance": "123",

"weight": "2.3",

"tripCount": "1"

}'