

ULIP Integration Requirement Document

Version No.: 1.0

Date: 06/05/2026

Project Name: ULIP

This document contains proprietary information of NLDSL. Unauthorized access, copying and replication are prohibited. This document must not be copied in whole or part by any means, without the written authorization of NLDSL, Noida, India.

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	06/05/2026	Sudhanshu Singh	Nayab Ali	Baseline Version

Table of Contents

Introduction	4
1.1 Purpose	4
The Overall Description	4
1.2 Data Integration between INDIAPOST System and ULIP application	4
1.3 INDIAPOST/01	4
1.3.1 Technical Approach.....	5
1.4 INDIAPOST/02	8
1.4.1 Technical Approach.....	9
1.5 INDIAPOST/03	12
1.5.1 Technical Approach.....	12
1.6 INDIAPOST/04	18
1.6.1 Technical Approach.....	18
1.7 Data Transmission & Authentication Mechanism	22

Introduction

1.1 Purpose

The purpose of this document is to define and provide details for accessing API for INDIAPOST system information from ULIP system.

This document details the following points:

1. **Data Integration between INDIAPOST and ULIP web service:** Identification of operational points where data integration between INDIAPOST and ULIP web service will be needed.
2. **Technical Approach** for performing Data Integration

The Overall Description

User will share information such as **productCode**, **sourcePinCode**, **destinationPinCode** etc based on data sent by user ULIP system will call respective INDIAPOST API for accessing information.

1.2 Data Integration between INDIAPOST System and ULIP application

Users will share information with the ULIP system based on data shared ULIP will provide data to user.

1.3 INDIAPOST/01

This API will take the field below mentioned and connect with INDIAPOST API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	productCode	Enter the productCode as available in INDIAPOST system.	^[A-Z]{1,6}\$	Required	6
2	weight	Enter the weight as available in INDIAPOST system.	^[0-9]{1,10}\$	Required	10
3	sourcePinCode	Enter the sourcePinCode as available in INDIAPOST system.	^[0-9]{6}	Required	6
4	destinationPinCode	Enter the destinationPinCode	^[0-9]{6}	Required	6

		as available in INDIAPOST system.			
5	length	Enter the length as available in INDIAPOST system.	^([0-9]{1,10}\\. [0-9]{1,5})?\\. [0-9]{1,5})\$	Required	10
6	width	Enter the width as available in INDIAPOST system.	^([0-9]{1,10}\\. [0-9]{1,5})?\\. [0-9]{1,5})\$	Required	10
7	height	Enter the height as available in INDIAPOST system.	^([0-9]{1,10}\\. [0-9]{1,5})?\\. [0-9]{1,5})\$	Required	10
8	ins	Enter the ins as available in INDIAPOST system.	^(?:100000 [1-9]\\d{0,4})(?:\\. \\d{1,5})?\$	Required	6
9	pod	Enter the pod as available in INDIAPOST system.	^[A-Z]{1,6}\$	Required	6

1.3.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide above fields for which detail is required.
3. INDIAPOST API will share details of **Speed Post Tariff** details based on above fields which exist in INDIAPOST system in JSON format.
4. INDIAPOST Integration will add JSON in **response** key in response body.
5. ULIP system will provide the data in JSON Object format in response body.

Example:

Above mentioned fields are shared by ULIP system, then INDIAPOST-integration will make a request to INDIAPOST API.

Request:

The request must be of the following format, where required fields is passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/01>

```
{
  "productCode": "SP",
  "weight": "250",
  "sourcePinCode": "400001",
  "destinationPinCode": "110001",
  "length": "30",
  "width": "21",
  "height": "0.5",
```

ULIP Integration Requirement Document

```
"ins": "1000",  
"pod": "YES" }
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/01' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoiYXBpR2F0ZXdsSIsInN1YiI6InVsaXAiLCJpYXQiOjE3NzgWNDMOM  
jh9.qC2L83TsOmNluGgopHCiTJq9ZEWHm3_ajvZUDTaFYhIqcGiGkzMJrGHuj50bZm_uA13hW00gJus3GWv7mo  
15_A' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data '{"productCode": "SP",  
      "weight": "250",  
      "sourcePinCode": "400001",  
      "destinationPinCode": "110001",  
      "length": "30",  
      "width": "21",  
      "height": "0.5",  
      "ins": "1000",  
      "pod": "YES" }'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/01>

```
{  
  "productCode": "SP",  
  "weight": "250",  
  "sourcePinCode": "400001",  
  "destinationPinCode": "110001",  
  "length": "30",  
  "width": "21",  
  "height": "0.5",  
  "ins": "1000",  
  "pod": "YES" }
```

Curl URL

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/01' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoiYXBpR2F0ZXdsSIsInN1YiI6InVsaXAiLCJpYXQiOjE3Nzc5NzQ2M  
TF9.WSSfZyF_ayDh-CFDs2_Ubvi2VbfiW11ZuIZX-EqwXz5xG-  
LzZFfjRA0iE4dsYrFK5_MfQsmAnzZ3EAwIEDrPa' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data '{"productCode": "SP",  
      "weight": "250",  
      "sourcePinCode": "400001",  
      "destinationPinCode": "110001",  
      "length": "30",  
      "width": "21",
```

```
"height": "0.5",  
"ins": "1000",  
"pod": "YES"}'
```

For obtaining authentication token, refer [Section 1.7](#)

Response

To acknowledge the above request, ULIP will send the response below -

1. Invalid product code

```
{  "response": [  
    {  
        "response": "Product not found for product code: SPA",  
        "responseStatus": "ERROR",  
        "message": null  
    }  
  ],  
  "error": "false",  
  "code": "200",  
  "message": "Success"}
```

2. Invalid pincode

```
{  "response": null,  
  "error": "true",  
  "code": "400 BAD_REQUEST",  
  "message": "Data format failed OR wrong value entered at:  sourcePinCode. Format  
should follow  ^[0-9]{6}"}
```

3. In case data exist

```
{  "response": [  
    {  
        "response": {  
            "success": true,  
            "product_code": "SP_INLAND_DOC",  
            "article_type": "SP",  
            "weight": 250,  
            "chargeable_weight": 250,  
            "source_pincode": 400001,  
            "destination_pincode": 110001,  
            "is_local": false,  
            "distance_km": 1166,  
            "base_tariff": 72,  
            "vas_charges": 68,  
            "cgst": 13,  
            "sgst": 13,  
            "total_tax": 26,  
            "final_amount": 166,  
            "currency": "INR",  
            "is_document": true,  
            "delivery_type": "Inter-city",  
            "timestamp": "2026-05-06T05:51:50.574Z",
```

```

        "vas_details": {
            "INSVAL": 58,
            "PODVAL": 10,
            "REGVAL": 0,
            "OTPVAL": 0,
            "ACKVAL": 0,
            "CODVAL": 0
        },
        "responseStatus": "SUCCESS",
        "message": null
    },
    "error": "false",
    "code": "200",
    "message": "Success"
}

```

Status Code 200: INDIAPOST data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.4 INDIAPOST/02

This API will take below and connect with INDIAPOST API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	productCode	Enter the productCode as available in INDIAPOST system.	^[A-Z]{1,6}\$	Required	6
2	weight	Enter the weight as available in INDIAPOST system.	^[0-9]{1,10}\$	Required	10
3	sourcePinCode	Enter the sourcePinCode as available in INDIAPOST system.	^[0-9]{6}	Required	6
4	destinationPinCode	Enter the destinationPinCode as available in INDIAPOST system.	^[0-9]{6}	Required	6
5	length	Enter the length as available in INDIAPOST system.	^([0-9]{1,10}(\.[0-9]{1,5})?) \.[0-9]{1,5})\$	Required	10
6	width	Enter the width as available in INDIAPOST system.	^([0-9]{1,10}(\.[0-9]{1,5})?) \.[0-9]{1,5})\$	Required	10

7	height	Enter the height as available in INDIAPOST system.	^([0-9]{1,10}(\.[0-9]{1,5})?)\.[0-9]{1,5})\$	Required	10
8	ins	Enter the ins as available in INDIAPOST system.	^(?:100000 [1-9]\d{0,4})(?:\.[0-9]{1,5})?\$	Required	6

1.4.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide above fields for which detail is required.
3. INDIAPOST API will share details of **Business Parcel Tariff** based on above fields which exist in INDIAPOST system in JSON format.
4. INDIAPOST Integration will add JSON in **response** key in response body.
5. ULIP system will provide the data in JSON Object format in response body.

Example:

Above fields are shared by ULIP system, then INDIAPOST-integration will make a request to INDIAPOST API.

Request:

The request must be of the following format, where date is passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/02>

```
{
  "productCode": "BP",
  "weight": "550",
  "sourcePinCode": "141010",
  "destinationPinCode": "110057",
  "length": "10",
  "width": "5",
  "height": "2",
  "ins": "1000"
}
```

Curl URL

For Staging:

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/02' \
--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoiYXBPZ0ZkdheSIsInN1YiI6InVsaXAiLCJpYXQiOiJlE3NDQ3NzQ5O
TN9.cHL_0MM1zMPYq-CgZkaz_nn8Mnfnlj3HoKyj3S-CXxKf86TBwQ-TLNoQdAXvX6dMkt8fcCQb_i6wqFwcGpHg' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
```

ULIP Integration Requirement Document

```
--data '{ "productCode":"BP",  
  "weight":"550",  
  "sourcePinCode":"141010",  
  "destinationPinCode":"110057",  
  "length":"10",  
  "width":"5",  
  "height":"2",  
  "ins":"1000" }'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/02>

```
{  
  "productCode":"BP",  
  "weight":"550",  
  "sourcePinCode":"141010",  
  "destinationPinCode":"110057",  
  "length":"10",  
  "width":"5",  
  "height":"2",  
  "ins":"1000" }
```

Curl URL

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/02' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoiYXBpR2F0ZXdsInN1YiI6InVsaXAiLCJpYXQiOiE3NDQ2OTA2N  
TB9.tHSboGV9SgfWoKngGDWdWovWwSjivHCjLNKw9YBWWik4Iughm2r0tr-  
zHvf9N3tjWVPpmMlNJ_iWaXIJWF7CzQ' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data '{ "productCode":"BP",  
  "weight":"550",  
  "sourcePinCode":"141010",  
  "destinationPinCode":"110057",  
  "length":"10",  
  "width":"5",  
  "height":"2",  
  "ins":"1000" }'
```

For obtaining authentication token, refer [Section 1.7](#)

Response

To acknowledge the above request, ULIP will send the response below -

1. Invalid productCode

```
{  "response": [
    {
      "response": "Invalid product code: BPA",
      "responseStatus": "ERROR",
      "message": null
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success" }
```

2. In case Data exists

```
{  "response": [
    {
      "response": {
        "success": true,
        "product_code": "BUSINESS_PARCEL",
        "article_type": "Business Parcel",
        "weight": 550,
        "chargeable_weight": 550,
        "source_pincode": 141010,
        "destination_pincode": 110057,
        "is_local": false,
        "distance_km": 0.0,
        "base_tariff": 70,
        "vas_charges": {},
        "cod_charges": 0,
        "cgst": 6,
        "sgst": 6,
        "total_tax": 12,
        "final_amount": 82,
        "currency": "INR",
        "is_document": false,
        "delivery_type": "Inter-city",
        "timestamp": "2026-05-06T06:34:37.763Z"
      },
      "responseStatus": "SUCCESS",
      "message": null
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success" }
```

3. In case of invalid pinCode

```
{
  "response": null,
  "error": "true",
  "code": "400 BAD_REQUEST",
  "message": "Data format failed OR wrong value entered at: sourcePinCode. Format should follow ^[0-9]{6}" }
```

Status Code 200: INDIAPOST data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.5 INDIAPOST/03

This API will take **below fields** and connect with INDIAPOST API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	pinCode	Enter the pinCode as available in INDIAPOST system.	^[0-9]{6}	Required	06
2	limit	Enter the limit as available in INDIAPOST system.	^(?:[1-9] [1-4][0-9] 50)\$	Required	50
3	officeType	Enter the officeType as available in INDIAPOST system.	^[A-Za-z]+\$	Required	

1.5.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide above fields for which detail is required.
3. INDIAPOST API will share **list of post offices comes under given pin code** based on pin code which exist in INDIAPOST system in JSON format.
4. INDIAPOST Integration will add JSON in **response** key in response body.
5. ULIP system will provide the data in JSON Object format in response body.

Example:

Above fields are shared by ULIP system, then INDIAPOST-integration will make a request to INDIAPOST API.

Request:

ULIP Integration Requirement Document

The request must be of the following format, where the fields below are passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/03>

```
{  "pinCode":"228121",
  "limit":"50",
  "officeType":"post" }
```

Curl URL

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/03>

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/03' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoiYXBpR2F0ZXdheSIsInN1YiI6InVsaXAiLCJpYXQiOiJlE3NDQ3NzQ5O
TN9.cHL_0MM1zMPYq-CgZkaz_nn8Mnfnlj3HoKyj3S-CXxKf86TBwQ-
TLNoQdAXvX6dMkt8fcCQb_i6wqFwcGpHg' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data '{ "pinCode":"228121",
        "limit":"50",
        "officeType":"post" }'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/03>

```
{  "pinCode":"228121",
  "limit":"50",
  "officeType":"post" }
```

Curl URL

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/03' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoiYXBpR2F0ZXdheSIsInN1YiI6InVsaXAiLCJpYXQiOiJlE3NDQ2OTA2N
TB9.tHSboGV9SqfWoKngGDWdWovWwSjivHCjLNKw9YBWVik4Iughm2r0tr-
zHvf9N3tjWVPpmMlNJ_iWaXIJWF7CzQ' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data '{ "pinCode":"228121",
        "limit":"50",
        "officeType":"post" }'
```

For obtaining authentication token, refer [Section 1.7](#)

Response

To acknowledge the above request, ULIP will send the below response -

1. Invalid pinCode

```
{  "response": null,
  "error": "true",
  "code": "400 BAD_REQUEST",
  "message": "Data format failed OR wrong value entered at: pinCode. Format should
follow  ^[0-9]{6}" }
```

2. In case data exist

```
{
  "response": [
    {
      "response": {
        "status_code": 200,
        "success": true,
        "message": "list retrieved successfully",
        "skip": 0,
        "limit": 50,
        "returned_records_count": 10,
        "data": [
          {
            "pincode": 228121,
            "office_name": "Agai BO",
            "office_id": "31103894",
            "office_type_code": "BPO",
            "state_name": "Uttar Pradesh",
            "delivery_office_flag": true,
            "city_name": "SULTANPUR",
            "taluk_name": "SULTANPUR",
            "village_name": "Agai",
            "is_rolled_out": true,
            "spds_id": "",
            "idc_id": 31660658,
            "idc_name": "Atarsuma SO"
          },
          {
            "pincode": 228121,
            "office_name": "Atarsuma SO",
            "office_id": "31660658",
            "office_type_code": "SPO",
            "state_name": "Uttar Pradesh",
            "delivery_office_flag": true,
```

ULIP Integration Requirement Document

```
"city_name": "SULTANPUR",
"taluk_name": "SULTANPUR SADAR",
"village_name": "Lohgi",
"is_rolled_out": true,
"spds_id": "",
"idc_id": 31660658,
"idc_name": "Atarsuma SO"
},
{
  "pincode": 228121,
  "office_name": "Bhikharpur BO",
  "office_id": "31103971",
  "office_type_code": "BPO",
  "state_name": "Uttar Pradesh",
  "delivery_office_flag": true,
  "city_name": "SULTANPUR",
  "taluk_name": "",
  "village_name": "Bhikharpur",
  "is_rolled_out": true,
  "spds_id": "",
  "idc_id": 31660658,
  "idc_name": "Atarsuma SO"
},
{
  "pincode": 228121,
  "office_name": "Bingi BO",
  "office_id": "31103981",
  "office_type_code": "BPO",
  "state_name": "Uttar Pradesh",
  "delivery_office_flag": true,
  "city_name": "SULTANPUR",
  "taluk_name": "SULTANPUR",
  "village_name": "Bingi",
  "is_rolled_out": true,
  "spds_id": "",
  "idc_id": 31660658,
  "idc_name": "Atarsuma SO"
},
{
  "pincode": 228121,
  "office_name": "Chandaur BO",
  "office_id": "31103992",
  "office_type_code": "BPO",
  "state_name": "Uttar Pradesh",
  "delivery_office_flag": true,
  "city_name": "SULTANPUR",
```

ULIP Integration Requirement Document

```
        "taluk_name": "Sultanpur",
        "village_name": "Chandour",
        "is_rolled_out": true,
        "spds_id": "",
        "idc_id": 31660658,
        "idc_name": "Atarsuma SO"
    },
    {
        "pincode": 228121,
        "office_name": "Jajjaur BO",
        "office_id": "31104081",
        "office_type_code": "BPO",
        "state_name": "Uttar Pradesh",
        "delivery_office_flag": true,
        "city_name": "SULTANPUR",
        "taluk_name": "SULTANPUR",
        "village_name": "Jajjour",
        "is_rolled_out": true,
        "spds_id": "",
        "idc_id": 31660658,
        "idc_name": "Atarsuma SO"
    },
    {
        "pincode": 228121,
        "office_name": "Makdoomnagar BO",
        "office_id": "31104148",
        "office_type_code": "BPO",
        "state_name": "Uttar Pradesh",
        "delivery_office_flag": true,
        "city_name": "SULTANPUR",
        "taluk_name": "SULTANPUR",
        "village_name": "Barouli",
        "is_rolled_out": true,
        "spds_id": "",
        "idc_id": 31660658,
        "idc_name": "Atarsuma SO"
    },
    {
        "pincode": 228121,
        "office_name": "Mayang BO",
        "office_id": "31104164",
        "office_type_code": "BPO",
        "state_name": "Uttar Pradesh",
        "delivery_office_flag": true,
        "city_name": "SULTANPUR",
        "taluk_name": "SULTANPUR SADAR",
```

ULIP Integration Requirement Document

```
        "village_name": "Mayang",
        "is_rolled_out": true,
        "spds_id": "",
        "idc_id": 31660658,
        "idc_name": "Atarsuma SO"
    },
    {
        "pincode": 228121,
        "office_name": "Murua BO",
        "office_id": "31104179",
        "office_type_code": "BPO",
        "state_name": "Uttar Pradesh",
        "delivery_office_flag": true,
        "city_name": "SULTANPUR",
        "taluk_name": "SULTANPUR",
        "village_name": "Mudva",
        "is_rolled_out": true,
        "spds_id": "",
        "idc_id": 31660658,
        "idc_name": "Atarsuma SO"
    },
    {
        "pincode": 228121,
        "office_name": "Pipargaon BO",
        "office_id": "31104225",
        "office_type_code": "BPO",
        "state_name": "Uttar Pradesh",
        "delivery_office_flag": true,
        "city_name": "SULTANPUR",
        "taluk_name": "SULTANPUR",
        "village_name": "Pipergaon",
        "is_rolled_out": true,
        "spds_id": "",
        "idc_id": 31660658,
        "idc_name": "Atarsuma SO"
    }
]
},
"responseStatus": "SUCCESS",
"message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}
```

3. In case limit beyond 50

```
{
  "response": null,
  "error": "true",
  "code": "400 BAD_REQUEST",
  "message": "Data format failed OR wrong value entered at: limit. Format should follow ^(?:[1-9]|[1-4][0-9]|50)$"}
```

Status Code 200: INDIAPOST data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.6 INDIAPOST/04

This API will take **bulk tracking ID** and connect with INDIAPOST API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	bulk	Enter the bulk as available in INDIAPOST system.	^[A-Za-z]{2}\d{9}[A-Za-z]{2})(\s?[A-Za-z]{2}\d{9}[A-Za-z]{2}){0,49}\$	Required	50

1.6.1 Technical Approach

- All the data will be shared through rest web services.
- ULIP system will provide **bulk** tracking id's for which detail is required.
- INDIAPOST API will share tracking details based on **bulk** tracking id's which exist in INDIAPOST system in JSON format.
- INDIAPOST Integration will add JSON in **response** key in response body.
- ULIP system will provide the data in JSON Object format in response body.

Example:

bulk field is shared by ULIP system, then INDIAPOST-integration will make a request to INDIAPOST API.

Request:

The request must be of the following format, where date is passed within the URL body in JSON format.

ULIP Integration Requirement Document

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/04>

```
{"bulk": "RK775227016IN,RK440375064IN,RK815417418IN,RK446958412IN,EY011867595IN"}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/04' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoiYXBpR2F0ZXdheSIsInN1YiI6InVsaXAiLCJpYXQiOiJlE3NDQ3NzQ5O
TN9.cHL_0MM1zMPYq-CgZkaz_nn8Mnfnlj3HoKyj3S-CXxKf86TBwQ-
TLNoQdAXvX6dMkt8fcCQb_i6wqFwcGpHg' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data '{"bulk":
"RK775227016IN,RK440375064IN,RK815417418IN,RK446958412IN,EY011867595IN" }'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/04>

```
{"bulk": "RK775227016IN,RK440375064IN,RK815417418IN,RK446958412IN,EY011867595IN"}
```

Curl URL

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/04' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoiYXBpR2F0ZXdheSIsInN1YiI6InVsaXAiLCJpYXQiOiJlE3NDQ2OTA2N
TB9.tHSboGV9SgfWoKngGDWdWovWwSjivHCjLNKw9YBWVik4Iughm2r0tr-
zHvf9N3tjWVPpmMlNJ_iWaXIJWF7CzQ' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data '{"bulk":
"RK775227016IN,RK440375064IN,RK815417418IN,RK446958412IN,EY011867595IN" }'
```

For obtaining authentication token, refer [Section 1.7](#)

Response

To acknowledge the above request, ULIP will send the below response -

1. Invalid bulk format

```
{
  "response": null,
  "error": "true",
  "code": "400_BAD_REQUEST",
  "message": "Data format failed OR wrong value entered at: bulk. Format should
follow ^([A-Za-z]{2}\\d{9}[A-Za-z]{2})(,\\s?[A-Za-z]{2}\\d{9}[A-Za-z]{2}){0,49}$"
```

2. In case data exist

```
{  "response": [
    {
      "response": {
        "status_code": 200,
        "success": true,
        "message": "data retrieved successfully",
        "data": [
          {
            "booking_details": {
              "article_number": "RK440375064IN",
              "booked_at": "",
              "booked_at_officeid": "",
              "bulk_customer_id": null,
              "booked_on": "0001-01-01T00:00:00Z",
              "origin_pincode": "",
              "destination_pincode": "",
              "tariff": 0,
              "article_type": "",
              "delivery_location": "",
              "delivery_confirmed_on": null,
              "destination_office_facility_id": ""
            },
            "tracking_details": null,
            "del_status": {
              "del_status": "not delivered"
            }
          },
          {
            "booking_details": {
              "article_number": "RK815417418IN",
              "booked_at": "",
              "booked_at_officeid": "",
              "bulk_customer_id": null,
              "booked_on": "0001-01-01T00:00:00Z",
              "origin_pincode": "",
              "destination_pincode": "",
              "tariff": 0,
              "article_type": "",
              "delivery_location": "",
              "delivery_confirmed_on": null,
              "destination_office_facility_id": ""
            },
            "tracking_details": null,
            "del_status": {
```

```
        "del_status": "not delivered"
      }
    },
    {
      "booking_details": {
        "article_number": "RK446958412IN",
        "booked_at": "",
        "booked_at_officeid": "",
        "bulk_customer_id": null,
        "booked_on": "0001-01-01T00:00:00Z",
        "origin_pincode": "",
        "destination_pincode": "",
        "tariff": 0,
        "article_type": "",
        "delivery_location": "",
        "delivery_confirmed_on": null,
        "destination_office_facility_id": ""
      },
      "tracking_details": null,
      "del_status": {
        "del_status": "not delivered"
      }
    },
    {
      "booking_details": {
        "article_number": "EY011867595IN",
        "booked_at": "",
        "booked_at_officeid": "",
        "bulk_customer_id": null,
        "booked_on": "0001-01-01T00:00:00Z",
        "origin_pincode": "",
        "destination_pincode": "",
        "tariff": 0,
        "article_type": "",
        "delivery_location": "",
        "delivery_confirmed_on": null,
        "destination_office_facility_id": ""
      },
      "tracking_details": null,
      "del_status": {
        "del_status": "not delivered"
      }
    },
    {
      "booking_details": {
        "article_number": "RK775227016IN",
```

```
        "booked_at": "",
        "booked_at_officeid": "",
        "bulk_customer_id": null,
        "booked_on": "0001-01-01T00:00:00Z",
        "origin_pincode": "",
        "destination_pincode": "",
        "tariff": 0,
        "article_type": "",
        "delivery_location": "",
        "delivery_confirmed_on": null,
        "destination_office_facility_id": ""
    },
    "tracking_details": null,
    "del_status": {
        "del_status": "not delivered"
    }
}

    ],
    "responseStatus": "SUCCESS",
    "message": null
}

],
"error": "false",
"code": "200",
"message": "Success"}
```

Status Code 200: INDIAPOST data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.7 Data Transmission & Authentication Mechanism

All data exchange would be done over secure HTTP (HTTPS). Requests from ULIP's system would be made in INDIAPOST system through a data exchange URL that has following form:

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/01>

```
{
  "productCode": "SP",
  "weight": "250",
  "sourcePinCode": "400001",
  "destinationPinCode": "110001",
  "length": "30",
  "width": "21",
  "height": "0.5",
```

```
"ins": "1000",  
"pod": "YES" }
```

Access to above data exchange URL would be authorized by use of a security mechanism implemented by the ULIP system. It is as follows:

- First time access: It would require a username and password [which would be shared with user beforehand]. Once user hit with valid user id and password, ULIP system will return a basic authorization token to user, using that token user will communicate with ULIP system until tokens will not get expired.

Summary of HTTP Basic Authentication is as follows:

First time User hits ULIP secured API through username and password for access token as follow-

```
curl --location --request POST  
'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/user/login' \  
  --header 'Accept: application/json' \  
  --header 'Content-Type: application/json' \  
  --data-raw '{"username": "xxxx",  
  "password": "xxxx@123"}'
```

Authorization:

Bearer

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjgyNDkyNzQ1LCJhcHBzljoiZGF0YXB1c2gifQ.iNjO9ggx99yqkjJw65KKP7dZ9zVatpuQQP76rVBnxxArEYq8QZIn48_ihG8ECe34wKm3QTcokX7wrq9RDwZrbA'
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represents user session. The session time out for the same to be fixed hour, generally it is for 24 hours. After 24 hours, the session (token) will expire and user needs to re authenticate.

Using The above token, users can request ULIP system for cargo details as follow -

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/01' \  
  --header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzljoiYXBpR2F0ZXdheSIsInN1Yil6InVsaXAiLCJpYXQiOiJE3NDQ3NzQ5OTN9.cHL_0MM1zMPYq-CgZkaz_nn8Mnfnlj3HoKyj3S-CXxKf86TBwQ-TLNoQdAXvX6dMkt8fcCQb_i6wqFwcnGpHg' \  
  --header 'Content-Type: application/json' \  
  --header 'Accept: application/json' \  
  --data '{  "productCode": "SP",  
    "weight": "250",  
    "sourcePinCode": "400001",  
    "destinationPinCode": "110001",  
    "length": "30",  
    "width": "21",  
    "height": "0.5",
```

```
"ins":"1000",  
"pod":"YES" }'
```

For Production:

```
curl --location --request POST  
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/user/login' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data-raw '{"username": "xxxx",  
"password": "xxxx@123" }'
```

Authorization:

Bearer

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjgyNDkyNzQ1LCJhcHBzljoiZGF0YXB1c2gifQ.iNjO9ggx99yqkjJw65KKP7dZ9zVatpuQQP76rVBnxxArEYq8QZIn48_ihG8ECe34wKm3QTcokX7wrq9RDwZrbA'
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represents user session. The session time out for the same to be fixed hour, generally it is for 24 hours. After 24 hours, the session (token) will expire and user need to re authenticate.

Using The above token, user can request ULIP system for cargo details as follows -

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/INDIAPOST/01' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzljoiYXBpR2F0ZXdhcSIsInN1Yil6InVsaXAiLCJpYXQiOiJl3NDQ2OTA2NTB9.tHSboGV9SqfWoKngGDWdWovWwSjivHCjLNKw9YBWVik4lughm2r0tr-zHvf9N3tjWVPpmMINJ_iWaXIJWF7CzQ' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data '{  "productCode":"SP",  
    "weight":"250",  
    "sourcePinCode":"400001",  
    "destinationPinCode":"110001",  
    "length":"30",  
    "width":"21",  
    "height":"0.5",  
    "ins":"1000",  
    "pod":"YES" }'
```