

ULIP Integration Document

Version No.: 5.0

Date: 08/05/2026

Project Name: ULIP

This document contains proprietary information of NEC corporation India Pvt Ltd. Unauthorized access, copying and replication are prohibited. This document must not be copied in whole or part by any means, without the written authorization of NEC corporation India Pvt Ltd, Noida, India.

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	05/04/2021	Vikash Kumar	Nayab Ali	Baseline Version
2.0	27/04/2021	Akshay Singh	Nayab Ali	Added IWAI/10 to IWAI/14
3.0	29/04/2021	Akshay Singh	Nayab Ali	Bean format update
4.0	29/04/2021	Girish Chander	Nayab Ali	Updated
5.0	27/04/2026	Sudhanshu Singh	Nayab Ali	New IWAI_10 to IWAI_15 API

Table of Contents

1.1	Purpose	6
The Overall Description		6
1.2	Data Integration between IWAI System and ULIP application	6
1.3	IWAI/01	6
1.3.1	Technical Approach	6
1.3.2	Curl URL	7
1.3.3	Curl URL	7
1.3.4	Response	7
1.4	IWAI/02	8
1.4.1	Technical Approach	9
1.4.2	Curl URL	9
1.4.3	Curl URL	9
1.4.4	Response	10
1.5	IWAI/03	13
1.5.1	Technical Approach	13
1.5.2	Curl URL	14
1.5.3	Curl URL	14
1.5.4	Response	15
1.6	IWAI/04	17
1.6.1	Technical Approach	17
1.6.2	Curl URL	17
1.6.3	Curl URL	18
1.6.4	Response	18
1.7	IWAI/05	19
1.7.1	Technical Approach	19
1.7.2	Curl URL	20
1.7.3	Curl URL	20
1.7.4	Response	20
1.8	IWAI/06	23
1.8.1	Technical Approach	23
1.8.2	Curl URL	24
1.8.3	Curl URL	24
1.8.4	Response	24
1.9	IWAI/07	26

1.9.1	Technical Approach	26
1.9.2	Curl URL	27
1.9.3	Curl URL	27
1.9.4	Response	27
1.10	IWAI/08.....	40
1.10.1	Technical Approach	40
1.10.2	Curl URL	41
1.10.3	Curl URL	41
1.10.4	Response	41
1.11	IWAI/09.....	43
1.11.1	Technical Approach	44
1.11.2	Curl URL	44
1.11.3	Curl URL	44
1.11.4	Response	45
1.12	IWAI/10.....	48
1.12.1	Technical Approach	48
1.12.2	Curl URL	49
1.12.3	Curl URL	49
1.12.4	Response	49
1.13	IWAI/11.....	51
1.13.1	Technical Approach	51
1.13.2	Curl URL	51
1.13.3	Curl URL	51
1.13.4	Response	52
1.14	IWAI/12.....	54
1.14.1	Technical Approach	54
1.14.2	Curl URL	54
1.14.3	Curl URL	55
1.14.4	Response	55
1.15	IWAI/13.....	59
1.15.1	Technical Approach	59
1.15.2	Curl URL	60
1.15.3	Curl URL	60
1.15.4	Response	60
1.16	IWAI/14.....	62
1.16.1	Technical Approach	62

ULIP Integration Document

1.16.2	Curl URL	63
1.16.3	Curl URL	63
1.16.4	Response	63
1.17	IWAI/15.....	66
1.17.1	Technical Approach	66
1.17.2	Curl Url	66
1.17.3	Curl Url	67
1.17.4	Response	67
1.18	Data Transmission & Authentication Mechanism	69

Introduction

1.1 Purpose

The purpose of this document is to define and provide details for accessing API for transaction details from IWAI (Inland Waterways Authority of India) system from ULIP system. This document details the following points:

1. **Data Integration between IWAI and ULIP web service:** Identification of operational points where data integration between IWAI and ULIP web service will be needed.
2. **Technical Approach** for performing Data Integration

The Overall Description

Users will share information based on data sent by user ULIP system will call **IWAI** API for accessing information.

Followings are the points for accessing cargo information: -

1. This API will share data based on information provided by users.
2. ULIP will expose API for getting data from IWAI API.
3. **IWAI/01** API will take information from user and get data from IWAI API.

1.2 Data Integration between IWAI System and ULIP application

Users will share information with the ULIP system based on data shared ULIP will provide data to user.

1.3 IWAI/01

This API will connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	N/A	N/A	N/A	N/A	N/A

1.3.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide detail is required.
3. IWAI API will share details of cargo information which exist in IWAI system in JSON format.
4. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/01>

```
{ }
```

1.3.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/01' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{ }
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/01>

```
{ }
```

1.3.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/01' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{ }
```

For obtaining authentication token, refer [Section 1.18](#)

1.3.4 Response

To acknowledge the above request, ULIP will send the response below -

a) Success response

```
{
  "response": [
    {
      "response": {
        "status": "success",
        "data": [
          {
            "NAME": "Cargo Traffic",
```

```

        "VALUE1": 0,
        "VALUE2": 0,
        "MNAME": null,
        "YNAME": "FY 26-27"
    },
    {
        "NAME": "Passengers",
        "VALUE1": 0,
        "VALUE2": 0,
        "MNAME": null,
        "YNAME": "FY 26-27"
    },
    {
        "NAME": "Cargo Tonnage km",
        "VALUE1": 0,
        "VALUE2": 0,
        "MNAME": null,
        "YNAME": "FY 26-27"
    }
],
"message": null,
"total_records": 0,
"previous_page": null,
"next_page": null
},
"responseStatus": "SUCCESS",
"message": null
}
],
"error": "false",
"code": "200",
"message": "Success" }

```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.4 IWA/02

This API will connect with IWA/02 API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	N/A	N/A	N/A	N/A	N/A

1.4.1 Technical Approach

5. All the data will be shared through rest web services.
6. ULIP system will provide detail is required.
7. IWAI API will share details of cargo information which exist in IWAI system in JSON format.
8. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/02>

```
{}
```

1.4.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/02' \  
--  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1MM--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{}'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/02>

```
{}
```

1.4.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/02' \  
--  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1MM--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{}'
```

For obtaining authentication token, refer [Section 1.18](#)

1.4.4 Response

To acknowledge the above request, ULIP will send the response below -

a) Success response

```
{
  "response": [
    {
      "response": {
        "status": "success",
        "data": [
          [
            {
              "text": "Ferry",
              "value": "18bbe971-44cc-11ef-8f98-005056883868"
            },
            {
              "text": "Dry Bulk",
              "value": "2d008a7c-e2b6-11ea-a765-c809a8f74e0e"
            },
            {
              "text": "Ro-Ro",
              "value": "2d645ff1-e2b6-11ea-a765-c809a8f74e0e"
            },
            {
              "text": "Break Bulk",
              "value": "2de9a3c6-e2b6-11ea-a765-c809a8f74e0e"
            },
            {
              "text": "Liquid Bulk",
              "value": "2e5f1e42-e2b6-11ea-a765-c809a8f74e0e"
            },
            {
              "text": "Container",
              "value": "2ed42ab4-e2b6-11ea-a765-c809a8f74e0e"
            },
            {
              "text": "ODC/Project Cargo",
              "value": "2f595ade-e2b6-11ea-a765-c809a8f74e0e"
            },
            {
              "text": "Ro-Pax",
              "value": "6a9219a6-7d6f-11eb-a9d3-005056883868"
            },
            {
              "text": "Passengers",
              "value": "849758a1-045a-11ee-98f4-005056883868"
            }
          ]
        ]
      }
    }
  ]
}
```

```

    },
    {
      "text": "CPO & CPKO",
      "value": "c2a26eaa-72cb-11ec-99fd-005056883868"
    },
    {
      "text": "NA",
      "value": "f222c249-a4b5-11ea-a89a-8218f17267ae"
    }
  ],
  [
    {
      "text": " ADANI WILMAR LIMITED",
      "value": " ADANI WILMAR LIMITED"
    },
    {
      "text": " EMAMI AGROTECH LTD(Qty of 5009.532 MT)AWL AGRI BUSINESS LIMITED (Qty of 7952.88 MT).",
      "value": " EMAMI AGROTECH LTD(Qty of 5009.532 MT)AWL AGRI BUSINESS LIMITED (Qty of 7952.88 MT)."
    },
    {
      "text": " GEMINI EDIBLES & BUNGE INDIA",
      "value": " GEMINI EDIBLES & BUNGE INDIA"
    },
    {
      "text": " GIMPEX PRIVATE LTD.",
      "value": " GIMPEX PRIVATE LTD."
    },
    {
      "text": " GOKUL AGRO RESOURCES",
      "value": " GOKUL AGRO RESOURCES"
    },
    {
      "text": " GOKUL AGRO RESOURCES LIMITED",
      "value": " GOKUL AGRO RESOURCES LIMITED"
    },
    {
      "text": " GOKUL AGRO RESOURCES LIMITED.",
      "value": " GOKUL AGRO RESOURCES LIMITED."
    },
    {
      "text": " M/s Majumdar Agro Industries Pvt. Ltd.",
      "value": " M/s Majumdar Agro Industries Pvt. Ltd."
    },
    {
      "text": " RAIN CEMENTS LIMITED. ",
      "value": " RAIN CEMENTS LIMITED. "
    }
  ],

```

```

        {
            "text": " Shri Marutis universal pvt ltd",
            "value": " Shri Marutis universal pvt ltd"
        },
        {
            "value": "a99b3b0a-7d3f-11ee-8f98-005056883868",
            "text": "Mahua Ghat, Doriganj ",
            "nw": "NW-1"
        },
        {
            "value": "4a64eab6-d9df-11ee-8f98-005056883868",
            "text": "Maia Riverine Port (INLGL1)",
            "nw": "IBP"
        },
        {
            "value": "e37a0558-4c4f-11f0-a590-005056883868",
            "text": "Maijan ",
            "nw": "NW-2"
        },
        {
            "value": "5d2310af-169e-11ef-8f98-005056883868",
            "text": "Malwa",
            "nw": "NW-16"
        },
        {
            "value": "17b69b7f-e2c3-11ea-a765-c809a8f74e0e",
            "text": "Manikchak",
            "nw": "NW-1"
        },
        {
            "value": "abaa6ccd-ee13-11ec-98f4-005056883868",
            "text": "Maniyapramabu",
            "nw": "NW-3"
        },
    ],
    [
        {
            "CurrentFyear": "FY 26-27",
            "PreviousFyear": "FY 25-26"
        }
    ],
    null,
    null
],
"message": null,
"total_records": 0,
"previous_page": null,
"next_page": null

```

```

    },
    "responseStatus": "SUCCESS",
    "message": null
  }
],
"error": "false",
"code": "200",
"message": "Success"
}

```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.5 IWAI/03

This API will take **YEAR1**, **YEAR2**, **NWTYPE** and **TERMINAL** to connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	year1	year1 as available in IWAI system.	[a-zA-Z\d-]{8}	Required	8
2	year2	year2 as available in IWAI system.	[a-zA-Z\d-]{8}	Required	8
3	nwtype	nwtype as available in IWAI system.	N/A	Not Required	N/A
4	terminal	terminal as available in IWAI system.	N/A	Not Required	N/A

1.5.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **YEAR1**, **YEAR2**, **NWTYPE** and **TERMINAL** for which detail is required.
3. IWAI API will share details of cargo information which exist in IWAI system in JSON format.
4. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/03>

```
{ "year1": "",  
  "year2": "",  
  "nwtype": "",  
  "terminal": "" }
```

1.5.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/03' \  
--  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzljoiZGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHXmTRWNAqHH1MM--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{ "year1": "",  
  "year2": "",  
  "nwtype": "",  
  "terminal": "" }
```

For obtaining authentication token, refer [Section 1.18](#)

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/03>

```
{ "year1": "",  
  "year2": "",  
  "nwtype": "",  
  "terminal": "" }
```

1.5.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/03' \  
--  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzljoiZGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHXmTRWNAqHH1MM--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{ "year1": "",  
  "year2": "",  
  "nwtype": "",  
  "terminal": "" }
```

For obtaining authentication token, refer [Section 1.18](#)

1.5.4 Response

To acknowledge the above request, ULIP will send the response below -

a) Success response

```
{  "response": [
  {
    "response": {
      "status": "success",
      "data": [
        {
          "s": 1,
          "Month": "April",
          "Year1": 11.98,
          "Year2": 0.0
        },
        {
          "s": 2,
          "Month": "May",
          "Year1": 12.46,
          "Year2": 0.0
        },
        {
          "s": 3,
          "Month": "June",
          "Year1": 11.7,
          "Year2": 0.0
        },
        {
          "s": 4,
          "Month": "July",
          "Year1": 11.55,
          "Year2": 0.0
        },
        {
          "s": 5,
          "Month": "Aug",
          "Year1": 11.72,
          "Year2": 0.0
        },
        {
          "s": 6,
          "Month": "Sep",
          "Year1": 11.74,
          "Year2": 0.0
        }
      ]
    }
  }
]
```

```
        "s": 7,
        "Month": "Oct",
        "Year1": 51.1,
        "Year2": 0.0
      },
      {
        "s": 8,
        "Month": "Nov",
        "Year1": 19.12,
        "Year2": 0.0
      },
      {
        "s": 9,
        "Month": "Dec",
        "Year1": 19.5,
        "Year2": 0.0
      },
      {
        "s": 10,
        "Month": "Jan",
        "Year1": 19.21,
        "Year2": 0.0
      },
      {
        "s": 11,
        "Month": "Feb",
        "Year1": 18.01,
        "Year2": 0.0
      },
      {
        "s": 12,
        "Month": "Mar",
        "Year1": 20.15,
        "Year2": 0.0
      }
    ],
    "message": null,
    "total_records": 0,
    "previous_page": null,
    "next_page": null
  },
  "responseStatus": "SUCCESS",
  "message": null
}
],
"error": "false",
"code": "200",
"message": "Success"}
```


Status Code 200: success data response
Status Code 400: Bad request (Invalid json syntax, invalid json key)
Status Code 401 or 403: Unauthenticated or Unauthorized
Status Code 500: Some internal server errors occurred
Status Code 502: Server is not responding.

1.6 IWAI/04

This API will take **FYEAR** to connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	fYear	fYear as available in IWAI system.	[a-zA-Z\d-]{8}	Required	8

1.6.1 Technical Approach

5. All the data will be shared through rest web services.
6. ULIP system will provide **FYEAR** for which detail is required.
7. IWAI API will share details of cargo information which exist in IWAI system in JSON format.
8. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/04>

```
{ "fYear": "" }
```

1.6.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/04' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjQ5MjMjNDA0LCJhcHBzIjoiaZGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHXmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{ "fYear": "" }'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/04>

```
{ "fYear": "" }
```

1.6.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/04' \  
-- \  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M \  
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{ "fYear":"" }'
```

For obtaining authentication token, refer [Section 1.18](#)

1.6.4 Response

To acknowledge the above request, ULIP will send the response below -

a) Success response

```
{ "response": [  
  {  
    "response": {  
      "status": "success",  
      "data": [  
        {  
          "nwtype_code": "NW-1",  
          "traffic": 8.478412518E7,  
          "month": "March",  
          "fyear": "FY 25-26"  
        },  
        {  
          "nwtype_code": "NW-100",  
          "traffic": 3.474670898E7,  
          "month": "March",  
          "fyear": "FY 25-26"  
        },  
        {  
          "nwtype_code": "NW-91",  
          "traffic": 3.441759214E7,  
          "month": "March",  
          "fyear": "FY 25-26"  
        },  
        {  
          "nwtype_code": "NW-10",  
          "traffic": 3.106820453E7,  
          "month": "March",  
          "fyear": "FY 25-26"  
        }  
      ]  
    }  
  }  
]
```

```
{
  "nwtype_code": "Others",
  "traffic": 3.322142268E7,
  "month": "March",
  "fyear": "FY 25-26"
},
{
  "message": null,
  "total_records": 0,
  "previous_page": null,
  "next_page": null
},
{
  "responseStatus": "SUCCESS",
  "message": null
}
],
"error": "false",
"code": "200",
"message": "Success" }
```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.7 IWAI/05

This API will take **YEAR1** and **YEAR2** to connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	year1	year1 as available in IWAI system.	[a-zA-Z\d-\s]{8}	Required	8
2	year2	year2 as available in IWAI system.	[a-zA-Z\d-\s]{8}	Required	8

1.7.1 Technical Approach

9. All the data will be shared through rest web services.
10. ULIP system will provide **YEAR1** and **YEAR2** for which detail is required.
11. IWAI API will share details of cargo information which exist in IWAI system in JSON format.
12. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/05>

```
{  "year1":"FY 20-21",
  "year2":"FY 21-22" }
```

1.7.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/05' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoiaZGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{  "year1":"FY 20-21",
  "year2":"FY 21-22" }'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/05>

```
{  "year1":"FY 20-21",
  "year2":"FY 21-22" }
```

1.7.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/05' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoiaZGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{  "year1":"FY 20-21",
  "year2":"FY 21-22" }'
```

For obtaining authentication token, refer [Section 1.18](#)

1.7.4 Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format

1. Invalid year1 and year2

```
{  "response": null,
```

```
"error": "true",
"code": "400",
"message": "Data format failed OR wrong value entered at:  year1. Format should follow [a-zA-Z\\d-\\s]{8} }
```

2. In case of year1 and year2 is null or not match in IWA System

```
{  "response": [
    {
      "response": {
        "status": "error",
        "data": null,
        "message": "No columns were selected",
        "total_records": 0,
        "previous_page": null,
        "next_page": null
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success" }
```

b) In case of year1 and year2 Exist in IWA System

```
{  "response": [
    {
      "response": {
        "status": "success",
        "data": [
          {
            "NW": "NW-100",
            "Year1": 25.63,
            "year2": 29.32,
            "month": "March",
            "toataly1": 83.61,
            "totaly2": 108.79
          },
          {
            "NW": "NW-91",
            "Year1": 9.23,
            "year2": 22.45,
            "month": "March",
            "toataly1": 83.61,
            "totaly2": 108.79
          },
          {
            "NW": "NW-10",
```

ULIP Integration Document

```

        "Year1": 17.69,
        "year2": 20.23,
        "month": "March",
        "toataly1": 83.61,
        "totaly2": 108.79
    },
    {
        "NW": "NW-4",
        "Year1": 6.83,
        "year2": 11.23,
        "month": "March",
        "toataly1": 83.61,
        "totaly2": 108.79
    },
    {
        "NW": "NW-1",
        "Year1": 9.21,
        "year2": 10.93,
        "month": "March",
        "toataly1": 83.61,
        "totaly2": 108.79
    },
    {
        "NW": "NW-3",
        "Year1": 0.73,
        "year2": 1.7,
        "month": "March",
        "toataly1": 83.61,
        "totaly2": 108.79
    },
    {
        "NW": "NW-44",
        "Year1": 0.28,
        "year2": 0.82,
        "month": "March",
        "toataly1": 83.61,
        "totaly2": 108.79
    },
    {
        "NW": "NW-2",
        "Year1": 0.31,
        "year2": 0.43,
        "month": "March",
        "toataly1": 83.61,
        "totaly2": 108.79
    },
    {
        "NW": "Others",
        "Year1": 0.29,

```

```

        "year2": 0.31,
        "month": "March",
        "toataly1": 83.61,
        "totaly2": 108.79
    }
  ],
  "message": null,
  "total_records": 0,
  "previous_page": null,
  "next_page": null
},
"responseStatus": "SUCCESS"
}
],
"error": "false",
"code": "200",
"message": "Success" }

```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.8 IWAI/06

This API will take **YEAR1** and **YEAR2** to connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	year1	year1 as available in IWAI system.	[a-zA-Z\d-\s]{8}	Required	8
2	year2	year2 as available in IWAI system.	[a-zA-Z\d-\s]{8}	Required	8

1.8.1 Technical Approach

13. All the data will be shared through rest web services.

14. ULIP system will provide **YEAR1** and **YEAR2** for which detail is required.

15. IWAI API will share details of cargo information which exist in IWAI system in JSON format.

16. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/06>

```
{ "year1":"FY 20-21", "year2":"FY 21-22" }
```

1.8.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/06' \  
--  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M  
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{ "year1":"FY 20-21",  
"year2":"FY 21-22" }'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/06>

```
{ "year1":"FY 20-21", "year2":"FY 21-22" }
```

1.8.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/06' \  
--  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M  
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{"year1":"FY 20-21", "year2":"FY 21-22"}'
```

For obtaining authentication token, refer [Section 1.18](#)

1.8.4 Response

To acknowledge the above request, ULIP will send the response below -

a) In case of invalid format

1. Invalid year1 and year2

```
{ "response": null,  
"error": "true",  
"code": "400",  
"message": "Data format failed OR wrong value entered at: year1. Format should follow [a-  
zA-Z\\d-\\s]{8}" }
```

2. In case of year1 and year2 is null or not match in IWAI System


```
{  "response": [
    {
      "response": {
        "status": "error",
        "data": null,
        "message": "No columns were selected",
        "total_records": 0,
        "previous_page": null,
        "next_page": null
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success" }
```

b) In case of year1 and year2 Exist in IWA1 System

```
{  "response": [
    {
      "response": {
        "status": "success",
        "data": [
          {
            "nw": "NW-1",
            "Year1": 2330.94,
            "Year2": 1060.46,
            "month": "March",
            "toataly1": 4460.89,
            "totaly2": 3070.3
          },
          {
            "nw": "NW-97",
            "Year1": 655.87,
            "Year2": 1016.26,
            "month": "March",
            "toataly1": 4460.89,
            "totaly2": 3070.3
          },
          {
            "nw": "NW-68",
            "Year1": 181.18,
            "Year2": 112.73,
            "month": "March",
            "toataly1": 4460.89,
            "totaly2": 3070.3
          }
        ]
      }
    }
  ]
}
```

```

        "nw": "NW-44",
        "Year1": 0.97,
        "Year2": 2.77,
        "month": "March",
        "toataly1": 4460.89,
        "totaly2": 3070.3
      },
      {
        "nw": "Others",
        "Year1": 21.63,
        "Year2": 1.43,
        "month": "March",
        "toataly1": 4460.89,
        "totaly2": 3070.3
      }
    ],
    "message": null,
    "total_records": 0,
    "previous_page": null,
    "next_page": null
  },
  "responseStatus": "SUCCESS"
}
],
"error": "false",
"code": "200",
"message": "Success" }

```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.9 IWAI/07

This API will take **FYEAR** to connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	fYear	fYear as available in IWAI system.	[a-zA-Z\d-\s]{8}	Required	8

1.9.1 Technical Approach

17. All the data will be shared through rest web services.

18. ULIP system will provide **FYEAR** for which detail is required.

19. IWAI API will share details of cargo information which exist in IWAI system in JSON format.

20. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/07>

```
{"fYear":"FY 20-21"}
```

1.9.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/07' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHXmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{"fYear":"FY 20-21"}
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/07>

```
{"fYear":"FY 20-21"}
```

1.9.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/07' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHXmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{"fYear":"FY 20-21"}
```

For obtaining authentication token, refer [Section 1.18](#)

1.9.4 Response

To acknowledge the above request, ULIP will send the below response –

a) In case of invalid format

1. Invalid fYear

```
{ "response": null,
```

```
"error": "true",  
"code": "400",  
"message": "Data format failed OR wrong value entered at:  fYear. Format should follow [a-zA-Z\\d-\\s]{8} }
```

2. In case of fYear is null or not match in IWAI System

```
{  "response": [  
    {  
      "response": {  
        "status": "error",  
        "data": null,  
        "message": "No columns were selected",  
        "total_records": 0,  
        "previous_page": null,  
        "next_page": null  
      },  
      "responseStatus": "SUCCESS"  
    }  
  ],  
  "error": "false",  
  "code": "200",  
  "message": "Success" }
```

b) In case of fYear Exist in IWAI System

```
{  "response": [  
    {  
      "response": {  
        "status": "success",  
        "data": [  
          {  
            "value": "17b602fc-e2c3-11ea-a765-c809a8f74e0e",  
            "text": "Ashuganj",  
            "nw": "IBP"  
          },  
          {  
            "value": "17b7b692-e2c3-11ea-a765-c809a8f74e0e",  
            "text": "Basirhat",  
            "nw": "NW-44"  
          },  
          {  
            "value": "17b71982-e2c3-11ea-a765-c809a8f74e0e",  
            "text": "Bhomoraguri",  
            "nw": "NW-2"  
          }  
        ]  
      }  
    }  
  ],  
  "error": "false",  
  "code": "200",  
  "message": "Success" }
```

```
{
  "value": "4f2c71d3-69fd-11eb-a9d3-005056883868",
  "text": "Bolgatty",
  "nw": "NW-3"
},
{
  "value": "1c40ca88-50bc-11eb-a9d3-005056883868",
  "text": "BTP",
  "nw": "NW-3"
},
{
  "value": "17b65b08-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Budge Budge",
  "nw": "NW-1"
},
{
  "value": "ab3a6071-f0d9-11ea-84cf-005056883868",
  "text": "Cochin Port",
  "nw": "NW-3"
},
{
  "value": "17b7c643-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Dahej",
  "nw": "NW-73"
},
{
  "value": "17b65d8a-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Dainhat",
  "nw": "NW-1"
},
{
  "value": "17b728b8-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Dakkhin Path",
  "nw": "NW-2"
},
{
  "value": "376c638f-6d21-11eb-a9d3-005056883868",
  "text": "Dhaltitha",
  "nw": "NW-44"
},
{
  "value": "17b70661-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Dharamtar",
  "nw": "NW-10"
},
{
  "value": "17b72cd0-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Dhubri",
  "nw": "NW-2"
}
```

```

    },
    {
      "value": "17b6602e-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Diamond Harbour",
      "nw": "NW-1"
    },
    {
      "value": "17b79eaa-e2c3-11ea-a765-c809a8f74e0e",
      "text": "FACT Ammonia jetty(W. Island)",
      "nw": "NW-3"
    },
    {
      "value": "17b7a49e-e2c3-11ea-a765-c809a8f74e0e",
      "text": "FACT, PD",
      "nw": "NW-3"
    },
    {
      "value": "17b8bb3d-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Fine Arts Jetty",
      "nw": "NW-3"
    },
    {
      "value": "17b66f50-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Garamghat (Sahibganj)",
      "nw": "NW-1"
    },
    {
      "value": "17b6718f-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Guptipara",
      "nw": "NW-1"
    },
    {
      "value": "17b7435b-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Guwahati",
      "nw": "NW-2"
    },
    {
      "value": "17b67743-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Haldia",
      "nw": "NW-1"
    },
    {
      "value": "17b8aacb-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Hathidah",
      "nw": "NW-1"
    },
    {
      "value": "17b67c39-e2c3-11ea-a765-c809a8f74e0e",
      "text": "HDC Fly Ash Jetty, Haldia",

```

```

    "nw": "NW-1"
  },
  {
    "value": "17b6695a-e2c3-11ea-a765-c809a8f74e0e",
    "text": "IWAI G.R. Jetty-2",
    "nw": "NW-1"
  },
  {
    "value": "17b66c1e-e2c3-11ea-a765-c809a8f74e0e",
    "text": "IWAI Gaighat (Patna)",
    "nw": "NW-1"
  },
  {
    "value": "17b6825d-e2c3-11ea-a765-c809a8f74e0e",
    "text": "IWAI Haldia Fly Ash Jetty",
    "nw": "NW-1"
  },
  {
    "value": "17b7a8e7-e2c3-11ea-a765-c809a8f74e0e",
    "text": "IWAI Kakkanad terminal",
    "nw": "NW-3"
  },
  {
    "value": "17b8a7cf-e2c3-11ea-a765-c809a8f74e0e",
    "text": "IWAI Sahibganj Ro-Ro Terminal",
    "nw": "NW-1"
  },
  {
    "value": "17b7d3de-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Jaigad",
    "nw": "NW-91"
  },
  {
    "value": "17b74d38-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Jogighopa",
    "nw": "NW-2"
  },
  {
    "value": "17b68687-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Kalna",
    "nw": "NW-1"
  },
  {
    "value": "17b8c5f2-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Kolaghat",
    "nw": "NW-1"
  },
  {
    "value": "80273e9e-f672-11ea-a9d3-005056883868",

```

```

    "text": "Kolaghat",
    "nw": "NW-86"
  },
  {
    "value": "17b7fee9-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Kolkata",
    "nw": "NW-1"
  },
  {
    "value": "2b1280bf-fbe4-11ea-a9d3-005056883868",
    "text": "Kolkata Dock System",
    "nw": "NW-1"
  },
  {
    "value": "17b8a0da-e2c3-11ea-a765-c809a8f74e0e",
    "text": "KoPT",
    "nw": "NW-1"
  },
  {
    "value": "17b68fb6-e2c3-11ea-a765-c809a8f74e0e",
    "text": "KP Dock, Kolkata",
    "nw": "NW-1"
  },
  {
    "value": "17b70b97-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Magdalla",
    "nw": "NW-100"
  },
  {
    "value": "17b69735-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Manglahat (Rajmahal)",
    "nw": "NW-1"
  },
  {
    "value": "17b61358-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Narayanganj",
    "nw": "IBP"
  },
  {
    "value": "17b6a5bc-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Narkelbari",
    "nw": "NW-1"
  },
  {
    "value": "309e316f-50bc-11eb-a9d3-005056883868",
    "text": "NCB",
    "nw": "NW-3"
  },
  {

```



```

    "value": "17b78500-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Phulani",
    "nw": "NW-2"
  },
  {
    "value": "17b867ea-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Putimary Jetty",
    "nw": "NW-1"
  },
  {
    "value": "6e67a16d-50bb-11eb-a9d3-005056883868",
    "text": "Q-1 Berth Cochin Port Trust",
    "nw": "NW-3"
  },
  {
    "value": "a7897080-50bb-11eb-a9d3-005056883868",
    "text": "Q-4 Berth Cochin Port Trust",
    "nw": "NW-3"
  },
  {
    "value": "17b7ad7f-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Q10 berth- Cochin Port Trust",
    "nw": "NW-3"
  },
  {
    "value": "17b6eced-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Rajmahal",
    "nw": "NW-1"
  },
  {
    "value": "17b7cf44-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Revdanda Salav Jetty",
    "nw": "NW-85"
  },
  {
    "value": "55f9f5a5-53d3-11eb-a9d3-005056883868",
    "text": "Sagar Anchorage",
    "nw": "NW-1"
  },
  {
    "value": "17b6f3cc-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Sahibganj",
    "nw": "NW-1"
  },
  {
    "value": "17b6faca-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Semaria",
    "nw": "NW-1"
  },
  },

```

```

    {
      "value": "17b8b5e6-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Sukhsena Ghat (Rajmahal)",
      "nw": "NW-1"
    },
    {
      "value": "17b70075-e2c3-11ea-a765-c809a8f74e0e",
      "text": "T.T. Shed",
      "nw": "NW-1"
    },
    {
      "value": "17b4977b-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Egypt",
      "nw": "Foreign Port"
    },
    {
      "value": "17b64f7c-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Revdanda Salav Jetty",
      "nw": "NA"
    }
  ],
  [
    {
      "value": "17b7139a-e2c3-11ea-a765-c809a8f74e0e",
      "text": "6 No Char",
      "nw": "NW-2"
    },
    {
      "value": "17b602fc-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Ashuganj",
      "nw": "IBP"
    },
    {
      "value": "17b71588-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Bagbor",
      "nw": "NW-2"
    },
    {
      "value": "1c40ca88-50bc-11eb-a9d3-005056883868",
      "text": "BTP",
      "nw": "NW-3"
    },
    {
      "value": "17b72191-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Chapar",
      "nw": "NW-2"
    },
    {
      "value": "17b723aa-e2c3-11ea-a765-c809a8f74e0e",

```

```

    "text": "Chatalapara",
    "nw": "NW-2"
  },
  {
    "value": "f10828c3-1f54-11eb-a9d3-005056883868",
    "text": "Chilmari",
    "nw": "IBP"
  },
  {
    "value": "17b725b7-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Chunari",
    "nw": "NW-2"
  },
  {
    "value": "142ecd04-6d21-11eb-a9d3-005056883868",
    "text": "Itinda",
    "nw": "NW-44"
  },
  {
    "value": "17b6695a-e2c3-11ea-a765-c809a8f74e0e",
    "text": "IWAI G.R. Jetty-2",
    "nw": "NW-1"
  },
  {
    "value": "17b66c1e-e2c3-11ea-a765-c809a8f74e0e",
    "text": "IWAI Gaighat (Patna)",
    "nw": "NW-1"
  },
  {
    "value": "17b7d3de-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Jaigad",
    "nw": "NW-91"
  },
  {
    "value": "17b74d38-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Jogighopa",
    "nw": "NW-2"
  },
  {
    "value": "17b74ff7-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Kadamtala",
    "nw": "NW-2"
  },
  {
    "value": "17b8c0f8-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Kalyani",
    "nw": "NW-1"
  },
  {

```

```

    "value": "17b75217-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Kamalabari",
    "nw": "NW-2"
  },
  {
    "value": "17b68b2f-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Karagola",
    "nw": "NW-1"
  },
  {
    "value": "17b75425-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Karikhaiti",
    "nw": "NW-2"
  },
  {
    "value": "17b499a6-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Foreign Port",
    "nw": "Foreign Port"
  },
  {
    "value": "17b49fa2-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Gdynia",
    "nw": "Foreign Port"
  },
  {
    "value": "17b4a389-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Haiphong",
    "nw": "Foreign Port"
  },
  {
    "value": "17b4a60f-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Ho Chi Minh",
    "nw": "Foreign Port"
  },
  {
    "value": "17b804b9-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Indonesia",
    "nw": "Foreign Port"
  },
  {
    "value": "17b4a7e2-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Jabel Ali",
    "nw": "Foreign Port"
  },
  {
    "value": "17b4aa70-e2c3-11ea-a765-c809a8f74e0e",
    "text": "Jakiganj",
    "nw": "Foreign Port"
  },
  {

```

```

{
  "value": "17b4af4e-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Jebel Ali",
  "nw": "Foreign Port"
},
{
  "value": "17b4b4e2-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Kaohsiung",
  "nw": "Foreign Port"
},
{
  "value": "17b4b7e8-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Karachi",
  "nw": "Foreign Port"
},
{
  "value": "17b4f7a6-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Maura Berau",
  "nw": "Foreign Port"
},
{
  "value": "17b4f9d1-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Merak",
  "nw": "Foreign Port"
},
{
  "value": "17b4fc17-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Mesaieed",
  "nw": "Foreign Port"
},
{
  "value": "17b4fe09-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Meulaboh",
  "nw": "Foreign Port"
},
{
  "value": "17b50028-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Mina Saqr",
  "nw": "Foreign Port"
},
{
  "value": "17b502ec-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Mina Zayed",
  "nw": "Foreign Port"
},
{
  "value": "17b505c0-e2c3-11ea-a765-c809a8f74e0e",
  "text": "Minasaqr",
  "nw": "Foreign Port"
}

```

```

    },
    {
      "value": "17b5084a-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Muara Berau",
      "nw": "Foreign Port"
    },
    {
      "value": "17b51750-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Philipines",
      "nw": "Foreign Port"
    },
    {
      "value": "17b52c64-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Richards Bay",
      "nw": "Foreign Port"
    },
    {
      "value": "17b52ef8-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Ruwais",
      "nw": "Foreign Port"
    },
    {
      "value": "17b536cf-e2c3-11ea-a765-c809a8f74e0e",
      "text": "S.Arabia",
      "nw": "Foreign Port"
    },
    {
      "value": "17b53dfd-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Samarinda",
      "nw": "Foreign Port"
    },
    {
      "value": "17b5494d-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Singapore",
      "nw": "Foreign Port"
    },
    {
      "value": "17b54d1a-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Sohar",
      "nw": "Foreign Port"
    },
    {
      "value": "17b5577a-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Swinoujscie",
      "nw": "Foreign Port"
    },
    {
      "value": "17b55d47-e2c3-11ea-a765-c809a8f74e0e",
      "text": "Taboneo",

```

```

        "nw": "Foreign Port"
      },
      {
        "value": "17b56255-e2c3-11ea-a765-c809a8f74e0e",
        "text": "Tarakan",
        "nw": "Foreign Port"
      },
      {
        "value": "17b56d97-e2c3-11ea-a765-c809a8f74e0e",
        "text": "Ust Luga",
        "nw": "Foreign Port"
      },
      {
        "value": "17b574b8-e2c3-11ea-a765-c809a8f74e0e",
        "text": "Vung Tau",
        "nw": "Foreign Port"
      },
      {
        "value": "17b61cc7-e2c3-11ea-a765-c809a8f74e0e",
        "text": "MAGDALLA",
        "nw": "NA"
      },
      {
        "value": "17b6212e-e2c3-11ea-a765-c809a8f74e0e",
        "text": "NA",
        "nw": "NA"
      },
      {
        "value": "17b64f7c-e2c3-11ea-a765-c809a8f74e0e",
        "text": "Revdanda Salav Jetty",
        "nw": "NA"
      },
      {
        "value": "17b8c83f-e2c3-11ea-a765-c809a8f74e0e",
        "text": "Silighat, Assam",
        "nw": "NA"
      }
    ]
  },
  "message": null,
  "total_records": 0,
  "previous_page": null,
  "next_page": null
},
"responseStatus": "SUCCESS"
}
],
"error": "false",
"code": "200",

```

```
"message": "Success" }
```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.10 IWAI/08

This API will take **YEAR1**, **YEAR2**, **NWTYPE** and **TYPE** to connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	year1	year1 as available in IWAI system.	[a-zA-Z\d-]{8}	Required	8
2	year2	year2 as available in IWAI system.	[a-zA-Z\d-]{8}	Required	8
3	nwtype	nwtype as available in IWAI system.	N/A	Not Required	N/A
4	type	type as available in IWAI system.	N/A	Not Required	N/A

1.10.1 Technical Approach

21. All the data will be shared through rest web services.

22. ULIP system will provide **YEAR1**, **YEAR2**, **NWTYPE** and **TYPE** for which detail is required.

23. IWAI API will share details of cargo information which exist in IWAI system in JSON format.

24. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/08>

```
{ "year1": "FY 20-21",
  "year2": "FY 21-22",
  "nwtype": "",
  "type": "" }
```


1.10.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/08' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{"year1":"FY 20-21", "year2":"FY 21-22", "nwtype":"","type":""}'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/08>

```
{ "year1":"FY 20-21", "year2":"FY 21-22", "nwtype":"","type":"" }
```

1.10.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/08' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{ "year1":"FY 20-21", "year2":"FY 21-22", "nwtype":"","type":"" }'
```

For obtaining authentication token, refer [Section 1.18](#)

1.10.4 Response

To acknowledge the above request, ULIP will send the response below -

a) In case of invalid format

1. Invalid year1 and year2

```
{ "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: year1. Format should follow [a-zA-Z\\d-\\s]{8} }
```

2. In case of year1 and year2 is null or not match in IWAI System

```
{ "response": [
  {
    "response": {
```

```
    "status": "error",
    "data": null,
    "message": "No columns were selected",
    "total_records": 0,
    "previous_page": null,
    "next_page": null
  },
  "responseStatus": "SUCCESS"
},
"error": "false",
"code": "200",
"message": "Success" }
```

b) In case of year1, year2, nwtype and type Exist in IWAI System

```
{ "response": [
  {
    "response": {
      "status": "success",
      "data": [
        {
          "teminal": "Magdalla",
          "year1": 25.63,
          "year2": 29.32,
          "month": "March"
        },
        {
          "teminal": "Jaigad",
          "year1": 9.26,
          "year2": 22.45,
          "month": "March"
        },
        {
          "teminal": "MbPT Anchorage",
          "year1": 12.07,
          "year2": 11.98,
          "month": "March"
        },
        {
          "teminal": "Dharamtar",
          "year1": 5.62,
          "year2": 8.35,
          "month": "March"
        },
        {
          "teminal": "Goa",
          "year1": 8.46,
          "year2": 4.58,
```

```

        "month": "March"
      },
      {
        "terminal": "Krishnapatnam Port",
        "year1": 0.0,
        "year2": 2.76,
        "month": "March"
      },
      {
        "terminal": "Others",
        "year1": 18.26,
        "year2": 23.08,
        "month": "March"
      }
    ],
    "message": null,
    "total_records": 0,
    "previous_page": null,
    "next_page": null
  },
  "responseStatus": "SUCCESS"
}
],
"error": "false",
"code": "200",
"message": "Success" }

```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.11 IWAI/09

This API will take **NWTYPE** and **HISTORICAL** to connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	nwtype	nwtype as available in IWAI system.	N/A	Not Required	N/A
2	historical	historical as available in IWAI system.	^(?i)(true false)\$	Required	N/A

1.11.1 Technical Approach

- 25. All the data will be shared through rest web services.
- 26. ULIP system will provide **NWTYPE and HISTORICAL** for which detail is required.
- 27. IWAI API will share details of cargo information which exist in IWAI system in JSON format.
- 28. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/09>

```
{ "nwtype": "", "historical": "true" }
```

1.11.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/09' \  
-- \  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDU0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1MM--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{ "nwtype": "", "historical": "true" }'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/09>

```
{"nwtype": "", "historical": "true"}
```

1.11.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/09' \  
-- \  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDU0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1MM--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{ "nwtype": "", "historical": "true" }'
```

For obtaining authentication token, refer [Section 1.18](#)

1.11.4 Response

To acknowledge the above request, ULIP will send the response below -

a) Success response

```
{  "response": [
  {
    "response": {
      "status": "success",
      "data": [
        {
          "Seq": 1,
          "Fyear": "FY 90-91",
          "Traffic": 0.36
        },
        {
          "Seq": 2,
          "Fyear": "FY 91-92",
          "Traffic": 0.27
        },
        {
          "Seq": 3,
          "Fyear": "FY 92-93",
          "Traffic": 0.29
        },
        {
          "Seq": 4,
          "Fyear": "FY 93-94",
          "Traffic": 0.7
        },
        {
          "Seq": 5,
          "Fyear": "FY 94-95",
          "Traffic": 1.17
        },
        {
          "Seq": 6,
          "Fyear": "FY 95-96",
          "Traffic": 0.0
        },
        {
          "Seq": 7,
          "Fyear": "FY 96-97",
          "Traffic": 16.8
        },
        {
          "Seq": 8,
```

ULIP Integration Document

```
    "Fyear": "FY 97-98",
    "Traffic": 20.05
  },
  {
    "Seq": 9,
    "Fyear": "FY 98-99",
    "Traffic": 17.26
  },
  {
    "Seq": 10,
    "Fyear": "FY 99-00",
    "Traffic": 16.72
  },
  {
    "Seq": 11,
    "Fyear": "FY 00-01",
    "Traffic": 22.23
  },
  {
    "Seq": 12,
    "Fyear": "FY 01-02",
    "Traffic": 19.77
  },
  {
    "Seq": 13,
    "Fyear": "FY 02-03",
    "Traffic": 26.9
  },
  {
    "Seq": 14,
    "Fyear": "FY 03-04",
    "Traffic": 32.48
  },
  {
    "Seq": 15,
    "Fyear": "FY 04-05",
    "Traffic": 45.58
  },
  {
    "Seq": 16,
    "Fyear": "FY 05-06",
    "Traffic": 50.41
  },
  {
    "Seq": 17,
    "Fyear": "FY 06-07",
    "Traffic": 55.82
  },
  {
  }
```

ULIP Integration Document

```
        "Seq": 18,  
        "Fyear": "FY 07-08",  
        "Traffic": 55.72  
    },  
    {  
        "Seq": 19,  
        "Fyear": "FY 08-09",  
        "Traffic": 60.03  
    },  
    {  
        "Seq": 26,  
        "Fyear": "FY 15-16",  
        "Traffic": 41.54  
    },  
    {  
        "Seq": 27,  
        "Fyear": "FY 16-17",  
        "Traffic": 55.48  
    },  
    {  
        "Seq": 28,  
        "Fyear": "FY 17-18",  
        "Traffic": 55.04  
    },  
    {  
        "Seq": 29,  
        "Fyear": "FY 18-19",  
        "Traffic": 72.3  
    },  
    {  
        "Seq": 29,  
        "Fyear": "FY 19-20",  
        "Traffic": 73.64  
    },  
    {  
        "Seq": 29,  
        "Fyear": "FY 20-21",  
        "Traffic": 83.61  
    },  
    {  
        "Seq": 29,  
        "Fyear": "FY 21-22",  
        "Traffic": 96.31  
    }  
],  
  
"message": null,  
"total_records": 0,  
"previous_page": null,
```

```

    "next_page": null
  },
  "responseStatus": "SUCCESS"
}
],
"error": "false",
"code": "200",
"message": "Success" }

```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.12 IWAI/10

This API will connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	N/A	N/A	N/A	N/A	N/A

1.12.1 Technical Approach

9. All the data will be shared through rest web services.
10. ULIP system will provide detail is required.
11. IWAI API will share details of national waterways information which exist in IWAI system in JSON format.
12. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/10>

```
{
```


1.12.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/10' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{}'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/10>

```
{}
```

1.12.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/10' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{}'
```

For obtaining authentication token, refer [Section 1.18](#)

1.12.4 Response

To acknowledge the above request, ULIP will send the response below -

a) Success response

```
{ "response": [
  {
    "response": [
      {
        "_id": "63c8cee3b15d5e120d842c79",
        "name": "IBP Route 1, 2",
        "stretches": [
          {
            "name": "SIRAJGANJ_DAIKHOWA",
            "displayName": "Sirajganj - Daikhowa",
            "utmZone": 45
          }
        ]
      }
    ]
  }
]
```

```
{
  "name": "ANGTIHARA_SIRAJGANJ",
  "displayName": "Angtihara to Sirajganj",
  "utmZone": 45
}
],
{
  "_id": "6540e04ddb593d6d4c8d2700",
  "name": "IBP Route 5, 6",
  "stretches": [
    {
      "name": "BISWANATHPUR_KHANDUA",
      "displayName": "Jot Biswanathpur to DS Khandua",
      "utmZone": 45
    },
    {
      "name": "TIKLICHAR_NIRMALCHAR",
      "displayName": "Tiklichar to Nirmalchar",
      "utmZone": 45
    }
  ]
},
{
  "_id": "6916f48152f1096d311fe935",
  "name": "rapti",
  "stretches": [
    {
      "name": "RAPTI",
      "displayName": "rapti",
      "utmZone": 44
    }
  ],
  "__v": 0
},
{
  "responseStatus": "SUCCESS",
  "message": null
}
],
"error": "false",
"code": "200",
"message": "Success" }
```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.13 Iwai/11

This API will connect with Iwai API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	N/A	N/A	N/A	N/A	N/A

1.13.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide detail is required.
3. Iwai API will share details of national waterways information which exist in Iwai system in JSON format.
4. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then Iwai-integration will make a request to Iwai API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/Iwai/11>

```
{}
```

1.13.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/Iwai/11' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwIiwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzIjoieGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1MM--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{}'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/Iwai/11>

```
{}
```

1.13.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/Iwai/11' \
```

```
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwliwiaWF0IjoxNjQ5MjIw
NDA0LCJhcHBzIjoieGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{}'
```

For obtaining authentication token, refer [Section 1.18](#)

1.13.4 Response

To acknowledge the above request, ULIP will send the response below -

a) Success response

```
{  "response": [
    {
      "response": [
        {
          "id": "69e0d3fdc7b7fdd56b816b58",
          "nationalWaterway": "NW-2",
          "stretch": "Pandu - Neamati",
          "updatedAt": "2026-04-16T12:20:13.420Z",
          "fromDate": "2026-04-12T00:00:00.000Z",
          "toDate": "2026-04-15T00:00:00.000Z"
        },
        {
          "id": "69ca0999c7b7fdd56b41ca61",
          "nationalWaterway": "NW-40",
          "stretch": "Ghaghra Confluence to Duha Bihra",
          "updatedAt": "2026-03-30T05:26:49.044Z",
          "fromDate": "2026-03-24T00:00:00.000Z",
          "toDate": "2026-03-25T00:00:00.000Z"
        },
        {
          "id": "69ca0a8fc7b7fdd56b41d10c",
          "nationalWaterway": "NW-40",
          "stretch": "Duha Bihra to Guptar Ghat",
          "updatedAt": "2026-03-30T05:30:55.524Z",
          "fromDate": "2026-03-19T00:00:00.000Z",
          "toDate": "2026-03-24T00:00:00.000Z"
        },
        {
          "id": "69df76a9c7b7fdd56b7b90b5",
          "nationalWaterway": "NW-5",
          "stretch": "Dhamara To Pankapal",
          "updatedAt": "2026-04-15T11:29:45.763Z",
```

```

    "fromDate": "2026-03-22T00:00:00.000Z",
    "toDate": "2026-03-30T00:00:00.000Z"
  },
  {
    "id": "69d4af94c7b7fdd56b60be42",
    "nationalWaterway": "NW-9",
    "stretch": "Kottayam to Alappuzha",
    "updatedAt": "2026-04-07T07:17:40.785Z",
    "fromDate": "2026-03-17T00:00:00.000Z",
    "toDate": "2026-03-17T00:00:00.000Z"
  },
  {
    "id": "69d4af0ac7b7fdd56b60b880",
    "nationalWaterway": "NW-3",
    "stretch": "Udyogmandal",
    "updatedAt": "2026-04-07T07:15:22.115Z",
    "fromDate": "2026-03-30T00:00:00.000Z",
    "toDate": "2026-03-30T00:00:00.000Z"
  },
  {
    "id": "69d8d770c7b7fdd56b6c8183",
    "nationalWaterway": "IBP Route 5, 6",
    "stretch": "Tiklichar to Nirmalchar",
    "updatedAt": "2026-04-10T10:56:48.904Z",
    "fromDate": "2026-03-25T00:00:00.000Z",
    "toDate": "2026-03-25T00:00:00.000Z"
  },
  {
    "id": "69bd17457f968eaa8e853591",
    "nationalWaterway": "NW-44",
    "stretch": "Bansjhari Mallikpur to ParNaihati",
    "updatedAt": "2026-03-20T09:45:41.530Z",
    "fromDate": "2026-03-19T00:00:00.000Z",
    "toDate": "2026-03-19T00:00:00.000Z"
  },
  {
    "id": "69d4adcfc7b7fdd56b60ab67",
    "nationalWaterway": "NW-3",
    "stretch": "Kottapuram - Kollam",
    "updatedAt": "2026-04-07T07:10:07.662Z",
    "fromDate": "2026-03-16T00:00:00.000Z",
    "toDate": "2026-03-26T00:00:00.000Z"
  }
],
"responseStatus": "SUCCESS",
"message": null
}
],
"error": "false",

```

```
"code": "200",
"message": "Success" }
```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.14 IWAI/12

This API will connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	N/A	N/A	N/A	N/A	N/A

1.14.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide detail is required.
3. IWAI API will share details of national waterways information which exist in IWAI system in JSON format.
4. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/12>

```
{}
```

1.14.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/12' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzIjoiaZGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHxmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{}'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/12>

```
{}
```

1.14.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/12' \  
-- \  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzIjoizGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHXmTRWNAqHH1M \  
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{}'
```

For obtaining authentication token, refer [Section 1.18](#)

1.14.4 Response

To acknowledge the above request, ULIP will send the below response -

a) Success response

```
{  "response": [  
    {  
      "response": [  
        {  
          "_id": "692d4c7d4ad6c970ed1da71d",  
          "nw": 49,  
          "structure": "Road bridge",  
          "location": "BIMYAR",  
          "verticalClearance": 2.5,  
          "latitude ": "34.150444",  
          "longitude ": "74.200074"  
        },  
        {  
          "_id": "692d4c7d4ad6c970ed1da71e",  
          "nw": 49,  
          "structure": "Road bridge",  
          "location": "Near Peernia Baramulla",  
          "verticalClearance": 2.0,  
          "latitude ": "34.170946",  
          "longitude ": "74.240899"  
        },  
        {  
          "_id": "692d4c7d4ad6c970ed1da71f",  
          "nw": 49,
```

```
"structure": "Road bridge",
"location": "Peernia Foot Bridge",
"verticalClearance": 0.5,
"latitude ": "34.172606",
"longitude ": "74.243726"
},
{
  "_id": "692d4c7d4ad6c970ed1da720",
  "nw": 49,
  "structure": "Road bridge",
  "location": "Gantamula bridge",
  "verticalClearance": null,
  "latitude ": "34.183396",
  "longitude ": "74.272281"
},
{
  "_id": "692d4c7d4ad6c970ed1da721",
  "nw": 49,
  "structure": "Road bridge",
  "location": "Suspension Bridge",
  "verticalClearance": 0.5,
  "latitude ": "34.194562",
  "longitude ": "74.297606"
},
{
  "_id": "692d4c7d4ad6c970ed1da722",
  "nw": 49,
  "structure": "Road bridge",
  "location": "new bridge between khanpora",
  "verticalClearance": 2.5,
  "latitude ": "34.208922",
  "longitude ": "74.336426"
},
{
  "_id": "692d4c7d4ad6c970ed1da723",
  "nw": 49,
  "structure": "Road bridge",
  "location": "baramulla old bridge",
  "verticalClearance": null,
  "latitude ": "34.209989",
  "longitude ": "74.340226"
},
{
  "_id": "692d4c7d4ad6c970ed1da724",
  "nw": 49,
  "structure": "Road bridge",
  "location": "Cement Bridge",
  "verticalClearance": 2.5,
  "latitude ": "34.210744",
```



```

    "longitude ": "74.342642"
  },
  {
    "_id": "692d4c7d4ad6c970ed1da725",
    "nw": 49,
    "structure": "20.54",
    "location": "Khanpura(Pipe Line)",
    "verticalClearance": 2.5,
    "latitude ": "34.210744",
    "longitude ": "74.342642"
  },
  {
    "_id": "692d4c7d4ad6c970ed1da728",
    "nw": 49,
    "structure": "Road bridge",
    "location": "LADOORA",
    "verticalClearance": 2.0,
    "latitude ": "34.253129",
    "longitude ": "74.391134"
  },
  {
    "_id": "692d4c7d4ad6c970ed1da729",
    "nw": 49,
    "structure": "Road bridge",
    "location": "Sopore Bypass Bridge",
    "verticalClearance": 2.0,
    "latitude ": "34.277043",
    "longitude ": "74.454716"
  },
  {
    "_id": "692d4c7d4ad6c970ed1da72a",
    "nw": 49,
    "structure": "Road bridge",
    "location": "Sopore New Bridge",
    "verticalClearance": 3.0,
    "latitude ": "34.276698",
    "longitude ": "74.463448"
  },
  {
    "_id": "692d4c7d4ad6c970ed1da72b",
    "nw": 49,
    "structure": "Road bridge",
    "location": "SOPOR old wood gridge (Pipe LINE)",
    "verticalClearance": 3.0,
    "latitude ": "34.276698",
    "longitude ": "74.463448"
  },
  {
    "_id": "692d4c7d4ad6c970ed1da72c",

```

ULIP Integration Document

```
"nw": 49,
"structure": "Road bridge",
"location": "SOPOR Old wood gridge",
"verticalClearance": 3.0,
"latitude ": "34.276614",
"longitude ": "74.463824"
},
{
  "_id": "692d4c7d4ad6c970ed1da72d",
  "nw": 49,
  "structure": "Road bridge",
  "location": "JAMIA QADEEM BRIDGE",
  "verticalClearance": 1.5,
  "latitude ": "34.282815",
  "longitude ": "74.470835"
},
{
  "_id": "692d4c7d4ad6c970ed1da72e",
  "nw": 49,
  "structure": "Road bridge",
  "location": "Ninglikul",
  "verticalClearance": 0.5,
  "latitude ": "34.28824",
  "longitude ": "74.510583"
},
{
  "_id": "692d4c7d4ad6c970ed1da72f",
  "nw": 49,
  "structure": "Road bridge",
  "location": "Hajin Bridge",
  "verticalClearance": 1.91,
  "latitude ": "34.296",
  "longitude ": "74.624483"
},
{
  "_id": "692d4c7d4ad6c970ed1da738",
  "nw": 49,
  "structure": "Road bridge",
  "location": "Weir Chattabal",
  "verticalClearance": 0.0,
  "latitude ": "34.089628",
  "longitude ": "74.785058"
},
{
  "_id": "692d4c7d4ad6c970ed1da73e",
  "nw": 49,
  "structure": "Road bridge",
  "location": "Old Fateh Kadal Bridge",
  "verticalClearance": 4.17,
```

```

        "latitude ": "34.089053",
        "longitude ": "74.806256"
      },
      {
        "_id": "692d4c7d4ad6c970ed1da753",
        "nw": 49,
        "structure": "Road bridge",
        "location": "Padgampora bridge",
        "verticalClearance": 6.1,
        "latitude ": "33.908631",
        "longitude ": "75.008906"
      },
      {
        "_id": "692d4c7d4ad6c970ed1da99d",
        "nw": 45,
        "structure": "Electric Line ",
        "location": null,
        "verticalClearance": 12.0,
        "latitude ": "29.152573",
        "longitude ": "73.780357"
      }
    ],
    "responseStatus": "SUCCESS",
    "message": null
  }
},
"error": "false",
"code": "200",
"message": "Success" }

```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.15 IWAI/13

This API will connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	NA	NA	NA	NA	NA

1.15.1 Technical Approach

- All the data will be shared through rest web services.
- IWAI API will share details of national waterways information which exist in IWAI system in JSON format.

7. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/13>

```
{}
```

1.15.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/13' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--header 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImhhdCI6MTY1MTA1ODY0MCwiYXBwcyI6Im  
RhdGFwdXNoIn0.e4_ufYaZTD7Mr5cCKVUM2gUCv_78tR5O02ypRN34La2Pk1JSBUAJQ5mS  
Al8Eks0kji6Rndan8xK33rNo2eJTnQ ' \  
--data-raw '{}'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/13>

```
{}
```

1.15.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/13' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--header 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImhhdCI6MTY1MTA1ODY0MCwiYXBwcyI6Im  
RhdGFwdXNoIn0.e4_ufYaZTD7Mr5cCKVUM2gUCv_78tR5O02ypRN34La2Pk1JSBUAJQ5mS  
Al8Eks0kji6Rndan8xK33rNo2eJTnQ ' \  
--data-raw '{}'
```

For obtaining authentication token, refer [Section 1.18](#)

1.15.4 Response

To acknowledge the above request, ULIP will send the below response –

a) Success response

```
{ "response": [  
  {
```

```
"response": [  
  {  
    "_id": "692fdfcd6bc2041924e3f524",  
    "terminalJetty": "Panihati ferry ghat",  
    "nw": "1",  
    "office": "Kolkata",  
    "district": "Kolkata",  
    "state": "West Bengal",  
    "chainage": 157,  
    "latitude": 22.69579025,  
    "longitude": 88.36565392,  
    "stretch": "Panihati- Konnagar",  
    "stretchOrigin": "Panihati",  
    "stretchDestination": "Konnagar",  
    "stretchOriginChainage": 157,  
    "stretchDestinationChainage": 157,  
    "stretchOriginLatitude": 22.69579025,  
    "stretchOriginLongitude": 88.36565392,  
    "stretchDestinationLatitude": 22.70076378,  
    "stretchDestinationLongitude": 88.36025994,  
    "createdAt": "2026-04-27T04:28:14.692Z"  
  },  
  {  
    "_id": "692fdfcd6bc2041924e3f690",  
    "terminalJetty": "Khagra ghat",  
    "nw": "2",  
    "office": "Kolkata",  
    "state": "Assam",  
    "chainage": 0,  
    "createdAt": "2026-04-27T04:28:14.713Z"  
  },  
  {  
    "_id": "692fdfcd6bc2041924e3f691",  
    "terminalJetty": "CSL",  
    "nw": "3",  
    "office": "Kochi",  
    "state": "Assam",  
    "chainage": 4,  
    "createdAt": "2026-04-27T04:28:14.713Z"  
  },  
  {  
    "_id": "692fdfcd6bc2041924e3f82d",  
    "terminalJetty": "Kottayam",  
    "nw": "9",  
    "office": "Kochi",  
    "district": "Kottayam",  
    "state": "Kerala",  
    "chainage": 38,  
    "latitude": 9.569183333,
```

```

        "longitude": 76.48941944,
        "stretch": "Allapuzha to Kottayam",
        "stretchOrigin": "Alappuzha",
        "stretchDestination": "Kottayam",
        "stretchOriginChainage": 0,
        "stretchDestinationChainage": 38,
        "stretchOriginLatitude": 9.517030556,
        "stretchOriginLongitude": 76.37893056,
        "stretchDestinationLatitude": 9.569183333,
        "stretchDestinationLongitude": 76.48941944,
        "createdAt": "2026-04-27T04:28:14.721Z",
        "waterway": "III"
    },
    {
        "responseStatus": "SUCCESS",
        "message": null
    }
],
"error": "false",
"code": "200",
"message": "Success"}

```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.16 IWAI/14

This API will connect with IWAI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	surveyId	surveyId can be fetched from IWAI_11 Api	^[a-z0-9]{24}\$	Required	Min 24 Max 24

1.16.1 Technical Approach

8. All the data will be shared through rest web services.
9. ULIP system will provide **surveyId** for which detail is required.
10. IWAI API will share details of national waterways information which exist in IWAI system in JSON format.
11. ULIP system will provide the data in JSON Object format in response body.

Example: Data is shared by ULIP system, then IWAI-integration will make a request to IWAI API.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/14>

```
{"surveyId": "69e0d3fdc7b7fdd56b816b58"}
```

1.16.2 Curl URL

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/14' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--header 'authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImhhdCI6MTY1MTA1ODY0MCwiYXBwcyI6Im
RhdGFwdXNoIn0.e4_ufYaZTD7Mr5cCKVUM2gUCv_78tR5O02ypRN34La2Pk1JSBUAJQ5mS
Al8Eks0kji6Rndan8xK33rNo2eJTnQ ' \
--data-raw '{
"surveyId": "69e0d3fdc7b7fdd56b816b58"
}'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/14>

```
{"surveyId": "69e0d3fdc7b7fdd56b816b58"}
```

1.16.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/14' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--header 'authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImhhdCI6MTY1MTA1ODY0MCwiYXBwcyI6Im
RhdGFwdXNoIn0.e4_ufYaZTD7Mr5cCKVUM2gUCv_78tR5O02ypRN34La2Pk1JSBUAJQ5mS
Al8Eks0kji6Rndan8xK33rNo2eJTnQ ' \
--data-raw '{"surveyId": "69e0d3fdc7b7fdd56b816b58"}'
```

For obtaining authentication token, refer [Section 1.18](#)

1.16.4 Response

To acknowledge the above request, ULIP will send the response below -

a) In case of invalid format

1. Invalid id

```
{ "response": [
  {
    "response": "Something went wrong!",
    "responseStatus": "ERROR",
    "message": null
  }
],
"error": "false",
"code": "200",
"message": "Success"}
```

2. In case of id is null

```
{
  "response": null,
  "error": "true",
  "code": "400 BAD_REQUEST",
  "message": "surveyId:must not be Empty or null"}
```

b) Success response

```
{
  "response": [
    {
      "response": {
        "mime": "application/octet-stream",
        "data":
"Mzg0ODc0LjM3IDI5MDA4MTAuOTggNS40CjM4NDg0NS4wNCAyOTAwODAwLjI1IDUuMQoz
ODQ4MTcuMzcgMjkwMDc4OS4xMSA1CjM4NDc4My40IDI5MDA3NzYuMzEgNS4xCjM4NDc0
MC42MSAyOTAwNzY5LjM1IDMuOQozODQ3MDUuMDkgMjkwMDc1Ny4zNCAzLjkKMzg0NjY2
LjQgMjkwMDc0OC41OSAzLjkKMzg0NjM2LjM4IDI5MDA3NDQuMTcgMy42CjM4NDU5NS4wO
SAyOTAwNzQwLjQ3IDMuNAozODQ1NDYuNDcgMjkwMDczNS4xNCAyLjcKMzg0NTE5Ljc2IDI
5MDA3MzQuNDIgMi43OAozODQ0OTMuOTIgMjkwMDczNi4xMiAyLjkKMzg0NDY2Ljg2IDI5MD
A3NDluODggMy4xCjM4NDQyMS44NSAyOTAwNzU5LjU0IDluOAozODQzOTcuMzEgMjkwMDc
2OS4zNSAzLjEKMzg0MzYzLjAylDI5MDA3ODQuMzggMy45CjM4NDMzOS40MiAyOTAwNzk0L
jk4IDQuNAozODQzMDEuMTUgMjkwMDgwNi4yNSA0LjIKMzg0MjcXlJc0IDI5MDA4MTEuNTQg
NAozODQyMzcuMjMgMjkwMDgxNS45NSA0LjIKMzg0MjA3LjM3IDI5MDA4MTUuMzQgNC41Cj
M4NDE2NS4wMSAyOTAwODEuLjkyIDQuMQozODQxMjcuMzEgMjkwMDgwNC4zNiA0CjM4ND
EwMiAyOTAwNzk3LjQyIDQuNwozODQwNzcuNjMgMjkwMDc4OS4xOSA0LjEKMzg0MDUzLj
Q3IDI5MDA3NzguNzQgMy44CjM4NDAxOS42NSAyOTAwNzYzLjA4IDMuOAozODM5NzguMS
AyOTAwNzM3LjkyIDMuOAozODM5NTluMSAyOTAwNzlyLjExIDMuOQozODM5MjYuMzUgMjk
wMDcwNy4xNyAzLjYKMzg0ODg1LjY3IDI5MDA2ODluNjcgMy4yCjM4Mzg1Ny45MiAyOTAwNjY
xLjcyIDMuMQozODM4MzYuNzcgMjkwMDYzNi40MyAzLjIKMzg0ODlwLjk5IDI5MDA2MTUuMD
EgMi45CjM4MzgwNy41OSAyOTAwNTkwIDMKMzg0NzkzLjU5IDI5MDA1NDMuNDUgMi44CjM4
Mzc0MS44MSAyOTAwNDk0Ljg0IDluOQozODM3MTYuNDYgMjkwMDQ4Ni40NyAzLjEKMzg0N
jkzLjAzIDI5MDA0NzUuNjkgMy40CjM4MzY2OS43NiAyOTAwNDY1LjE1IDMuOAozODM2ND
AuMjggMjkwMDQ1MS4zOCA0LjIKMzg0NjA2LjQzIDI5MDA0MzkuMTQgNC43CjM4MzU3OS41O
SAyOTAwNDMxLjM2IDUuMQozODM1NTAuNzkgMjkwMDQyNi45MiA1LjMKMzg0NTAzLjYgMjk
wMDQxNi4xNiA1LjYKMzg0NDc2Ljc0IDI5MDA0MTluNTkgNS44CjM4MzQ0OS43NCAyOTAwND
EwLjk5IDUuOQozODM0MTkuMDUgMjkwMDQxMS4yNvA2LiEKMzg0MzgzLjczIDI5MDA0MTEu
```



```
NjggNi4zCjM4MzM2OC42NyAyOTAwNDEzLjAxIDYuMwozODMzNDluMzlgMjkwMDQxNS42M
SA2LjMKMzgzMzA0LjlxIDl5MDA0MTkuMTMgNi4yCjM4MzI3NC45MyAyOTAwNDIxLjk0IDYuN
AozODMyNDkuODEgMjkwMDQyMy44MyA2LjYKMzgzMjI0LjUzIDl5MDA0MjUuOSA2LjMKMzgz
zMTc4LjQzIDl5MDA0MjcuNjUgNi4yCjM4MzE0Ny43OSAyOTAwNDI5IDYuMgozODMxMTEuNj
YgMjkwMDQzMC44IDUuOQozODMwODAuNzUgMjkwMDQzNC40IDUuNwozODMwNDlgMjkw
MDQ0MS4yMSA1LjcKMzgzMDE1Ljc0IDl5MDA0NDYuMjEgNS43CjM4MjI2Ni42NiAyOTAwND
UwLjE2IDUuNAozODl5MTguMTcgMjkwMDQ1NS4wNyA1LjQKMzgyODc0Ljg3IDl5MDA0NTku
NTIgNS4zCjM4MjgzNC45NiAyOTAwNDY1LjE5IDUuMwozODI4MDYuNyAyOTAwNDY5Ljg0ID
UuNgozODI3NjkuNzggMjkwMDQ3Ny4xOSA1LjI0MzgyNzQ1LjE1IDl5MDA0ODluOTIgNS4xCjM
4MjcyMS4wNCAyOTAwNDkxLjI1IDUuMgozODI2OTcuNyAyOTAwNTAwLjI4IDUuMwozODI2Nz
EuMzcgMjkwMDUwOS45IDUuNAozODI2NDQuODYgMjkwMDUxOS45NyA2LjMKMzgzNjE4LjM
1IDl5MDA1MzAuMDMgNi43CjM4MjU3OS43OSAyOTAwNTQyLjY2IDYuNAozODI1NDkuNTkg
MjkwMDU1MS4wNCA2LjQKMzgyNTI0LjI2IDl5MDA1NTUuMzZgNS43CjM4MjQ3OC4xMiAyOT
AwNTY0LjYxIDUuNwozODI0MzEuNDMgMjkwMDU3MS44MyA1LjgKMzgyMzk2LjE1IDl5MDA1
NzYuMjkgNS44CjM4MjM2NC42NyAyOTAwNTc5Ljg2IDUuNwozODIzMTcuNDggMjkwMDU4My
42NSA1LjgKMzgyMjkyLjQ4IDl5MDA1ODUuNzZgNS41CjM4MjI0OS43OC4yOTAwNTkwLjE0
DUuMwozODIyMjUuMjYgMjkwMDU5MjU5NSA1CjM4MjE5NS4wNyAyOTAwNTk1LjQ3IDQuO
QozODIxNjlgMjkwMDU5OC4zMiA0LjYxIDQuNQozODIwNDkuNzkgMjkwMDYwOC4wNiA0LjYxIDUu
y4xNyAyOTAwNjA0LjYxIDQuNQozODIwNDkuNzkgMjkwMDYwOC4wNiA0LjYxIDUuMzZgMjkwMDYx
DI5MDA2MTAuNDkgNC45CjM4MTk5NC4wMyAyOTAwNjE5LjA3IDMuOQozODE5NjcuNTMgMj
kwMDYxMy42NSA0LjUKMzgxOTQxLjAzIDl5MDA2MTMuODUgNC4xCjM4MTkxNC4yNCAyOT
AwNjEzLjQzIDUKMzgxODc0LjkyIDl5MDA2MTMuNTcgMy44CjM4MTg0Mi42NiAyOTAwNjEzLjU
3IDQuMgozODE4MTMuNjkgMjkwMDYxMi42MSAzLjgKMzgxNzY2LjY1IDl5MDA2MTluMzggMy
40CjM4MTcyMy42NyAyOTAwNjE5LjM2IDluOAozODE2ODMuMDUgMjkwMDYxMy4yOS4yLjgKM
uOAo0OTQ0ODEuNzcgMjkwNDU0Mi4xOC4xMi4yCjQ5NDQ1OC40NiAyOTQ0NTMyLjM0IDEz
LjUKNDk0NDE1LjY4IDl5NDQ1MjAuMDQgMTluMQo0OTQzOTluMzcgMjkwNDUxMC43OC4xM
MS4xCjM3MzMyNi40NiAyODk3MDA3LjczIDExLjEKMzgzMjg2LjQxIDl5NDQ1OTY5NzYuOTggMTAuO
C41MiAyODk2ODc2Ljg2IDExLjgKMzgzMTA3LjA1IDl5NDQ1OTY4NjluNDlgMTluMQozNzZgMDMuNj
EgMjg5Njg0OS43MyAxMC4yCjM3MzA0MS43MiAyODk2ODI0LjI5IDExCjM3MzAxNi42MiAyOD
k2ODEzLjQ2IDkuOAozNzI5NzguMTUgMjg5Njg5Ny4yMiA0DkgMjkwNDExMS4xNyA1LjgKNDkz
MzgzLjY4IDl5NDQxMTYuMDcgNi4zCjQ5MzQxMy4xMSAyOTQ0MTIxLjggNy4zCjQ5MzUxNS4
0MyAyOTQ0MTMyLjI0IDguNQo0OTM1NjAuOTIgMjkwNDExOC4yMiA4LjI1=",
    "filename": "PANDU_NEAMATI_20260416175013.xyz",
    "eTag": "W/\"3e69c-Nnourl9FH0owc2ZgFMjOnEQf8\"\"",
  },
  "responseStatus": "SUCCESS",
  "message": null
}
],
"error": "false",
"code": "200",
"message": "Success"}
```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.



BORDER_DHUBRI_20260327164901.xyz

This API will connect with IWA1 API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	surveyld	This surveyld can be fetched from IWAI_11 Api	^[a-z0-9]{24}\$	Required	24

1. All the data will be shared through rest web services.
2. ULIP system will provide detail is required.
3. IWAI API will share details of national waterways information which exist in IWAI system in JSON format.
4. ULIP system will provide the data in JSON Object format in response body.

Request: The request must be of the following format and passed within the URL body in JSON format.

For Staging: <https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/15>

```
{"surveyId": "69e0d3fdc7b7fdd56b816b58"}
```

```
curl --location --request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/15' \
--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwliwiaWF0IjoxNjQ5MjJw
NDA0LCJhcHBzIjoieZGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHXmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{"surveyId": "69e0d3fdc7b7fdd56b816b58"}'
```

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/15>

```
{"surveyId": "69e0d3fdc7b7fdd56b816b58"}
```

1.17.3 Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/15' \
--
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwIiwiaWF0IjoxNjQ5MjIwNDA0LCJhcHBzIjoieGF0YXB1c2gifQ.XG9zpDhZ0hqXFVHHtucnyYNJ4yQHXmTRWNAqHH1M
M--Swd7_iJaKQ2zr0LKap-YKzLmq85SzkPyh39KE0KR7w' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--data-raw '{"surveyId": "69e0d3fdc7b7fdd56b816b58"}'
```

For obtaining authentication token, refer [Section 1.18](#)

1.17.4 Response

To acknowledge the above request, ULIP will send the response below -

a) Success response

```
{
  "response": [
    {
      "response": {
        "mime": "application/octet-stream",
        "data":
        "TE5TIDEKTEIOIDEwNDk5CIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjgg
        Mjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi
        4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAz
        Njc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjg
        gMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2
        Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUy
        AzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDlu
        MjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NT
        Q2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBU
        UyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MD
        luMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5N
        TQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIB
        UUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5M
        DIuMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5
        NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCI
        BUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5
        MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMj
        g5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4z
        CIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNj
        c5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjgg
```

```

Mjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi
4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAz
Njc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjg
gMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2
Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUy
AzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDlu
MjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NT
Q2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBU
UyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MD
luMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5N
TQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIB
UUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5M
DluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5
NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCI
BUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5
MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMj
g5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4z
CIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNj
c5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjgg
Mjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi
4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAz
Njc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjg
gMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2Mi4zCIBUUyAzNjc5MDluMjggMjg5NTQ2=
"
,
    "filename": "PANDU_NEAMATI_20260416175013.lnw",
    "eTag": "W/\"3f1c4-AfbXBbMhP9T8OREGQekulvIWd+o\"\"",
  },
  "responseStatus": "SUCCESS",
  "message": null
}
],
"error": "false",
"code": "200",
"message": "Success"}

```

Status Code 200: success data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

The above response data is base 64 encoded. You have to decode this base 64 encoded string to get the actual response which will be the file having lnw extension.



PANDU_NEAMATI_20260416175013.lnw

1.18 Data Transmission & Authentication Mechanism

All data exchange would be done over secure HTTP (HTTPS). Request from ULIP's system would be made in IWAI system through a data exchange URL that has following form:

For Production: <https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/01>

Body:

```
{ }
```

Access to above data exchange URL would be authorized by use of a security mechanism implemented by the ULIP system. It is as follows:

- First time access: It would require a username and password [which would be shared with user beforehand]. Once user hit with valid user id and password, ULIP system will return a basic authorization token to user, using that token user will communicate with ULIP system until tokens will not get expired.

Brief summary of HTTP Basic Authentication is as follows:

First time User hits ULIP secured API through username and password for access token as follow-

```
curl --location --request POST \
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/user/login' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "username": "xxxx",
  "password": "xxxx@123"}'
```

Authorization:

Bearer

eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImhdCI6MTYyNTIzMDQyNywiYXBwcyI6ImRhdGFwdXN0In0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-KpxnfbKDI_8FZsOogggqx3AI-Du1y2qMoUD7uzA'

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represents user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired, and user need to re authenticate.

Using The above token, users can request ULIP system for cargo details as follow -

```
curl -X POST \
https://www.ulip.dpiit.gov.in/ulip/v1.0.0/IWAI/01 \
```

```
-H 'accept: application/json' \  
-H 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImhhdCI6MTYyNTIzMDQyNywiYXBwcyI6I  
mRhdGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-  
KpxnfbKDI_8FZsOoggqx3AI-Du1y2qMoUD7uzA' \  
-H 'cache-control: no-cache' \  
-H 'content-type: application/json' \  
-H 'postman-token: 8e8a19a4-ea1e-6373-f616-e2e4af9a1338' \  
-d '{}'
```

For Staging:

```
curl --location --request POST  
'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/user/login' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data-raw '{  
"username": "xxxx",  
"password": "xxxx@123"}'
```

Authorization:**Bearer**

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImhhdCI6MTYyNTIzMDQyNywiYXBwcyI6I  
mRhdGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-  
KpxnfbKDI_8FZsOoggqx3AI-Du1y2qMoUD7uzA'
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represents user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired, and user need to re authenticate.

Using The above token, users can request ULIP system for cargo details as follow -

```
curl -X POST \  
https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/IWAI/01  
\  
-H 'accept: application/json' \  
-H 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImhhdCI6MTYyNTIzMDQyNywiYXBwcyI6I  
mRhdGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-  
KpxnfbKDI_8FZsOoggqx3AI-Du1y2qMoUD7uzA' \  
-H 'cache-control: no-cache' \  
-H 'content-type: application/json' \  
-H 'postman-token: 8e8a19a4-ea1e-6373-f616-e2e4af9a1338' \  
-d '{}'
```