

ULIP Integration Requirement Document

Version No.: 4.0

Date: 26/03/2026

Project Name: ULIP

This document contains proprietary information of NLDSL. Unauthorized access, copying and replication are prohibited. This document must not be copied in whole or part by any means, without the written authorization of NLDSL, Noida, India.

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	05/08/2021	Anamol Kumar	Nayab Ali	Baseline Version
2.0	19/08/2021	Hasan Mhad Khan	Nayab Ali	Updated response
3.0	30/09/2024	Girish Chander	Nayab Ali	Updated
4.0	26/03/2026	Gaurav Tyagi	Pranab Manna	Updated Response

Table of Contents

Introduction	4
1.1 Purpose	4
The Overall Description	4
1.2 Data Integration between PCS System and ULIP application	5
1.3 PCS/01	5
1.3.1 Technical Approach	5
1.4 PCS/02	10
1.4.1 Technical Approach	10
1.5 PCS/03	14
1.5.1 Technical Approach	14
1.6 PCS/04	17
1.6.1 Technical Approach	18
1.7 PCS/05	22
1.7.1 Technical Approach	22
1.8 PCS/06	26
1.8.1 Technical Approach	27
1.8.2 Response 1: -	30
1.8.3 Response 2: -	32
1.8.4 Response 3: -	34
1.8.5 Response 4: -	35
1.8.6 Response 5: -	36
1.8.7 Response 6: -	38
1.8.8 Response 7: -	40
1.8.9 Response 8: -	40
1.8.10 Response 9: -	42
1.8.11 Response 10: -	42
1.8.12 Response 11: -	44
1.9 Data Transmission & Authentication Mechanism	44

Introduction

1.1 Purpose

The purpose of this document is to define and provide details for accessing API for Vessel Import export information using VCN number, boe number, Shipping bill number from ULIP system.

This document details the following points:

1. **Data Integration between PCS and ULIP web service:** Identification of operational points where data integration between PCS and ULIP web service will be needed.
2. **Technical Approach** for performing Data Integration

The Overall Description

User will share information such as **IGM number, BOE number** and **shipping bill number** based on data send by user ULIP system will call respective **PCS API** for accessing information.

Following are the point for accessing vessel information:

1. This API will share vessel information and import and export data based on information provided by user.
2. ULIP will expose API for getting data from PCS API.
3. **PCS/01** API will take **IGM Number** and **interface Name** from user and get data from PCS API.
4. **PCS/02** API will take **Shipping bill number** and **interface Name** from user and get data from PCS API.
5. **PCS/03** API will take **Shipping bill number** and **interface Name** from user and get data from PCS API.
6. **PCS/04** API will take **BOE number** and **interface Name** from user and get data from PCS API.
7. **PCS/05** API will take **BOE number** and **interface Name** from user and get data from PCS API.
8. **PCS/06** API will take **Message Identifier and message name** from user and get data from PCS API.

1.2 Data Integration between PCS System and ULIP application

User will share information to ULIP system based on data shared ULIP will provide data to user.

1.3 PCS/01

This API will take below details and connect with PCS API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	interfaceName	The interface name in the PCS system	\bCHPOI03\b	Required	7
2	igmNumber	IGM number present in PCS system	[0-9]{1,10}	Required	Min 1 Max 10

1.3.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **IGM number and interface name** for which detail is required.
3. We have to send secret key with header.
4. PCS API will share information which exist in PCS system in JSON format.
5. PCS Integration will add JSON in **response** key in response body.
6. ULIP system will provide the data in JSON Object format in response body.

Example:

IGM Number **2272354** and interface name **CHPOI03** is shared by ULIP system, then PCS-integration will make a request to PCS API.

Request:

The request must be of the following format, where IGM number and interface name is passed within the URL parameters in JSON format.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/01>

Curl URL

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/01' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImhhdCI6MTYyOTM1NDZMc
wiYXBwcyI6ImRhdGFwdXNoIn0.Fkq6c6RtsrQQZARkCu5WwJ5wY57anDDH-
g8kGP8inyhaQmuvlysuFeb7ok0te2pFlu1j1m1QcS7Ly6ZnQaEPzg' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "interfaceName":"CHPOI03",
  "igmNumber": "2272354"
}'
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/01>

Curl URL

```
curl --location --request POST
'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/01' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImhhdCI6MTYyOTM1NDZMc
wiYXBwcyI6ImRhdGFwdXNoIn0.Fkq6c6RtsrQQZARkCu5WwJ5wY57anDDH-
g8kGP8inyhaQmuvlysuFeb7ok0te2pFlu1j1m1QcS7Ly6ZnQaEPzg' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "interfaceName":"CHPOI03",
  "igmNumber": "2336612"
}'
```

For obtaining secret key, refer [Section 1.9](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format

1. Invalid igm number

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: igmNumber.
Format should follow [0-9]{1,10}"
}
```

2. Invalid interface name

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: interfaceName.
Format should follow \\bCHPOI03\\b"
}
```

3. In case of IGM number not exist in PCS system

```
{
  "response": [
    {
      "response": [
        {
          "custom_house_code": null,
          "igm_no": null,
          "igm_date": null,
          "voyage_no": null,
          "shipping_line_code": null,
          "shipping_agent_code": null,

```

```
"port_of_arrival": null,
"expected_date_and_time_of_arrival": null,
"terminal_operator_code": null,
"cargo_imo_code": null,
"line_no": null,
"sub_line_no": null,
"bill_no": null,
"bill_date": null,
"port_of_loading": null,
"port_of_destination": null,
"nature_of_cargo": null,
"port_of_discharge": null,
"grossWeight": null,
"number_of_packages": null,
"goods_description": null,
"mode_of_transport": null,
"container_no": null,
"line_number": null,
"sub_line_number": null,
"container_seal_no": null,
"total_no_of_packages": null,
"container_weight": null,
"iso_code": null,
"responseMsg": "not found"
    }
  ],
  "responseStatus": "SUCCESS"
}
],
"error": "false",
"code": "200",
"message": "Success"
}
```

b) In case IGM number exist

```
{
  "response": [
    {
      "response": [
        {
```

```

    "voyage_no": "909E",
    "bill_date": "30012023",
    "port_of_arrival": "INMUN1",
    "goods_description": "P*A*T*C*R*G*I*D*H* *O*E*3*0*1*9* *5*(I*T*
*I*E* *A*K*G*S*O*L* *E* *A*F*7*2*L*5* *A*K*G*S",
    "port_of_loading": "JPYOK",
    "bill_no": "010DW06169",
    "total_no_of_packages": "29",
    "mode_of_transport": null,
    "sub_line_number": "0",
    "container_seal_no": "WHLU045961",
    "line_number": "40",
    "container_no": "WHSU6942383",
    "number_of_packages": "55",
    "container_weight": 25.65,
    "terminal_operator_code": "INMUN1MCT1",
    "nature_of_cargo": "C",
    "responseMsg": "SUCCESS",
    "shipping_line_code": "AAFCT5861J",
    "port_of_destination": "INMUN1",
    "line_no": "40",
    "custom_house_code": "INMUN1",
    "grossWeight": 50847,
    "expected_date_and_time_of_arrival": "02032023:21:18",
    "sub_line_no": "0",
    "igm_date": "27022023",
    "shipping_agent_code": "AAFCT5861J",
    "cargo_imo_code": "ZZZ",
    "igm_no": "2336612",
    "iso_code": "4410",
    "port_of_discharge": "INMUN1SMS1"
  }
],
"responseStatus": "SUCCESS",
"message": null
}

```

Status Code 200: vessel data response

Status Code 400: Bad request (Invalid JSON syntax, invalid JSON key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.4 PCS/02

This API will take below details and connect with PCS API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	interfaceName	The interface name in the PCS system	\bCHPOE05\b	Required	7
2	sbNumber	SB number present in PCS system	[0-9]{1,10}	Required	Min 1 Max 10

1.4.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **SB number and interface name** for which detail is required.
3. We have to send secret key with header.
4. PCS API will share information which exist in PCS system in JSON format.
5. PCS Integration will add JSON in **response** key in response body.
6. ULIP system will provide the data in JSON Object format in response body.

Example:

SB Number **7005705** and interface name **CHPOE05** is shared by ULIP system, then PCS-integration will make a request to PCS API.

Request:

The request must be of the following format, where SB number and interface name is passed within the URL parameters in JSON format.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/02>

Curl URL

```
curl --location --request POST
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/02' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImhhdCI6MTYyOTM1NDZMc
```

```
wiYXBwcyI6ImRhdGFwdXNoIn0.Fkq6c6RtsrQQZARkCu5WwJ5wY57anDDH-  
g8kGP8inyhaQmuvlysuFeb7ok0te2pFlu1j1m1QcS7Ly6ZnQaEPzg' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data-raw '{  
  "interfaceName": "CHPOE05",  
  "sbNumber": "7005705"  
}'
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/02>

Curl URL

```
curl --location --request POST  
'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/02' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImRhdCI6MTYyOTM1NDZMc  
wiYXBwcyI6ImRhdGFwdXNoIn0.Fkq6c6RtsrQQZARkCu5WwJ5wY57anDDH-  
g8kGP8inyhaQmuvlysuFeb7ok0te2pFlu1j1m1QcS7Ly6ZnQaEPzg' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data-raw '{  
  "interfaceName": "CHPOE05",  
  "sbNumber": "9023937"  
}'
```

For obtaining secret key, refer [Section 1.9](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format**1. Invalid sb number**

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: sbNumber.
Format should follow [0-9]{1,10}"
}
```

2. Invalid interface name

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: interfaceName.
Format should follow \\bCHPOE05\\b"
}
```

3. In case of IGM number does not exist in PCS system

```
{
  "response": [
    {
      "response": [
        {
          "sbNo": null,
          "sbDate": null,
          "natureOfCargo": null,
          "grossQuantity": null,
          "unitOfQuantity": null,
          "totalNoOfPackages": null,
          "portOfDestination": null,
          "portOfOrigin": null,
          "responseMsg": "not found",
          "chaCode": null
        }
      ]
    }
  ],
}
```

```
"responseStatus": "SUCCESS"
  }
],
"error": "false",
"code": "200",
"message": "Success"
}
```

b) In case IGM number exist

```
{
  "response": [
    {
      "response": [
        {
          "grossQuantity": 736.4,
          "sbNo": "9023937",
          "natureOfCargo": "P",
          "portOfOrigin": "INNSA1",
          "portOfDestination": "MXLZC",
          "unitOfQuantity": "KGS",
          "totalNoOfPackages": "263",
          "chaCode": "AAECS5612BCH001",
          "sbDate": "02042023",
          "responseMsg": "SUCCESS"
        }
      ],
      "responseStatus": "SUCCESS",
      "message": null
    }
  ]
}
```

Status Code 200: vessel data response

Status Code 400: Bad request (Invalid JSON syntax, invalid JSON key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.5 PCS/03

This API will take the details below and connect with PCS API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	interfaceName	The interface name in the PCS system	\bCHPOE07\b	Required	7
2	sbNumber	SB number present in PCS system	[0-9]{1,10}	Required	Min 1 Max 10

1.5.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **SB number and interface name** for which detail is required.
3. We have to send secret key with header.
4. PCS API will share information which exist in PCS system in JSON format.
5. PCS Integration will add JSON in **response** key in response body.
6. ULIP system will provide the data in JSON Object format in response body.

Example:

SB Number **2405125** and interface name **CHPOE07** are shared by ULIP system, then PCS-integration will make a request to PCS API.

Request:

The request must be of the following format, where SB number and interface name is passed within the URL parameters in JSON format.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/03>

Curl URL

```
curl --location --request POST
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/03' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImhhdCI6MTYyOTM1NDZMc
```

```
wiYXBwcyI6ImRhdGFwdXNoIn0.Fkq6c6RtsrQQZARkCu5WwJ5wY57anDDH-  
g8kGP8inyhaQmuvlysuFeb7ok0te2pFlu1j1m1QcS7Ly6ZnQaEPzg' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data-raw '{  
  "interfaceName": "CHPOE07",  
  "sbNumber": "2405125"  
}'
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/03>

Curl URL

```
curl --location --request POST  
'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/03' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImRhdCI6MTYyOTM1NDZMc  
wiYXBwcyI6ImRhdGFwdXNoIn0.Fkq6c6RtsrQQZARkCu5WwJ5wY57anDDH-  
g8kGP8inyhaQmuvlysuFeb7ok0te2pFlu1j1m1QcS7Ly6ZnQaEPzg' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data-raw '{  
  "interfaceName": "CHPOE07",  
  "sbNumber": "8932488"  
}'
```

For obtaining secret key, refer [Section 1.9](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format**1. Invalid sb number**

```
{  
  "response": null,
```

```
{
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: sbNumber.
Format should follow [0-9]{1,10}"
}
```

2. Invalid interface name

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: interfaceName.
Format should follow \\bCHPOE07\\b"
}
```

3. In case of IGM numbers do not exist in PCS system

```
{
  "response": [
    {
      "response": [
        {
          "sbNumber": null,
          "sbDate": null,
          "rotationNo": null,
          "rotationDate": null,
          "leoDate": null,
          "natureOfCargo": null,
          "responseMsg": "not found"
        }
      ],
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

b) In case IGM number exists

```
{
  "response": [
    {
      "response": [
        {
          "leoDate": "03042023",
          "rotationDate": "31032023",
          "natureOfCargo": "C",
          "rotationNo": "269212",
          "sbNumber": "8932488",
          "sbDate": "30032023",
          "responseMsg": "SUCCESS"
        }
      ],
      "responseStatus": "SUCCESS",
      "message": null
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

Status Code 200: vessel data response

Status Code 400: Bad request (Invalid JSON syntax, invalid JSON key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.6 PCS/04

This API will take below details and connect with PCS API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	interfaceName	The interface name in the PCS system	\bCHPOI09\b	Required	7

2	boeNumber	SB number present in PCS system	[0-9]{1,10}	Required	Min 1 Max 10
---	------------------	---------------------------------	-------------	----------	-----------------

1.6.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **BOE number and interface name** for which detail is required.
3. We have to send secret key with header.
4. PCS API will share information which exist in PCS system in JSON format.
5. PCS Integration will add JSON in **response** key in response body.
6. ULIP system will provide the data in JSON Object format in response body.

Example:

BOE Number **7274213** and interface name **CHPOI09** is shared by ULIP system, then PCS-integration will make a request to PCS API.

Request:

The request must be of the following format, where SB number and interface name is passed within the URL parameters in JSON format.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/04>

Curl URL

```
curl --location --request POST
'https:// www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/04' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImhhdCI6MTYyOTM2MDk4MSw
iYXBwcyI6ImRhdGFwdXNoIn0.fs56_-
xeGND_d8OyRqomxrsBmbY9A4u8QtaoGs469YdQa_P5JC6kamKwuxwWbQkN
X5WGe4WN9W88ptHfoFM3OA' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "interfaceName": "CHPOI09",
  "boeNumber": "7274213"
}'
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/04>

Curl URL

```
curl --location --request POST
'https:// www.ulip.dpiit.gov.in/ulipstaging/v1.0.0/PCS/04' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYyOTM2MDk4MSwiYXBycyI6ImRhdGFwdXNoIn0.fs56_-
xeGND_d8OyRqomxrsBmbY9A4u8QtaoGs469YdQa_P5JC6kamKwuxwWbQkN
X5WGe4WN9W88ptHfoFM3OA' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw ' {
  "boeNumber": "4940717",
  "interfaceName": "CHPOI09"
}'
```

For obtaining secret key, refer [Section 1.9](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format**1. Invalid boe number**

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: boeNumber.
Format should follow [0-9]{1,10}"
}
```

2. Invalid interface name

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: interfaceName.
Format should follow \\bCHOI09\\b"
}
```

3. In case of IGM number does not exist in PCS system

```
{
  "response": [
    {
      "response": [
        {
          "customHouseCode": null,
          "igmDate": null,
          "lineNo": null,
          "sublineNo": null,
          "billOfEntryNo": null,
          "billOfEntryDate": null,
          "chaCode": null,
          "natureOfCargo": null,
          "grossWeight": null,
          "unitOfQuantity": null,
          "numberOfPackages": null,
          "countryOfOrigin": null,
          "line_number": null,
          "sub_line_number": null,
          "container_no": null,
          "items_igmNo": null,
          "items_igmDate": null,
          "items_line_number": null,
          "items_sub_line_number": null,
          "items_BillOfEntryNo": null,
          "items_BillOfEntryDate": null,
          "responseMsg": "not found"
        }
      ],
      "responseStatus": "SUCCESS"
    }
  ]
}
```

```
}  
],  
"error": "false",  
"code": "200",  
"message": "Success"  
}
```

b) In case IGM number exists

```
{  
  "response": [  
    {  
      "response": [  
        {  
          "items_IgmNo": "2337849",  
          "items_BillOfEntryDate": "07032023",  
          "sublineNo": "1",  
          "igmNo": "2337849",  
          "natureOfCargo": "CP",  
          "items_IgmDate": "13032023",  
          "items_sub_line_number": "1",  
          "igmDate": "13032023",  
          "numberOfPackages": "10",  
          "sub_line_number": "1",  
          "grossWeight": 3600,  
          "lineNo": "89",  
          "customHouseCode": "INKAT1",  
          "line_number": "89",  
          "billOfEntryNo": "4940717",  
          "container_no": "BSIU2568595",  
          "countryOfOrigin": "CN",  
          "items_line_number": "89",  
          "chaCode": "AAKFG4453HCH001",  
          "unitOfQuantity": "KGS",  
          "items_BillOfEntryNo": "4940717",  
          "billOfEntryDate": "07032023",  
          "responseMsg": "SUCCESS"  
        }  
      ],  
      "responseStatus": "SUCCESS",  
      "message": null  
    }  
  ]  
}
```

```

    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}

```

Status Code 200: vessel data response

Status Code 400: Bad request (Invalid JSON syntax, invalid JSON key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.7 PCS/05

This API will take the details below and connect with PCS API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	interfaceName	The interface name in the PCS system	\bCHPOI10\b	Required	7
2	boeNumber	SB number present in PCS system	[0-9]{1,10}	Required	Min 1 Max 10

1.7.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **BOE number and interface name** for which detail is required.
3. We have to send secret key with header.
4. PCS API will share information which exist in PCS system in JSON format.
5. PCS Integration will add JSON in **response** key in response body.
6. ULIP system will provide the data in JSON Object format in response body.

Example:

BOE Number **2219940** and interface name **CHPOI10** is shared by ULIP system, then PCS-integration will make a request to PCS API.

Request:

The request must be of the following format, where SB number and interface name is passed within the URL parameters in JSON format.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/05>

Curl URL

```
curl --location --request POST
'https://www.ulip.dpiit.gov.in/ulip /v1.0.0/PCS/05' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImhhdCI6MTYyOTM2MDk4MSwiYXBycyI6ImRhdGFwdXNoIn0.fs56_-
xeGND_d8OyRqomxrsBmbY9A4u8QtaoGs469YdQa_P5JC6kamKwuxwWbQkNX5WGe4WN9W88ptHfoFM3OA' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "interfaceName": "CHPOI10",
  "boeNumber": "2219940"
}'
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/05>

Curl URL

```
curl --location --request POST
'https://www.ulipstaging.dpiit.gov.in/ulip /v1.0.0/PCS/05' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImhhdCI6MTYyOTM2MDk4MSwiYXBycyI6ImRhdGFwdXNoIn0.fs56_-
xeGND_d8OyRqomxrsBmbY9A4u8QtaoGs469YdQa_P5JC6kamKwuxwWbQkNX5WGe4WN9W88ptHfoFM3OA' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "boeNumber": "5159836",
  "interfaceName": "CHPOI10"
}'
```

For obtaining secret key, refer [Section 1.9](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format

1. Invalid Boe number

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: boeNumber.
Format should follow [0-9]{1,10}"
}
```

2. Invalid interface name

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: interfaceName.
Format should follow \\bCHOI10\\b"
}
```

3. In case of Boe number does not exist in PCS system

```
{
  "response": [
    {
      "response": [
        {
          "customHouseCode": null,
          "igmNo": null,
          "igmDate": null,
          "lineNo": null,
          "subLineNo": null,
          "billOfEntryNo": null,
          "billOfEntryDate": null,
          "chaCode": null,
          "natureOfCargo": null,
          "unitOfQuantity": null,
          "numberOfPackages": null,

```

```
"countryOfOrigin": null,
"responseMsg": "not found",
"out_of_charge_date": null,
"out_of_charge_no": null,
"line_number": null,
"sub_line_number": null,
"container_no": null,
"items_CustomHouseCode": null,
"items_IgmNo": null,
"items_IgmDate": null,
"items_LineNumber": null,
"items_SubLineNo": null,
"items_BillOfEntryNo": null,
"items_BillOfEntryDate": null
}
],
"responseStatus": "SUCCESS"
}
],
"error": "false",
"code": "200",
"message": "Success"
}
```

b) In case BOE number exists

```
{
  "response": [
    {
      "response": [
        {
          "subLineNo": "1",
          "items_BillOfEntryDate": "21032023",
          "igmNo": "2338556",
          "out_of_charge_no": "2050911362",
          "igmDate": "21032023",
          "numberOfPackages": "40",
          "out_of_charge_date": "28032023",
          "sub_line_number": "1",
          "lineNo": "139",
          "line_number": "139",

```

```

    "billOfEntryNo": "5159836",
    "container_no": "ESDU4016990",
    "chaCode": "ABWPV2386DCH001",
    "items_BillOfEntryNo": "5159836",
    "responseMsg": "SUCCESS",
    "items_SubLineNo": "1",
    "items_IgmNo": "2338556",
    "natureOfCargo": "C",
    "items_IgmDate": "21032023",
    "items_CustomHouseCode": "INNSA1",
    "customHouseCode": "INNSA1",
    "items_LineNumber": "139",
    "countryOfOrigin": "VN",
    "unitOfQuantity": "KGS",
    "billOfEntryDate": "21032023"
  }
],
"responseStatus": "SUCCESS",
"message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}

```

Status Code 200: vessel data response

Status Code 400: Bad request (Invalid JSON syntax, invalid JSON key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.8 PCS/06

This API will take below details and connect with PCS API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	MSG_NAME	The interface name in the PCS system (for message name see Table -)	^[a-zA-Z0-9]{1,12}\$	Required	Min 1 Max 12

2	MSG_IDENTIFIER	Message identifier present in PCS system (for message identifier see Table -)	^[a-zA-Z0-9]{1,20}\$	Required	Min 1 Max 20
---	-----------------------	--	----------------------	----------	-----------------

1.8.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **Message Identifier and message name** for which detail is required.
3. We have to send secret key with header.
4. PCS API will share information which exist in PCS system in JSON format.
5. PCS Integration will add JSON in **response** key in response body.
6. ULIP system will provide the data in JSON Object format in response body.

Example:

Message Name and interface name is shared by ULIP system, then PCS-integration will make a request to PCS API.

Request:

The request must be of the following format, where SB number and interface name is passed within the URL parameters in JSON format.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/06>

Curl URL

```
curl --location --request POST
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/06' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImhhdCI6MTYyOTM2MDk4MSwiYXBwcyI6ImRhdGFwdXNoIn0.fs56_-
xeGND_d8OyRqomxrsBmbY9A4u8QtaoGs469YdQa_P5JC6kamKwuxwWbQkNX5WGe4WN9W88ptHfoFM3OA' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
"MSG_IDENTIFIER": "2240887",
"MSG_NAME": "COARRI"
}'
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/06>

Curl URL

```
curl --location --request POST
'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/06' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImIhdCI6MTYyOTM2MDk4MSwiYXBycyI6ImRhdGFwdXNoIn0.fs56_-
xeGND_d8OyRqomxrsBmbY9A4u8QtaoGs469YdQa_P5JC6kamKwuxwWbQkN
X5WGe4WN9W88ptHfoFM3OA' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "MSG_IDENTIFIER": "5540021",
  "MSG_NAME": "CALINV"
}'
```

For obtaining secret key, refer [Section 1.9](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format**1. Invalid MSG_NAME**

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: MSG_NAME.
Format should follow ^[a-zA-Z0-9]{1,12}$"
}
```

2. Invalid MSG_IDENTIFIER

```
{
  "response": null,
  "error": "true",
  "code": "400",
```

```
"message": "Data format failed OR wrong value entered at:
MSG_IDENTIFIER. Format should follow ^[a-zA-Z0-9]{1,20}$"
}
```

3. In case of MSG_IDENTIFIER number does not exist in PCS system

```
{
  "response": [
    {
      "response": {
        "Remarks": "Failure"
      },
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

b) In case MSG_IDENTIFIER exist

S. No.	MSG_NAME	MSG_IDENTIFIER	MSG_IDENTIFIER type	Response
1	VESPRO	5540000	IMO Number	Response 1
2	COARRI	2240887	IGM Number	Response 2
3	CALINV	5540021	IMO Number	Response 3
4	VESDEP	INBOM120210085	VCN Number	Response 4
5	EICREP	PCVUJK86441	Container Number	Response 5
6	AGDORD	AOPK9	BL Number	Response 6
7	ETAETD	INPRT120210044	VCN Number	Response 7

8	CHPOI13	KOCU4351870	Container Number	Response 8
9	CHSAE02	INCCU120210007	VCN Number	Response 9
10	CODECO	TRHU2911833	Container Number	Response 10
11	GOCOFR	INMAA120210438	VCN Number	Response 11

Status Code 200: vessel data response

Status Code 400: Bad request (Invalid JSON syntax, invalid JSON key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server errors occurred

Status Code 502: Server is not responding.

1.8.2 Response 1: -

```
{
  "response": [
    {
      "response": {
        "map": {
          "VesselProfile": {
            "map": {
              "DocumentSummary": {
                "map": {
                  "IssuedDateTime": "29072021165614"
                }
              },
              "DocumentDetails": {
                "map": {
                  "VesselProfileDetails": {
                    "map": {
                      "SatcomID": "91002",
                      "VesselType": "1505",
                      "HullInsurCompanyValidity": "07082021",
                      "PropulsionType": "FIXED",
                      "ISPSCompliance": "Y",
                      "ClassificationSociety": "INDIAN REGISTER OF SHIPPING",
                      "BowtoMainfold": "30.00",
                      "MaxDraft": "12.00",
                      "NRT": "37298.0",
                      "NoOfHatchesorTanks": "1",

```

```
"CAPCertificate": "N",
"VesselBuildingPlace": "AE",
"AgencyCode": "70002186",
"VesselOwner": "RAKESH KUMAR",
"EngineType": "MISUI-MAN B&W 6S5",
"HullInsurCompanyName": "Bajaj Insurance company",
"LBP": "75.00",
"DateOfApproval": "29072021",
"LOA": "120.00",
"DWT": "56055.0",
"Propellers": "2",
"VesselHeight": "150.00",
"NoOfBays": "2",
"VesselName": "EVENOP",
"MTMV": "MV",
"ApprovedBy": "ptuser11",
"ShipRegCertNumber": "5214563",
"InsuranceDetails": {
  "map": {
    "Insurance": {
      "map": {
        "RecordType": "N",
        "PIInsuranceValidity": "07082021",
        "PIClubName": "NavigatorsInsuranceCompan",
        "RecordNumber": "1",
        "PIClubLocalName": "Indian Insurance Company Delhi"
      }
    }
  }
},
"SafetyMgmtCertValidityDate": "30092022",
"VesselGearsDetails": {
  "map": {
    "VesselGear": {
      "map": {
        "RecordType": "N",
        "VesselGear": "1",
        "RecordNumber": "1"
      }
    }
  }
},
"BulbousBow": "N",
"MaxManeuveringSpeed": "15.0",
"NoOfEngines": "2",
```

```
"GRT": "42888.0",
"SatelliteID": "221088",
"VesselFlag": "AE",
"PermanentValidity": "N",
"Beam": "30.00",
"CallSign": "8KI9A",
"RecordType": "N",
"IMONumber": "5540000",
"SBT": "N",
"VesselEmailID": "AMANSHARMA@GMAIL.COM",
"CarrierAgencyFunctionCode": "sa",
"HatchCoverType": "0",
"PortOfApproval": "INBOM1",
"VesselDeliveryDate": "07082009",
"BowThruster": "Y",
"SafetyMgmtCertNumber": "88SJHSU7",
>DateOfKeelLaying": "07072009",
"RegPort": "AEAUH1"
    }
  }
}
},
"responseStatus": "SUCCESS",
"message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}
```

1.8.3 Response 2: -

```
{
  "response": [
    {
      "response": {
        "ContLoadingNDischargeOrder": {
          "DocumentSummary": {
            "IssuedDateTime": "22122020204100"
          }
        }
      }
    }
  ]
}
```

```
"DocumentDetails": {
  "COARRIHeader": {
    "VCN": "INMUN120200819",
    "VesselAgentCode": "AACCM7663AMUN103",
    "IGMDate": "15122020",
    "CallSign": "CLS56",
    "NoOfContainer": "64",
    "TOCode": "INMUN1MSE1",
    "IMONumber": "IMO1808",
    "IGMNumber": "2240887",
    "VesselFlag": "AF"
  },
  "COARRIDetails": {
    "COARRIItem": [
      {
        "EquipmentStatusCode": "3",
        "CACode": "HYU01",
        "ICDIndicator": "N",
        "ContISOCode": "4510",
        "ContainerNumber": "BMOU4147774",
        "CLandDateTime": "27012017",
        "ContainerDamageIndicator": "N",
        "ContClasssificationCode": "8",
        "BerthingDateTime": "27012017:09:05",
        "CustomsContSealNumber": "G264153",
        "IGMLineNumber": "57",
        "SBNo": "HDMUNXAY0588134",
        "ContLineCode": "HYM",
        "SBDate": "12012017",
        "ShipperContainerSealNumber": "G264153",
        "SealStatus": "1"
      },
      {
        "EquipmentStatusCode": "3",
        "CACode": "HYU01",
        "ICDIndicator": "N",
        "ContISOCode": "2210",
        "ContainerNumber": "BSIU2496052",
        "CLandDateTime": "28012017",
        "ContainerDamageIndicator": "N",
        "ContClasssificationCode": "8",
        "BerthingDateTime": "27012017:09:05",
        "CustomsContSealNumber": "G264989",
        "IGMLineNumber": "61",
        "SBNo": "HDMUNXAY0588166",
```

```
        "ContLineCode": "HYM",
        "SBDate": "12012017",
        "ShipperContainerSealNumber": "264989",
        "SealStatus": "1"
      }
    ]
  },
  "responseStatus": "SUCCESS",
  "message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}
```

1.8.4 Response 3: -

```
{
  "response": [
    {
      "response": {
        "VesselCallNumber": {
          "DocumentSummary": {
            "IssuedDateTime": "06082021000000"
          },
          "DocumentDetails": {
            "VoyageDetails": {
              "VCN": "INBOM120210195",
              "VesselType": "152",
              "Portcode": "INBOM1",
              "AllotmentDate": "06082021",
              "EDTA": "06082021",
              "SACode": "70002186",
              "LineCode": "999",
              "VoyageNumber": "76",
              "EDTD": "08082021",
              "RecordType": "N",
              "CallSign": "8KI9A",
              "ServiceName": null,
              "DockORTOCode": "INBOM1",
              "IMONumber": "5540021"
            }
          }
        }
      }
    }
  ]
}
```

```
    }  
  }  
},  
  "responseStatus": "SUCCESS",  
  "message": null  
}  
],  
"error": "false",  
"code": "200",  
"message": "Success"  
}
```

1.8.5 Response 4: -

```
{  
  "response": [  
    {  
      "response": {  
        "VesselMovement": {  
          "DocumentSummary": {  
            "IssuedDateTime": "22062021152154"  
          },  
          "DocumentDetails": {  
            "VesselMovementDetails": {  
              "VCN": "INBOM120210085",  
              "AnchoringDateTime": "21062021:15:16",  
              "TerminalAR": "AECPN20004",  
              "NextPortOfCall": "NLZWN1",  
              "EDTA": "23062021:00:00",  
              "SACode": "70000053",  
              "TOOrDOckCode": "INBOM1",  
              "VesselName": "TORRONTA",  
              "VoyageNumber": "10001",  
              "RecordType": "A",  
              "CallSign": "TORRO111",  
              "Dateunberthing": "21062021:15:17",  
              "SLCode": "AAL",  
              "SailingDateTimeOfPort": "21062021:15:17",  
              "CountryOfVessel": "GB",  
              "CompletionOfCargoOper": "23062021:13:17",  
              "BerthNumber": "A",  
              "IMONumber": "3810001",  
              "ReadinessDateTime": "23062021:13:17"  
            }  
          }  
        }  
      }  
    ]  
  }  
}
```

```
}
},
"responseStatus": "SUCCESS",
"message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}
```

1.8.6 Response 5: -

```
{
  "response": [
    {
      "response": {
        "map": {
          "EICREPDDetails": {
            "map": {
              "DocumentSummary": {
                "map": {
                  "IssuedDateTime": "27062019122100"
                }
              },
              "DocumentDetails": {
                "map": {
                  "EIRSummary": {
                    "map": {
                      "ContainerDetails": {
                        "myArrayList": [
                          {
                            "map": {
                              "VCN": "250236",
                              "EquipmentStatusCode": "3",
                              "CustomSealNo": "1821755",
                              "GrossWeight": "29.35",
                              "ContISOCode": "2270",
                              "TransporterName": "MUM",
                              "PortofDischarge": "INVTZ1",
                              "DriverName": "Mayur",
                              "ContainerNo": "PCVUJ47755",
                              "FinalDischargePort": "INVTZ1",
                              "TruckNo": "MH46H6632",

```

```
        "CallSign": "LAIS7",
        "MLOCode": "ABL1",
        "ArrivalDateTime": "02102018:12:08",
        "VoyageNo": "432",
        "ContTypeClassificatinCode": "8",
        "IMONumber": "9557111",
        "RackPosition": "CY18A29.T"
    },
    {
        "map": {
            "VCN": "362019",
            "EquipmentStatusCode": "3",
            "CustomSealNo": "1821756",
            "GrossWeight": "25.00",
            "ContISOCode": "2270",
            "TransporterName": "MUM",
            "PortofDischarge": "INVTZ1",
            "DriverName": "Mayur",
            "ContainerNo": "PCVUJK86441",
            "FinalDischargePort": "INVTZ1",
            "TruckNo": "MH46BF1984",
            "CallSign": "A9KO",
            "MLOCode": "ABL1",
            "ArrivalDateTime": "03102018:05:23",
            "VoyageNo": "V002",
            "ContTypeClassificatinCode": "8",
            "IMONumber": "9182552",
            "RackPosition": "CY19C25.M"
        }
    }
],
"responseStatus": "SUCCESS",
"message": null
}
```

```
{
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

1.8.7 Response 6: -

```
{
  "response": [
    {
      "response": {
        "map": {
          "ContainerDeliveryOrder": {
            "map": {
              "DocumentSummary": {
                "map": {
                  "IssuedDateTime": "08072021112430"
                }
              },
              "DocumentDetails": {
                "map": {
                  "ContainerDOHeader": {
                    "map": {
                      "AgencyName": "INTEROCEAN SHIPPING I PVT LTD",
                      "VCN": "INPRT120210042",
                      "CustodianType": "T",
                      "IGMNumber": "2121988",
                      "VoyageNumber": "24",
                      "ForeignCoastalFlag": "F",
                      "NotifyingPartyEmailID": "eamght@gmail.com",
                      "IGMDate": "06072021",
                      "CallSign": "3FFO4",
                      "RecordType": "N",
                      "CustodianCode": "INPRT1",
                      "DeliveryOrderDate": "08072021",
                      "DeliveryOrderExamination": "N",
                      "DeliveryOrderNumber": "120210708882758",
                      "IMONumber": "9512214",
                      "DeliveryType": "DOC"
                    }
                  },
                  "ContainerDOSummary": {
                    "map": {
                      "ContainerDODetails": {
                        "map": {
```

```
"MarksAndNumbers": "IN BULK",
"NameofConsignee": "JSW STEEL LIMITED,",
"NumberOfPackages": "1",
"PortOfDestination": "INPRT1",
"StampDuty": "Y",
"DirectOrTransit": "Y",
"Containerised": "N",
"BillLadingDate": "13062021",
"BillLadingNo": "AOPK9",
"CargoDescription": "MAULES CREEK SEMI SOFT COKING COAL",
"IGMLineNumber": "2",
"PortOfLoading": "AUNTL",
"ConsigneeAddress2": "TENTULMURI, KHARAGPUR- 721437",
"RecordType": "N",
"ConsigneeAddress1": "MOUZA, P.S. NARAYAGARH",
"FreightPaid": "Y",
"TotalGrossWeight": "5000.000",
"TotalGrossWeightUOM": "MTS",
"ConsigneeAddress3": "INDIA",
"IGMSubLineNumber": "0",
"PackageCode": "BLK",
"RecordNumber": "1"
}
}
}
}
}
}
}
}
},
"responseStatus": "SUCCESS",
"message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}
```

1.8.8 Response 7: -

```
{
  "response": [
    {
      "response": {
        "ETAETD": {
          "DocumentSummary": null,
          "DocumentDetails": {
            "ETAETDDetails": {
              "VCN": "INPRT120210044",
              "DraftAft": "11.00",
              "RecordType": "N",
              "CallSign": "5KKH7",
              "IMONumber": "5578210",
              "EDTA": "28072021:19:00",
              "DraftFwd": "12.00",
              "VesselName": "KOPCOP",
              "EDTD": "31072021:18:00"
            }
          }
        }
      },
      "responseStatus": "SUCCESS",
      "message": null
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

1.8.9 Response 8: -

```
{
  "response": [
    {
      "response": {
        "map": {
          "CHPOI13Payload": {
            "map": {
              "manifest": {
                "map": {
                  "trans": {
                    "map": {
                      "GrossQtyVolume": "3.270",

```

```
        "SealNo": "HMM191732849",
        "NoofPackages": "32",
        "SMTPDate": "08062021",
        "ContainerType": "FCL",
        "DestinationCode": "INILP6",
        "CustomsHouseCode": "INKAT1",
        "BondNo": "2000483550",
        "ContainerNo": "KOCU4351870",
        "CargoDesc": "179 PACKAGES PARTS FOR TELEVISION",
        "LineNumber": "352",
        "UnitofPackages": "PKG",
        "IGMDate": "05062021",
        "SMTPNo": "2007968",
        "ConsigneeName": "C*M*E*I*I*N*T*A* *E*H*O*O*Y*(N*I*)",
        "IGMNo": "2284364",
        "SubLineNumber": "0",
        "CarrierCode": "AABCC1756D",
        "TerminalOperatorCode": "INKAT1LSL1",
        "UnitofQty": "TON",
        "MessageType": "F"
    }
}
}
}
}
}
},
    "responseStatus": "SUCCESS",
    "message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}
```

1.8.10 Response 9: -

```
{
  "response": [
    {
      "response": {
        "CHSAE02Payload": {
          "RotationNumberAllotmentDetails": {
            "RotationNumber": "363598",
            "ShipingAgentCode": "ZLINW002",
            "VesselCode": "87e8",
            "RotationDate": "19062021",
            "VoyageNo": "89",
            "IMOCODE": "9876551",
            "MessageType": "F",
            "ShippingLineCode": "9HA259"
          }
        }
      },
      "responseStatus": "SUCCESS",
      "message": null
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

1.8.11 Response 10: -

```
{
  "response": [
    {
      "response": {
        "map": {
          "CODECODetails": {
            "map": {
              "DocumentSummary": {
                "map": {
                  "IssuedDateTime": "29062018213014"
                }
              },
              "DocumentDetails": {
                "map": {
                  "CODECOHeader": {
                    "map": {

```

```
        "VCN": "1806152",
        "CallSign": "BDR562",
        "TotNoContainer": "1",
        "IMONumber": "BDR562"
    },
    "ContainerDetails": {
        "map": {
            "Container": {
                "map": {
                    "EquipmentStatusCode": "3",
                    "CACode": "STA04",
                    "CustomSealNo": "ZGLP346131",
                    "VehicleNo": "MH46H5118",
                    "ContISOCode": "2210",
                    "GatePassNo": "1268724",
                    "DestPort": "INBOM",
                    "LoadingPort": "CNSHA",
                    "ContainerNO": "TRHU2911833",
                    "ContTypeClassificationCode": "4",
                    "GatePassDateTime": "26062018:20:50",
                    "GateNumber": "45",
                    "ArrivalDateTime": "12062018:00:01",
                    "ContLineCode": "GSS",
                    "DamageIndication": "N",
                    "DeliveryMode": "3",
                    "ConSealStatus": "9",
                    "FinalPortOfDischarge": "INBOM1",
                    "CargoType": "12",
                    "ReceiptDate": "26062018"
                }
            }
        }
    },
    "responseStatus": "SUCCESS",
    "message": null
},
"error": "false",
```

```
{
  "code": "200",
  "message": "Success"
}
```

1.8.12 Response 11: -

```
{
  "response": [
    {
      "response": {
        "GateOpenReportDetails": {
          "DocumentSummary": {
            "IssuedDateTime": "17072021142300"
          },
          "DocumentDetails": {
            "VCN": "INMAA120210438",
            "RotationNumber": "353501",
            "PortFloatLineLengthDateTime": null,
            "ShippingAgent": null,
            "ETA": "31052021:15:35",
            "RecordType": "1",
            "CallSign": "373568",
            "RotationNumberDate": "31052021",
            "WINScheduleDate": null,
            "CutOffDateandTime": "17072021:14:22",
            "IMONumber": "6346725"
          }
        }
      },
      "responseStatus": "SUCCESS",
      "message": null
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

1.9 Data Transmission & Authentication Mechanism

All data exchange would be done over secure HTTP (HTTPS). Request from ULIP's system would be made in MPT system through a data exchange URL that has following form:

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/01>

Body:

```
{
  "interfaceName": "CHPOI03",
  "igmNumber": "2272354"
}
```

Access to above data exchange URL would be authorized by use of a security mechanism implemented by the ULIP system. It is as follows:

- First time access: It would require a username and password [which would be shared with user beforehand]. Once user hit with valid user id and password, ULIP system will return a basic authorization token to user, using that token user will communicate with ULIP system until token will not get expired.

Brief summary of HTTP Basic Authentication is as follows:

First time when User will hit ULIP secured API through username and password for access token as follow-

```
curl -X POST
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/user/login'
-H 'accept: application/json'
-H 'content-type: application/json'
-data '{"username": "xxxxxx", "password": "XXxxx@12345"}'
```

Authorization:

Bearer

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJpbmRlcmNvbnQlLCJpYXQiOiJlODU1NjYyMzcsImFwchMiOiJkYXRhcHVzaCJ9.jb-23Dbkwpz-3ptsuuZofzH-ce7jd0xR5WLkFfBPO_Dzjop01dSx90amqsjsqUARYLUPtUDiMX07oHG4L2AffQ
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for details as follow -

```
curl -X POST \
https://www.ulip.dpiit.gov.in/ulip/v1.0.0/PCS/01 \
-H 'accept: application/json' \
-H 'authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYyNTIzMDQyNywiYXBwcyI6ImRh
```

```
dGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi20wxEv-td-
KpxnfbKDI_8FZsOoggqx3Al-Du1y2qMoUD7uzA' \
-H 'cache-control: no-cache' \
-H 'content-type: application/json' \
-H 'postman-token: 8e8a19a4-ea1e-6373-f616-e2e4af9a1338' \
-d ' {
  "interfaceName": "CHPOI03",
  "igmNumber": "2272354"
} '
```

For Staging:

```
curl -X POST
'http://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/user/login
-H 'accept: application/json'
-H 'content-type: application/json'
-data '{"username": "xxxxxxx", "password": "XXxxx@12345"} '
```

Authorization:

Bearer

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJpbmRlcmNvbnQlLCJpYXQiOiJlODU1NjYyMzcsImFwcmMi
OiJkYXRhcHVzaCJ9.jb-23Dbkwpz-3ptsuuZofzH-
ce7jd0xR5WLkFfBPO_Dzjop01dSx90amqsjsGUARYLUPtUDiMX07oHG4L2AxFFQ
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for details as follow -

```
curl -X POST \
http://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/PCS/01 \
-H 'accept: application/json' \
-H 'authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYyNTIzMDQyNywiYXBwcyI6ImRh
dGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi20wxEv-td-
KpxnfbKDI_8FZsOoggqx3Al-Du1y2qMoUD7uzA' \
-H 'cache-control: no-cache' \
-H 'content-type: application/json' \
-H 'postman-token: 8e8a19a4-ea1e-6373-f616-e2e4af9a1338' \
-d ' {
  "interfaceName": "CHPOI03",
  "igmNumber": "2336612"
} '
```