

ULIP Integration Requirement Document

Version No.: 2.0

Date: 30/03/2026

Project Name: ULIP

This document contains proprietary information of NLDSL. Unauthorized access, copying and replication are prohibited. This document must not be copied in whole or part by any means, without the written authorization of NLDSL, Noida, India.

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	03/10/2024	Hasan	Nayab Ali	Baseline Version
2.0	30/03/2026	Gaurav Tyagi	Pranab Manna	Updated

Table of Contents

Introduction	4
1.1 Purpose	4
The Overall Description	4
1.2 Data Integration between TGSARATHI System and ULIP application	4
1.3 TGSARATHI/01	4
1.3.1 Technical Approach	5
1.4 Data Transmission & Authentication Mechanism	8

Introduction

1.1 Purpose

This document defines and provides details for accessing the API for TGSARATHI system information from the ULIP system.

This document details the following points:

1. **Data Integration between TGSARATHI and ULIP web service:** Identification of operational points where data integration between the Telangana Transport Department and ULIP web service will be needed.
2. **Technical Approach** for Performing Data Integration

The Overall Description

The user will share information such as a Driving License (DL) based on data sent by the user. The ULIP system will call the respective **TGSARATHI** API to access information.

The following are the points for accessing cargo information: -

1. This API will share data based on information provided by the user.
2. ULIP will expose API for getting data from **TGSARATHI** API.
3. **TGSARATHI/01** API will take a Driving License (DL) from the user and get data from **TGSARATHI/01** API.

1.2 Data Integration between TGSARATHI System and ULIP application

The user will share information with the ULIP system based on the data shared ULIP will provide data to the user.

1.3 TGSARATHI/01

This API will take the driver's license number and connect with the TGSARATHI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	dlnumber	driver's license number	^[a-zA-Z0-9]{1,25}\$	Required	Max 25

1.3.1 Technical Approach

1. All the data will be shared through the rest web services.
2. The ULIP system will provide the driver's license number, which is required for details.
3. TGSARATHI API will share details of driver's license information that exists in the TGSARATHI system in JSON format.
4. TGSARATHI Integration will add JSON in the **response** key in the response body.
5. The ULIP system will provide the data in JSON Object format in the response body.

Example:

The ULIP system shares the driver's license number, and TGSARATHI-integration will request TGSARATHI API.

Request:

The request must be of the following format, where the driver's license number is passed within the URL body in JSON format.

For staging –

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/TGSARATHI/01>

```
{  
  "dlnumber": "AP01120130018301"  
}
```

Curl URL

```
curl --location --  
request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/TGSARATHI/01'  
\  
--  
header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGluIiwiaWF0IjoxNjQwNjc4MTU0LCJhcHBzIjoiZGF0YXB1c2gifQ.C1kSY1oUhhaJcch5Svaq9HUB7WtLHYnsVMIm6P1kyvr39qnqNxTqYTZ0QPAEiKsITxdE8ohCyFWPGdvsWrn8cg' \  
--header 'accept: application/json' \  
--header 'content-type: application/json' \  
--data-raw '{  
  "dlnumber": "AP01120130018301"  
}'
```

For Production –

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/TGSARATHI/01>

```
{
  "dlnumber": "AP01120130018301"
}
```

Curl URL

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/TGSARATHI/01' \
--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGluIiwiaWF0IjoxNzI3MTYxMDgwLCJhcHBzIjoizGF0YXB1c2gifQ.XhVZm7NiCD05-v9091WJQhYzdk1a0Shs_ley0T4R2MX63swRyxHbHxh6bVXtzqWvWiSLwwNGRQIcqGhr49hpGg' \
--header 'accept: application/json' \
--header 'content-type: application/json' \
--data '{
  "dlnumber": "AP01120130018301"
}'
```

For obtaining an authentication token, refer [Section 1.5](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of an invalid format**1. Invalid driver's license number**

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at: dlnumber. Format should follow ^[a-zA-Z0-9]{1,25}$"
}
```

b) In case of driver's license number does not exist in the TGSARATHI system

```
{
  "response": [
    {
```

```

        "response": "<NewDataSet>\n  <errors>\n    <isError>Y</isError>\n    <errorMessage>No data found</errorMessage>\n  </errors>\n  <data>\n    <Gender></Gender>\n    <GenderDescription></GenderDescription>\n    <BloodGroup></BloodGroup>\n    <BloodGroupName></BloodGroupName>\n    <QualificationCode></QualificationCode>\n    <QualificationDescription></QualificationDescription>\n    <FullName></FullName>\n    <DateOfBirth></DateOfBirth>\n    <SwdFullName></SwdFullName>\n    <PermanentAddress></PermanentAddress>\n    <TemporaryAddress></TemporaryAddress>\n    <MobileNumber></MobileNumber>\n    <DLNumber></DLNumber>\n    <PoliceStationCode></PoliceStationCode>\n    <PermanentDistrictName></PermanentDistrictName>\n    <TemporaryDistrictName></TemporaryDistrictName>\n    <aadharAuthenticated></aadharAuthenticated>\n    <olacode_Rtocode></olacode_Rtocode>\n    <olaName_RtoName></olaName_RtoName>\n    <StateCode></StateCode>\n    <StateName></StateName>\n    <DLIssueDate></DLIssueDate>\n    <DLTransportValidityFromDate></DLTransportValidityFromDate>\n    <DLTransportValidityToDate></DLTransportValidityToDate>\n    <DLNonTransportValidityFromDate></DLNonTransportValidityFromDate>\n    <DLHazardasValidityFromDate></DLHazardasValidityFromDate>\n    <DLHazardasValidityToDate></DLHazardasValidityToDate>\n    <DLHillValifityFromDate></DLHillValifityFromDate>\n    <DLHillValidityToDate></DLHillValidityToDate>\n    <DLStatus></DLStatus>\n    <DLEndorseDate></DLEndorseDate>\n    <DLEndorseTime></DLEndorseTime>\n    <DLRtoCode></DLRtoCode>\n    <RtoFullName></RtoFullName>\n    <RtoShortName></RtoShortName>\n    <DLCovcode></DLCovcode>\n    <DLCovStatus></DLCovStatus>\n    <covDescription></covDescription>\n    <covAbbreviation></covAbbreviation>\n    <covIssueDate></covIssueDate>\n    <objectionType></objectionType>\n    <ObjectionToDate></ObjectionToDate>\n    <EnforcementOfficeCode></EnforcementOfficeCode>\n    <ObjectionFromDate></ObjectionFromDate>\n  </data>\n</NewDataSet>\n",
        "responseStatus": "SUCCESS",
        "message": null
      },
    ],
    "error": "false",
    "code": "200",
    "message": "Success"
  }
}

```

c) In case driver's license number exist

```

{
  "response": [
    {
      "response": "<NewDataSet>\n  <errors>\n    <isError>N</isError>\n    <errorMessage></errorMessage>\n  </errors>\n  <data>\n    <Gender>M</Gender>\n    <GenderDescription>MALE</GenderDescription>\n    <BloodGroup></BloodGroup>\n    <BloodGroupName></BloodGroupName>\n    <QualificationCode>PG</QualificationCode>\n    <QualificationDescription></QualificationDescription>\n    <FullName></FullName>\n    <DateOfBirth></DateOfBirth>\n    <SwdFullName></SwdFullName>\n    <PermanentAddress></PermanentAddress>\n    <TemporaryAddress></TemporaryAddress>\n    <MobileNumber></MobileNumber>\n    <DLNumber></DLNumber>\n    <PoliceStationCode></PoliceStationCode>\n    <PermanentDistrictName></PermanentDistrictName>\n    <TemporaryDistrictName></TemporaryDistrictName>\n    <aadharAuthenticated></aadharAuthenticated>\n    <olacode_Rtocode></olacode_Rtocode>\n    <olaName_RtoName></olaName_RtoName>\n    <StateCode></StateCode>\n    <StateName></StateName>\n    <DLIssueDate></DLIssueDate>\n    <DLTransportValidityFromDate></DLTransportValidityFromDate>\n    <DLTransportValidityToDate></DLTransportValidityToDate>\n    <DLNonTransportValidityFromDate></DLNonTransportValidityFromDate>\n    <DLHazardasValidityFromDate></DLHazardasValidityFromDate>\n    <DLHazardasValidityToDate></DLHazardasValidityToDate>\n    <DLHillValifityFromDate></DLHillValifityFromDate>\n    <DLHillValidityToDate></DLHillValidityToDate>\n    <DLStatus></DLStatus>\n    <DLEndorseDate></DLEndorseDate>\n    <DLEndorseTime></DLEndorseTime>\n    <DLRtoCode></DLRtoCode>\n    <RtoFullName></RtoFullName>\n    <RtoShortName></RtoShortName>\n    <DLCovcode></DLCovcode>\n    <DLCovStatus></DLCovStatus>\n    <covDescription></covDescription>\n    <covAbbreviation></covAbbreviation>\n    <covIssueDate></covIssueDate>\n    <objectionType></objectionType>\n    <ObjectionToDate></ObjectionToDate>\n    <EnforcementOfficeCode></EnforcementOfficeCode>\n    <ObjectionFromDate></ObjectionFromDate>\n  </data>\n</NewDataSet>\n",
      "responseStatus": "SUCCESS",
      "message": null
    }
  ]
}

```

```

lificationCode>\n      <QualificationDescription>POST GRADUATION</Qualification
Description>\n      <FullName>M*D*U*U*A* S*Y*N*</FullName>\n      <DateOfBirth>XX
XXXXXXXX</DateOfBirth>\n      <SwdFullName>K*M*R</SwdFullName>\n      <PermanentA
ddress>29-
4851/3 RAJAMPET COLONY, SECENDERABAD, 502001</PermanentAddress>\n      <Temporar
yAddress>29-
4851/3 RAJAMPET COLONY, SECENDERABAD, 502001</TemporaryAddress>\n      <MobileNu
mber>XXXXXX1253</MobileNumber>\n      <DLNumber>AP01120130018301</DLNumber>\n
      <PoliceStationCode>15864</PoliceStationCode>\n      <PermanentDistrictName>HY
DERABAD</PermanentDistrictName>\n      <TemporaryDistictName>HYDERABAD</Tempora
ryDistictName>\n      <aadharAuthenticated></aadharAuthenticated>\n      <olacode
_Rtocode>TG009</olacode_Rtocode>\n      <olaName_RtoName>HYDERABAD-
CZ</olaName_RtoName>\n      <StateCode>TG</StateCode>\n      <StateName>TELANGANA
</StateName>\n      <DLIssueDate>26/09/2007</DLIssueDate>\n      <DLTransportVali
dityFromDate>26/09/2007</DLTransportValidityFromDate>\n      <DLTransportValidi
tyToDate>25/09/2027</DLTransportValidityToDate>\n      <DLNonTransportValidityF
romDate>25/09/2030</DLNonTransportValidityFromDate>\n      <DLHazardasValidityF
romDate>25/09/2026</DLHazardasValidityFromDate>\n      <DLHazardasValidityToDat
e>25/09/2027</DLHazardasValidityToDate>\n      <DLHillValifityFromDate></DLHill
ValifityFromDate>\n      <DLHillValidityToDate></DLHillValidityToDate>\n      <DL
Status>APPROVED</DLStatus>\n      <DLEndorseDate></DLEndorseDate>\n      <DLEndor
seTime></DLEndorseTime>\n      <DLRtoCode>TG009</DLRtoCode>\n      <RtoFullName>K
RISHNA</RtoFullName>\n      <RtoShortName>KRISH</RtoShortName>\n      <DLCovcode>
MCWG, LMVNT, TVEH, HZRD</DLCovcode>\n      <DLCovStatus>PASS</DLCovStatus>\n
<covDescription>MOTORCYCLEWITHGEAR, LIGHTMOTORVEHICLE</covDescription>\n      <c
ovAbbreviation></covAbbreviation>\n      <covIssueDate>26/09/2007</covIssueDate
>\n      <objectionType></objectionType>\n      <ObjectionToDate></ObjectionTodat
e>\n      <EnforcementOfficeCode></EnforcementOfficeCode>\n      <ObjectionFromDa
te></ObjectionFromDate>\n      </data>\n</NewDataSet>",
      "responseStatus": "SUCCESS",
      "message": null
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}

```

Status Code 200: Driver's license number data response

Status Code 400: Bad request (Invalid JSON syntax, invalid JSON key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: The server is not responding.

1.4 Data Transmission & Authentication Mechanism

All data exchange would be done over secure HTTP (HTTPS). Request from ULIP's system would be made in the TGSARATHI system through a data exchange URL that has the following form:

For Staging –

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/TGSARATHI/01>

Body:

```
{ "dlnumber": "AP01120130018301" }
```

Access to above data exchange URL would be authorized by use of a security mechanism implemented by the ULIP system. It is as follows:

- To access the system for the first time, you will need a username and password, which will be provided in advance. Once you enter your valid user ID and password, the ULIP system will return a basic authorisation token. You can use this token to communicate with the ULIP system until it expires.

The summary of HTTP Basic Authentication is as follows:

First time the User will hit ULIP secured API through username and password for access token as follows-

```
curl -X POST
'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/user/login'
-H 'accept: application/json'
-H 'content-type: application/json'
-data '{"username":"xxxxxx","password":"XXxxx@12345"} ' '
```

Authorization:**Bearer**

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJpbmRlcmluNbnQjLCJpYXQiOiJlODU1NjYyMzcsImFwcmMiOiJkYXRhcHVzaCJ9.jb-23Dbkwpz-3ptsuuZofzH-ce7jd0xR5WlkFfBPO_Dzjop01dSx90amqsjsqUARYLUPtUDiMX07oHG4L2AfFQ
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired, and user need to re authenticate.

Using The above token, user can request ULIP system for details as follow -

```
curl --location --
request POST 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/TGSARATHI/01'
\
--
header 'authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJlbGwIiwiaWF0IjoxNjYyMzcsImFwcmMiOiJkYXRhcHVzaCJ9.jb-23Dbkwpz-3ptsuuZofzH-ce7jd0xR5WlkFfBPO_Dzjop01dSx90amqsjsqUARYLUPtUDiMX07oHG4L2AfFQ'
```

```
--header 'accept: application/json' \  
--header 'content-type: application/json' \  
--data-raw '{"dlnumber": "AP01120130018301"}'
```

For Production –

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/user/login' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data-raw '{  
  "username": "xxxx",  
  "password": "xxxx@123"  
'
```

Authorization:**Bearer**

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGwIiwiaWF0IjoxNzI3MTYxMDgwLCJhcHBzIjoizGF0YXB1c2gifQ.XhVZm7NiCD05-v9091WJQhYzdk1a0Shs_Ley0T4R2MX63swRyxHbHxh6bVXtzqWvWiSLwwNGRQIcqGhr49hpGg
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired, and user need to re authenticate.

Using The above token, user can request ULIP system for vehicle details as follow -

```
https://www.ulip.dpiit.gov.in/ulip/v1.0.0/TGSARATHI/01  
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/TGSARATHI/01' \  
--header 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGwIiwiaWF0IjoxNzI3MTYxMDgwLCJhcHBzIjoizGF0YXB1c2gifQ.XhVZm7NiCD05-v9091WJQhYzdk1a0Shs_Ley0T4R2MX63swRyxHbHxh6bVXtzqWvWiSLwwNGRQIcqGhr49hpGg' \  
--header 'accept: application/json' \  
--header 'content-type: application/json' \  
--data '{"dlnumber": "AP01120130018301"}'
```