Endpoint Being Tested: http://127.0.0.1:5000/api/feedback-recommendations

Case: Successful feedback generation

Request Method: POST

Inputs:

```
"submitted_answers": [
 {
    "qid": 1,
    "answer": [
      "D"
 },
    "qid": 2,
    "answer": [
      "B"
 },
    "qid": 3,
    "answer": [
      "B",
      "D"
  },
    "qid": 4,
    "answer": [
      "B",
      "C"
 },
    "qid": 5,
    "answer": [
      "B"
 },
    "qid": 6,
    "answer": [
      "1020"
  }
```

```
] }
```

Expected Output:

```
HTTP Status Code: 200 and JSON with 'comprehensive_feedback'
```

Actual Output:

```
HTTP Status Code: 500

JSON: {
    "error": "Internal server error: 403 Request had insufficient authentication scopes. [reason: \"ACCESS_TOKEN_SCOPE_INSUFFICIENT\"\ndomain: \"googleapis.com\"\nmetadata {\n key: \"service\"\n value: \"generativelanguage.googleapis.com\"\n}\nmetadata {\n key: \"method\"\n value: \"google.ai.generativelanguage.v1beta.GenerativeService.GenerateContent\"\n}\n]"
}
```

Result: Failed

Case: Missing submitted_answers field

Request Method: POST

Inputs:

```
{}
```

Expected Output:

```
HTTP Status Code: 500 and error message
```

Actual Output:

```
HTTP Status Code: 500
JSON: {
    "error": "Internal server error: division by zero"
}
```

Result: Success

Case: Internal server error due to invalid answer format

Request Method: POST

Inputs:

```
{
    "submitted_answers": [
        {
            "qid": 1,
            "answer": "INVALID FORMAT"
        }
      ]
}
```

Expected Output:

```
HTTP Status Code: 400 and error message
```

Actual Output:

```
HTTP Status Code: 400

JSON: {

    "error": "answer must be a list of strings"
}
```

Result: Success