# Endpoint Being Tested: http://127.0.0.1:5000/all\_instructors

Case: Get all instructors

**Request Method: GET** 

Inputs:

{}

#### **Expected Output:**

```
HTTP Status Code: 200 and a list of instructors
```

#### **Actual Output:**

```
HTTP Status Code: 200

JSON: [{"id": 1, "user": {"id": 1, "role": "instructor", "name": "John Doe", "email": "john.doe@example.com"}, "courses": [], "description": "No description provided."}, {"id": 2, "user": {"id": 2, "role": "instructor", "name": "Jane Smith", "email": "jane.smith@example.com"}, "courses": [], "description": "No description provided."}]
```

**Result: Success** 

Endpoint Being Tested: http://127.0.0.1:5000/instructor/1

Case: Get an individual instructor

**Request Method: GET** 

Inputs:

{}

### **Expected Output:**

```
HTTP Status Code: 200 and instructor details
```

#### **Actual Output:**

```
HTTP Status Code: 200

JSON: {"id": 1, "user": {"id": 1, "role": "instructor", "name": "John Doe",

"email": "john.doe@example.com"}, "courses": [], "description": "No description

provided."}
```

**Result: Success** 

Endpoint Being Tested: http://127.0.0.1:5000/instructor/1

Case: Delete an individual instructor

Request Method: DELETE

Inputs:

{}

#### **Expected Output:**

```
HTTP Status Code: 200 and instructor deleted successfully
```

# **Actual Output:**

```
HTTP Status Code: 200
JSON: {"message": "Instructor deleted successfully"}
```

**Result: Success** 

# **Endpoint Being Tested:**

http://127.0.0.1:5000/instructor/1/courses

**Case:** Get all courses assigned to an instructor

Request Method: GET

Inputs:

{}

## **Expected Output:**

```
HTTP Status Code: 200 and a list of courses
```

## **Actual Output:**

```
HTTP Status Code: 200
JSON: [{"course_id": 1, "course_name": "Test Course", "course_code": "TC101",
  "description": "No description provided.", "level": "Foundational", "type":
  "Programming", "image": null, "instructors": [1], "students": [], "assignments":
  null}]
```

**Result: Success** 

# **Endpoint Being Tested:**

http://127.0.0.1:5000/instructor/1/course/1

Case: Assign an instructor to a course

**Request Method: POST** 

Inputs:

{}

#### **Expected Output:**

```
HTTP Status Code: 201 and instructor assigned successfully
```

#### **Actual Output:**

```
HTTP Status Code: 201
JSON: {"message": "Instructor assigned to course successfully"}
```

**Result:** Success

# **Endpoint Being Tested:**

http://127.0.0.1:5000/instructor/1/course/1

Case: Remove an instructor from a course

**Request Method: DELETE** 

Inputs:

{}

# **Expected Output:**

```
HTTP Status Code: 200 and instructor removed successfully
```

## **Actual Output:**

```
HTTP Status Code: 200
JSON: {"message": "Instructor removed from course successfully"}
```

**Result:** Success