

WASTE PROFILE FORM



Profile #: 14503 Revision #: 0

A: GENERATOR INFORMATION

Name:Clean Earth of North Jersey, Inc

GEN #:10016

EPA ID#:NJD991291105

Site Address:105 Jacobus Ave.

City:Kearny

State :NJ

Zip :07032

Mailing Address:115 Jacobus Ave

City:Kearny

State :NJ

Zip :07032

Contact:

Email:

Phone:973-344-4004

Fax:9733448652

Manifest ER Phone #:8004518346

Generator Subpart P:☐ Yes☒ No

Various Generator:☐ Yes☒ No

State ID#:

Generator Status:☐ LQG☐ SQG☐ VSQG/CESQG

NAICS code(s)(primary reporting first):

TSDF Approval List:☐ Yes☒ No

Disposal Restrictions:

CUSTOMER/BILLING/BROKER INFORMATION

Same as Generating Facility address:

Customer #:3002

Customer Name:Ce North Jersey

Phone:

Address:115 JACOBUS AVE

City:SOUTH KEARNY

State:NJ

Zip:07032

Contact:

Email:

Fax:

B: WASTE DESCRIPTION

Waste Common Name:K062 soil

Process generating Waste (be specific):impacted acidic spill

W319 - Other inorganic solids (specify in comments)

Form:

G19 - Other one-time or intermittent processes (specify in comments)

Source:

Origin:

Unused Commercial Product:☐ Yes☒ No

Spill Residue:☐ Yes☒ No

Loosepack:☐ Yes☒ No

Lab Pack:☐ Yes☒ No

Generator has provided the following:

☐ Analysis☐ Formulary☐ SDS☐ Sample

C: PHYSICAL CHARACTERISTICS OF WASTE (@70°F)

Layers:

Physical State

Specific Gravity

Viscosity

☐ Multi-layered

Solid %:

100

☐ Debris☐ Monolith☐ Powder

oil <1, sol >1)

(water=1,

High-Honey)

☐ Bi-Layered

Sludge %:

☐ Compressed Gas

Est.

Actual

N/A

☐ Single Layered

Free Liquid %:

N/A

Water %:

Pumpable:

☐ Yes☒ No

Color:

Odor:

☒ None☐ Mild☐ Strong

Description:

pH:

☐ N/A☐ ≤2.0☐ >2.01-4.00☒ 4.01 - 10.00☐ 10.01-12.49☐ ≥12.5

Actual:

Liquid Flash Point:

☐ <73° F☐ 73<100° F☐ 100<140° F☐ 140-200° F☐ >200° F☒ None

Actual:

☒ °C☐ °F

BTU/lbs range:

☐ <2000☐ 2000-5000☐ >5001-10,000☐ >10,000

Boiling Point:

☐ ≤95° F☐ >95° F

Halogens %:

D: CHEMICAL COMPOSITION OF WASTE

Constituent	Key	Min	Max	UOM
IMPACTED SOIL WITH K062	=	100		%

E: ADDITIONAL INFORMATION:

PCB

☐ Yes☒ No

VOC (ppm)

No selection

TOC

PCB TSCA Regulated

☐ Yes☒ No

Subject to Subpart CC:

☐ Yes☒ No

CHECK ALL THAT MAY APPLY:

☐ Asbestos, Non-friable

☐ Dioxins

☐ Infectious

☐ Oxidizer

☐ phenolics

☐ Radioactive

☐ Ammonia

☐ APHIS Waste

☐ Dust Hazard

☐ Medical (sharps,needles)

☐ Pesticide/Herbicide

☐ Profile Subpart P

☐ RCRA Debris

☐ Asbestos, Friable

☐ CERCLA

☐ Flammable Solid

☐ Organic Peroxide

☐ PFAS/PFOA

☐ PUSO

REACTIVITY:

☐ Cyanide Reactive

☐ Polymerizes

☐ Reactive (Other)/Temp Sensitive

☐ Reactive Metals

☐ Sulfide Reactive

☐ Explosive

☐ Pyrophoric

☐ Shock Sensitive

☐ Water Reactive

Others

F: USEPA / STATE / GENERATOR STATE WASTE IDENTIFICATION:

Federal Universal Waste:

☐ Yes

☒ No

Exemption ref

EPA

EPA Waste Code(s):

K062

State

Code(s):

State Regulated Waste:

☐ Yes

☒ No

Generator State Universal Waste:

☐ Yes

☒ No

WA Designation:

DW

LANDFILL INFORMATION

Waste Subject to Land Disposal Restrictions (LDR)?

☐ yes

☒ No

This waste is a

☐ Waste water (TOC<1%, TSS<1%)

☐ Non-waste water

IDENTIFY ALL UHC's IN THIS WASTESTREAM :

G: REGULATED CONSTITUENTS:

Check any regulated constituent above regulatory limit and note value. Check source(s) used :

Source(s):

☐ Analytical

☐ Generator Knowledge

☐ SDS

METALS:		Range		UOM		Range		UOM				
		TCLP Limit			TCLP Limit							
	(mg/l)	Above	Below	Not Present			(mg/l)	Above	Below	Not Present		
D004 Arsenic (As)	5.0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	N/A	None	Antimony (Sb)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D005 Barium (Ba)	100.0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	N/A	None	Beryllium (Be)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D006 Cadmium (Cd)	1.0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	N/A	None	Hexavalent Chrome (Cr+6)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D007 Chromium (Cr)	5.0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	N/A	None	Cobalt (Co)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D008 Lead (Pb)	5.0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	N/A	None	Copper (Cu)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D009 Mercury (Hg)	0.2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	N/A	None	Nickel (Ni)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D010 Selenium (Se)	1.0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	N/A	None	Thallium (Tl)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D011 Silver (Ag)	5.0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	N/A	None	Vanadium (V)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
							Zinc (Zn)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None

VOLATILES:		Range		UOM		Range		UOM					
		TCLP Limit					TCLP Limit						
	(mg/l)	Above	Below	Not Present			(mg/l)	Above	Below	Not Present			
D018 Benzene	0.5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None	D029 1,1-Dichloroethylene	0.7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D019 Carbon Tetrachloride	0.5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None	D035 Methyl ethyl ketone	200.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D021 Chlorobenzene	100.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None	D039 Tetrachloroethylene	0.7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D022 Chloroform	6.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None	D040 Trichloroethylene	0.5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D028 1,2-Dichloroethane	0.5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None	D043 Vinyl Chloride	0.2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
PESTICIDE/HERBICIDES:		Range		UOM		Range		UOM					
		TCLP Limit					TCLP Limit						
	(mg/l)	Above	Below	Not Present			(mg/l)	Above	Below	Not Present			
D012 Endrin	0.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None	D016 2,4-D	10.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D013 Lindane	0.4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None	D017 2,4,5-TP (Silvex)	1.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D014 Methoxychlor	10.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None	D020 Chlordane	0.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None
D015 Toxaphene	0.5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None	D031 Hepachlor (& it's epoxides)	0.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None

SEMI-VOLATILES:						Range		UOM							Range		UOM
						TCLP Limit									TCLP Limit		
						(mg/l)									(mg/l)		
							Above	Below								Above	Below
								Not									Not
								Present									Present
D023 o-Cresol	200.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None			D033 Hexachlorobutadiene	0.5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None		
D024 m-Cresol	200.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None			D034 Hexachloroethane	3.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None		
D025 p-Cresol	200.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None			D036 Nitrobenzene	2.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None		
D026 Cresol (Total)	200.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None			D037 Pentachlorophenol	100.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None		
D027 1,4-Dichlorobenzene	7.5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None			D038 Pyridine	5.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None		
D030 2,4-Dinitrotoluene	0.1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None			D041 2,4,5-Trichlorophenol	400.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None		
D032 Hexachlorobenzene	0.1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None			D042 2,4,6-Trichlorophenol	2.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	None		

H: SHIPPING INFORMATION:

US DOT DESCRIPTION: USE THE FULL BASIC DESCRIPTION ON THE HAZARDOUS WASTE MANIFEST including Technical constituents:

NA3077, Hazardous waste, solid, n.o.s., 9, III, ERG(171)

Process Code(s):

LF07

Disposal Instructions/Comments:

Method of Shipment:

☐ Bulk Liquid

☐ Bulk Solid

☐ Container (type/size):

Shipping Frequency

Average Shipment Quantity

GENERATOR CERTIFICATION

To the best of my knowledge and belief, I hereby warrant and represent that the information contained and submitted in the waste profile and all attached documents is true, accurate, and complete and that no material fact has been omitted as to make this misleading. I understand that others may rely on this information in the handling and processing of the waste material described herein. By signing this waste profile, I am certifying that I am authorized to sign such documentation on behalf of the generator.

Authorized Signature

Authorized Printed Name

Title

Date