Progress Bar

HTML

```
<!DOCTYPE html>
<html>
<head>
 <link rel="stylesheet" href="progressbar.css">
 <link href="https://fonts.googleapis.com/css2?family=Bangers&family=Dancing+</pre>
Script:wght@700&display=swap" rel="stylesheet">
 <title>Kartikeya Agarwal</title>
 <link rel="icon" href="icon.webp">
</head>
<body>
<h1 class="heading">Dynamic Progress Bar</h1>
<div id="myProgress">
 <div id="myBar"></div>
</div>
<br>
<div class="container">
 <div class="row">
   <div class="col-sm">
     <span class="dot" id = "13" onclick="first()">15%</sp</pre>
an>
   </div>
   <div class="col-sm">
     <span class="dot" id = "32" onclick="second()">30%</s</pre>
pan>
   </div>
   <div class="col-sm">
     <span class="dot" id = "52" onclick="third()">50%</sp</pre>
   <div class="col-sm">
     <span class="dot" id = "71" onclick="fourth()">70%</s</pre>
pan>
   </div>
 </div>
</div>
10%
```

CSS

```
#myProgress {
   width: 100%;
    background-color: #ddd;
   border: solid white;
   border-width: thick;
   outline: solid black;
   color: ;
 #myBar {
   width: 10%;
   height: 30px;
   background-image: linear-gradient(to right,cornflowerblue,blue,darkblue);
  .btn {
     display: inline-block;
     font-weight: 400;
     color: #212529;
     text-align: center;
     vertical-align: middle;
      -webkit-user-select: none;
      -moz-user-select: none;
      -ms-user-select: none;
     user-select: none;
     background-color: transparent;
     border: 1px solid transparent;
      padding: .375rem .75rem;
     font-size: 1.4rem;
      line-height: 1.5;
     border-radius: .25rem;
     transition: color .15s ease-in-out, background-color .15s ease-in-
out, border-color .15s ease-in-out, box-shadow .15s ease-in-out
```

```
.btn-success {
      color: #fff;
      background-color: #28a745;
      border-color: #28a745
  .btn-success:hover {
     transform: scale(1.4);
      transition:cubic-bezier();
      color: #fff;
      background-color: #218838;
      border-color: #1e7e34
  .percentage{
    font-family: 'Dancing Script', cursive;
    text-align: center;
    font-size: 2rem;
  .heading{
    font-family: 'Bangers', cursive;
    text-align: center;
   font-size: 4rem;
  .container{
   width: 100%;
   padding-right: 15px;
    padding-left: 15px;
   margin-right: auto;
   margin-left: auto
@media (min-width:576px) {
    .container{
        max-width: 540px
@media (min-width:768px) {
    .container{
        max-width: 720px
@media (min-width:992px) {
    .container{
        max-width: 960px
@media (min-width:1200px) {
    .container{
        max-width: 1140px
```

```
.row {
 display: -ms-flexbox;
  display: flex;
 -ms-flex-wrap: wrap;
 flex-wrap: wrap;
 margin-right: -15px;
 margin-left: -15px
.no-gutters > .col,
.no-gutters > [class*=col-] {
    padding-right: 0;
   padding-left: 0
.col,.col-sm{
   position: relative;
   width: 100%;
    padding-right: 15px;
   padding-left: 15px
.col {
   -ms-flex-preferred-size: 0;
   flex-basis: 0;
   -ms-flex-positive: 1;
   flex-grow: 1;
   max-width: 100%
@media (min-width:576px) {
  .col-sm {
      -ms-flex-preferred-size: 0;
     flex-basis: 0;
      -ms-flex-positive: 1;
     flex-grow: 1;
     max-width: 100%
.dot {
  position: relative;
 font-family: 'Dancing Script', cursive;
 text-align: center;
 height: 50px;
 width: 50px;
  background-color: #bbb;
  border: solid 2px;
  border-radius: 50%;
  display: inline-block;
```

```
.dot:hover{
    transform: scale(1.2);
    background-color: yellowgreen !important;
}
.per{
    font-weight: 900 !important;
    font-size: 1rem !important;
    position: relative;
}
html{
    overflow-x: hidden;
}
body{
    background-image: url("bg.jpg");
    background-size: auto;
}
```

JavaScript

```
function move() {
    var elem = document.getElementById("myBar");
    var elem2 = document.getElementById("percentage");
    var width = 10;
    var id = setInterval(frame, 10);
    function frame() {
     if (width >= 100) {
        clearInterval(id);
      } else {
        width++;
        elem.style.width = width + '%';
        elem2.innerHTML = width * 1 + '%';
     if (width == 13){
        var ele = document.getElementById(13);
        ele.style.backgroundColor = "greenyellow";
        console.log(ele)
      else if(width == 32){
       var ele = document.getElementById(32);
        ele.style.backgroundColor = "greenyellow";
        console.log(ele)
      else if(width == 52){
       var ele = document.getElementById(52);
        ele.style.backgroundColor = "greenyellow";
        console.log(ele)
```

```
else if(width == 71){
      var ele = document.getElementById(71);
      ele.style.backgroundColor = "greenyellow";
      console.log(ele)
    }
  }
function reset(){
    document.getElementById("myBar").style.width = "10%";
    document.getElementById(13).style.backgroundColor = "#bbb";
    document.getElementById(32).style.backgroundColor = "#bbb";
    document.getElementById(52).style.backgroundColor = "#bbb";
    document.getElementById(71).style.backgroundColor = "#bbb";
function first(){
  document.getElementById("myBar").style.width = "14%";
  document.getElementById(13).style.backgroundColor = "greenyellow";
function second(){
  document.getElementById("myBar").style.width = "32%";
  document.getElementById(13).style.backgroundColor = "greenyellow";
  document.getElementById(32).style.backgroundColor = "greenyellow";
function third(){
  document.getElementById("myBar").style.width = "52%";
  document.getElementById(13).style.backgroundColor = "greenyellow";
  document.getElementById(32).style.backgroundColor = "greenyellow";
  document.getElementById(52).style.backgroundColor = "greenyellow";
function fourth(){
  document.getElementById("myBar").style.width = "71%";
  document.getElementById(13).style.backgroundColor = "greenyellow";
  document.getElementById(32).style.backgroundColor = "greenyellow";
  document.getElementById(52).style.backgroundColor = "greenyellow";
  document.getElementById(71).style.backgroundColor = "greenyellow";
```



