Karthik Pradeep Hegadi

2KE20CS032

Assignment 23

Understood. To follow the provided instructions and create the files/directory using the same name and case as provided in the task steps, please provide me with the specific names and case instructions for the files/directory you want to create.

Git

Assignment 2: Build a war file Deploy into the tomcat

Prerequisites

Install apache-maven in your machine

Install java version 11

Install apache-tomcat

- 1. Clone this repository https://github.com/abdulmalik07-m/java project.git
- 2. Navigate inside the project's Directory

```
lusy@localhost.localdomain ~/node-mysql-crud git:(main) ±4 (0.02s)

cd

lusy@localhost.localdomain ~ git:(HEAD) ±9 (0.024s)
ls

Docker Docker2 Docker4_sql_data hello-world mattermost mysql_data sql -v.hwm -v.pwi
Docker1 Docker3 Docker5 java_project maven-test1 node-mysql-crud test-docker-compose -v.pwd

lusy@localhost.localdomain ~ git:(HEAD) ±9 (0.018s)
cd java_project

lusy@localhost.localdomain ~/java_project git:(main)±1

|
```

3. Execute "mvn clean

4. Execute mvn package

```
lusy@localhost.localdomain ~/java_project git:(main) ±1 (1.289s)
mvn package
[INFO] Scanning for projects...
[INFO]
[INFO] ----- com.efsavage:hello-world-war >------
[INFO] Building Hello World Web Application Repository 1.0.0
               ----[ war ]----
[INFO] --- maven-resources-plugin: 2.6: resources (default-resources) @ hello-world-wa
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e.
[INFO] skip non existing resourceDirectory /home/lusy/java_project/src/main/resource
[INFO] --- maven-compiler-plugin:3.1:compile (default-compile) @ hello-world-war ---
[INFO] No sources to compile
[INFO]
[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ hello-
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e.
[INFO] skip non existing resourceDirectory /home/lusy/java_project/src/test/resource
[INFO]
[INFO] --- maven-compiler-plugin:3.1:testCompile (default-testCompile) @ hello-world
[INFO] No sources to compile
```

5. A Directory named 'target' is created

```
lusy@localhost.localdomain ~/java_project git:(main) ±1 (0.017s)
cd target/
lusy@localhost.localdomain ~/java_project git:(main) ±1 (0.025s)
ls
hello-world-war-1.0.0 hello-world-war-1.0.0.war maven-archiver
```

6. Navigate inside "target' directory and copy the the war file into tomcat webapps folder

7. Restart the tomcat and access your page

http://your_ipaddress:8080/hello-world-war-1.0.0

 \mathbf{C}

A Not secure 192.168.56.111:8080/hello-world-war-1.0.0/

