INFO6150 Assignment 8

REST API endpoint guide

Base URL: http://localhost:5000

Start the API from the project directory with `npm start` and keep it running. Replace the sample email with the email you use for your test account.

Suggested test order

#	Method and URL	Purpose / expected result
1	**POST** /user/create	Create account. Expect 201.
2	**POST** /user/login	Verify credentials. Expect 200.
3	**PUT** /user/edit	Change full name or password (not email). Expect 200.
4	**GET** /user/getAll	List users. Expect 200.
5	**POST** /user/uploadImage	Upload one JPEG, PNG, or GIF per user. First upload: 201.
6	**POST** /user/uploadImage	Repeat upload for same account. Expect 400 (image already exists).
7	**DELETE** /user/delete	Delete test account. Expect 200.

1. Create user ? POST /user/create

```
{
"fullName": "Jane Doe",
"email": "jane.doe@example.com",
"password": "Password1!"
}
```

2. Login ? POST /user/login

```
{
"email": "jane.doe@example.com",
"password": "Password1!"
}
```

3. Update user ? PUT /user/edit

```
{
"email": "jane.doe@example.com",
"fullName": "Jane Smith"
}
```

4. Get all users ? GET /user/getAll

No request body required.

5. Upload image ? POST /user/uploadImage

In Thunder Client select **Body ? Form**. Add `email` as Text and add `image` in the Files section; choose a .jpg, .jpeg, .png, or .gif file. Do not manually set Content-Type; let the client create the multipart header.

7. Delete user ? DELETE /user/delete

```
{
"email": "jane.doe@example.com"
}
```

Additional checks

An invalid email or weak password on create should return 400. A login with the wrong password should return 401. Swagger documentation: http://localhost:5000/api-docs