

Automatic DB refresh (SIDB + RAC)

Table of Contents

1	Document Version Control	1
2	Objective	1
3	Pre-requisites	2
4	Refresh Phase.....	2
5	Monitoring Logs	3
6	Post Refresh Phase	3

1 Document Version Control

Date	Revision	Author	Comment
07/04/2026	V1.0	TCS	Initial document

2 Objective

This SOP defines the steps required to execute the automatic refresh of databases.

3 Pre-requisites

- Ensure that a database refresh parameters file is created in the format “refresh_params_\$ORACLE_SID.lst” and placed in the location \$DBA_HOME prior to initiating the automatic refresh process.
- These variables can be found in the /home/oracle/bin/\$ORACLE_SID file.
- The parameters file must include the following required details:

Parameter	Usage
TARGET_DB='esorp1'	Source DB name
SRC_DB_PSWD='*****'	source db sys password
AUX_DB_PSWD='*****'	auxiliary db name
SRC_TNS_NAME='esorp1'	tns name of the source db as mentioned in the \$TNS_ADMIN/tnsnames.ora
DB_CREATE_FILE_DEST='/esors1/data/oracle/data'	DB location where datafiles will be stored.
DB_CREATE_ONLINE_LOG_DEST_1='/esors1/data/oracle/data'	DB location where online log files and control file will be stored.
DB_CREATE_ONLINE_LOG_DEST_2='/esors1/data/Arch_esors1'	Location for online log and control file multiplexing
SRC_CHANNELS=8	Number of channels for source db
AUX_CHANNELS=8	Number of channels for auxiliary db

- Put all the string literals in single quotes in the refresh parameters file.
- The database must be using a spfile. If it doesn't, please create one.
- The refresh should be executed from the target server.

4 Refresh Phase

The script is scheduled in the crontab of the target server. Please make sure it is enabled in the crontab with correct timing.

```
[oracle@frbuc1sora03 admin]$ crontab -l | grep sidb
#15 18 * * * /u01/app/product/oracle/admin/sidb_refresh_auto.sh esors1 esors1 >> /u01/app/product/oracle/admin/esors1/auto_refresh_esors1_`date +%m\%d`_$$ 2>&1
0 8 1-7 * * [ *$(date +%u)* -eq 6 ] && /u01/app/product/oracle/admin/sidb_refresh_auto.sh esors1 esors1 >> /u01/app/product/oracle/admin/esors1/auto_refresh_esors1_`date +%m\%d`_$$ 2>&1
[oracle@frbuc1sora03 admin]$
```

5 Monitoring Logs

The log will be created under the location \$SID_HOME/ db_auto_refresh_<ddmmyyyy>_<pid>

The below logs will be created:

Log Name	Usage
password_backup_<pid>.sql	User passwords captured before refresh.
drop_aux_<pid>.log	Drop database log
rman_dup_<\$ORACLE_UNQNAME>_<pid>.log	Duplication script for database refresh
password_reset_<pid>.log	User password reset log after the refresh
ora.error.<pid>	Errors captured during the refresh

```
-rw-r--r--. 1 oracle oinstall 5309 Apr 4 08:00 pwfile_users.2378122.lst
-rw-r--r--. 1 oracle oinstall 6666 Apr 4 08:00 password_backup_2378122.sql
-rw-r--r--. 1 oracle oinstall 303 Apr 4 08:01 drop_aux_2378122.log
-rw-r--r--. 1 oracle oinstall 86 Apr 4 08:02 rman_allocate_src_channels_esors1.cmd
-rw-r--r--. 1 oracle oinstall 96 Apr 4 08:02 rman_allocate_aux_channels_esors1.cmd
-rwxr--r--. 1 oracle oinstall 877 Apr 4 08:02 rman_dup_esors1_2378122.cmd
-rw-r--r--. 1 oracle oinstall 279 Apr 4 08:02 rman_dup_cmd_file_generation.log
-rw-r--r--. 1 oracle oinstall 502519 Apr 4 09:21 rman_dup_esors1_2378122.log
-rw-r--r--. 1 oracle oinstall 9320 Apr 4 09:23 password_reset_2378122.log
-rw-r--r--. 1 oracle oinstall 974 Apr 4 09:24 ora.error.2378122
```

Monitor these logs during the refresh

NOTE: Make sure no new datafile is added to the source db during the course of the refresh. Otherwise, the refresh could fail and will have to continue manually.

6 Post Refresh Phase

The script will take care of the post-steps of the refresh activity by itself.

The below changes will be made in the post steps:

- DB changed to noarchive mode.

- Reset the users password for which the backup was taken before the refresh.

If there are any deviations in the database, please do it manually after the refresh.

After the refresh is completed, the internal TCS DBA team will receive an email with an attachment of a duplicate log.

If the mail states any issue, please check the logs and remediate it before manually continuing the refresh.