

Backend Documentation

Filename: app.py

Functions -

1. signup()
Route: /signup
Method: POST

There are 5 parameters in the JSON sent to this API - first name (**firstName**), last name (**lastName**), email (**email**), contact (**contact**) and password (**password**).

Response -

- a. If there already exists a row in the users table with the same email address, the message returned is "An account with this email already exists".
- b. If there already exists a row in the users table with the same contact information, the message returned is "An account with this contact already exists".
- c. In the case when neither of the above two hold, a new row is created in the users table with the information from the JSON and the message returned is "Added successfully".

2. login()
Route: /login
Method: POST

There are 2 parameters in the JSON sent to this API - email (**email**) and password (**password**).

Response -

- a. If the email does not exist in the users table, the message returned is "Please create an account!".
- b. If the email exists, but the password entered is wrong, the message returned is "Invalid credentials!".
- c. If the email and password pair is correct, the message returned is "Logged in successfully".

3. create_bid()
Route: /bid/create
Method: POST

There are 3 parameters in the JSON sent to this API - productId (**prodId**), email (**email**) and amount (**bidAmount**).

From the product table, we find the minimum amount of the bid that the seller had mentioned.

Response -

- a. If the bid amount is less than the minimum amount, the message returned is "Amount is lesser than initial price".
- b. If the bid amount is greater than the minimum amount, the bid is created/updated in the bids table and the message returned is "Saved bid".

4. create_product()

Route: /create/product

Method: POST

There are 6 parameters in the JSON sent to this API - productName (**productName**), sellerEmail (**sellerEmail**), initialPrice (**initialPrice**), increment (**increment**), photo (**photo**) and description (**description**).

Response -

This API creates a new product in the product table with the aforementioned details and returns the message "Added product successfully".

5. get_all_products()

Route: /product/listAll

Method: GET

Response -

It returns the details of all the products that are present in the product table.

6. get_product_image()

Route: /product/getImage

Method: POST

There is 1 parameter in the JSON sent to this API - productId (**productId**).

Response -

It gets the image corresponding to the productId and returns it in the response.

7. get_product_details()

Route: /product/getDetails

Method: POST

There is 1 parameter in the JSON sent to this API - productId (**productId**).

Response -

The first name, last name and bid amount of the top 10 bids on this particular productID are extracted by making use of users, product and bids tables and returned as the response.

8. `update_product_details()`

Route: `/product/update`

Method: POST

There are 6 parameters in the JSON sent to this API - `productId` (`productID`), `productName` (`productName`), `deadlineDate` (`deadlineDate`), `description` (`description`) and `increment` (`increment`).

The previous `initialPrice` is extracted from the row in the product table which corresponds to the same `productId`.

The row is updated according to the details sent in the JSON.

Response -

The message returned in the response is `"Updated product successfully"`.

9. `get_landing_page()`