
OPERATIONS AND USER HANDBOOK

Sports-Play Platform Complete User Guide

A screen-by-screen reference for platform administrators, championship administrators, team captains, and spectators - including every operational field and the complete championship procedure from launch to champion.



Representative championship-admin dashboard.

Guide scope	Coverage
Platform	PlayNeml / Sports-Play multi-sport championship and auction platform
Screens	Public access, super-admin, championship-admin, captain, viewer, competition, scoring, and analytics
Workflow	Creation through configuration, auction, squad lock, league, playoffs, final, and completion
Prepared	2026-09-12

1. Platform overview

Sports-Play is a multi-tenant, sport-agnostic platform for creating isolated championship workspaces, provisioning role-based users, running live player auctions, validating squads, generating fixtures, scoring matches, and publishing standings and analytics. Each championship has its own teams, players, auction, match records, access roles, and viewer room.

The four user experiences


Role	Scope	Typical responsibilities
Super Admin	Global platform	Launch championships, provision the first championship administrator, view the championship portfolio.
Championship Admin	One assigned championship	Configure policies, create teams/captains, register players, operate auction, approve squads, generate competition, score/correct matches.
Team Captain	One assigned team	Bid only for the assigned team, review team data, confirm the final squad, follow matches and analytics.
Spectator	One viewer room	Read-only access to dashboard, auction, teams, fixtures, scores, announcements, and analytics.

Shared application shell

Area	Function
PlayNeml brand	Returns visual identity for the platform; the active championship remains isolated.
Active championship selector	Switches workspace and resets route data to the selected championship. Only accessible championships are listed.
Role-based navigation	Menu sections and routes are loaded from server-side role/screen mappings.
User card	Shows signed-in user or room viewer and effective role for the current championship.
Logout / Leave room	Ends the staff session or clears the viewer-room session and returns to sign-in.

2. Architecture, isolation, and data flow

The browser uses a Next.js interface. A Spring Boot API enforces authentication and championship-scoped authorization. PostgreSQL persists all operational data in the play_neml schema. Live auction and match events use isolated WebSocket topics, so one championship cannot receive another championship's stream.



Repository architecture diagram.

Security and operational safeguards

- Staff login uses an HTTP-only authentication cookie; the browser code cannot read the token.
- Viewer access uses a room-scoped token and receives read-only navigation.
- Every API request carries championship context; auction requests also carry the active auction context.
- Team captains are bound to one team and cannot bid for another team.
- Configuration, result corrections, delivery reversals, and target overrides are versioned or audited where supported.
- One-time generated passwords are displayed once and also queued through message_tracker for delivery.

3. Championship lifecycle - start to finish

Phase	Owner	Completion gate	Primary screens
1. Creation	Super Admin	Championship and championship-admin identity created	Championships, Launch Championship
2. Configuration	Championship Admin	Competition, branding, auction, roster, and sport rules valid	Championship Setup, Competition Control
3. Team provisioning	Championship Admin	Required teams and captain accounts exist	Teams & Captains
4. Player registration	Championship Admin	Eligible player pool and auction order finalized	Players
5. Auction	Admin + Captains	Auction status COMPLETED and allocations valid	Auction, Teams, Auction History
6. Squad confirmation	Captains + Admin	Every valid squad confirmed and locked	Squad Confirmation
7. League stage	Championship Admin	League fixtures generated and completed	Competition Control, Matches, Score Board
8. Playoffs	Championship Admin	League table frozen; qualifiers and semifinal results complete	Competition Control, Matches
9. Final	Championship Admin	Final result recorded	Matches, Competition Control
10. Completed	System/Admin	Champion and runner-up visible; records retained	Dashboard, Score Board, Analytics

Do not skip lifecycle gates. The platform intentionally blocks fixture creation until all squads are locked, and blocks later competition actions until their earlier-stage conditions are satisfied.

4. End-to-end operating procedure

A. Launch

Sign in as Super Admin. Open Launch Championship. Enter championship identity, sport, viewer access, and administrator details. Submit once. Securely copy the one-time administrator password.

B. Configure

Sign in as the new Championship Admin. In Championship Setup set auction name, purse, player pricing, bid increment, timer, and squad composition. In Competition Control set teams, roster bounds, schedule, scoring, playoffs, branding, auction policy, quotas, and sport rules.

C. Provision

Create every franchise in Teams & Captains. Give each captain the issued credentials through the approved delivery path. Confirm the championship is active and the target team count is reached.

D. Register

Add or import players one by one through Players. Verify name, gender, skill, base price, and auction order. Resolve duplicates and invalid prices before auction day.

E. Auction

Open Auction Arena. Verify teams, budgets, roster limits, player order, timer, and WebSocket connectivity. Start or select a player, accept bids, sell to highest bidder or mark unsold, then move to the next player. Complete only after allocations are final.

F. Confirm squads

Each captain reviews only the assigned roster and confirms it after auction completion. The Championship Admin reviews rule chips and issues, approves/locks each squad or locks all confirmed squads. Reopen only when a documented correction is required.

G. Generate league

In Competition Control save the final schedule configuration and generate league fixtures. The system uses team count, round-robin mode, dates, venues, rest rules, and blackout dates.

H. Run matches

On Matches, open each fixture. For badminton-like formats assign eligible players and record format scores. For cricket lock playing XIs, record toss, start innings, and enter each delivery. Correct results only with the audited correction path.

I. Freeze and qualify

When every league fixture is complete, confirm standings and penalties. Use Freeze table & generate playoffs. Review fixed seeds and bracket; do not expect later league edits to silently reseed the playoffs.

J. Complete playoffs/final


Score semifinal fixtures, then the generated final. When the final is complete, verify champion and runner-up in Competition Control and Dashboard.

K. Close and retain

Review Auction History, standings, format leaders, top performers, audit events, and any result corrections. Export or archive operational evidence according to organization policy.

5. Sign in

Route: /login | Primary access: All staff



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Authenticates staff and directs them into their role-specific workspace. It also provides the entry point for spectator access.

Field and display reference

Field / area	Meaning and use
Email	Issued staff login ID. Required and validated as an email address.
Password	Current account password. Required; obscured during entry.
Enter Championship	Submits credentials. A successful login creates an HTTP-only session and opens the first permitted screen.
Join a championship room	Opens read-only spectator access without a staff account.
Left-side platform statements	Explain multi-tenancy, real-time auction behavior, and multi-sport support; they are informational.


Main actions

- Use only the credentials issued for your role.
- If a user is assigned to multiple championships, choose the active championship after login.

Never place production credentials in screenshots, chat messages, or shared documents.

6. Join a viewer room

Route: /room/join | Primary access: Spectator



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Creates a room-scoped, read-only viewer session for following the championship without a staff account.

Field and display reference

Field / area	Meaning and use
Room code	Championship room identifier. Entry is normalized to uppercase.
Passcode	Required for private rooms; may be empty for a public room if the backend permits it.
Enter viewer room	Validates the room and stores a temporary viewer session.
Championship staff? Sign in	Returns to staff authentication.


Main actions

- Share room access only with the intended audience.
- Viewer navigation excludes administrative mutations.

A viewer token takes precedence over a staff cookie in the client. Leave the room before attempting a staff login in the same tab.

7. Championship portfolio

Route: /admin/championships | Primary access: Super Admin



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Lists every championship the platform administrator can monitor and opens a selected championship context.

Field and display reference


Field / area	Meaning and use
Championship card	Displays championship name, sport, room code, and lifecycle status.
Status chip	DRAFT, ACTIVE, COMPLETED, or ARCHIVED.
Room code	Code used by spectators to locate the viewer room.
Launch championship	Opens the provisioning form.
Card click	Selects that championship and opens its dashboard context.

Main actions

- Use the portfolio to verify duplicate names and room codes before creating another championship.

8. Launch Championship

Route: /admin/championship-launchpad | Primary access: Super Admin



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Atomically creates the championship, viewer-room access, championship administrator, and credential notification record.

Field and display reference

Field / area	Meaning and use
Championship name	Required public/operational name.
Sport	BADMINTON, CRICKET, FOOTBALL, BASKETBALL, VOLLEYBALL, or OTHER. Drives engine capabilities where implemented.
Room code	Optional uppercase identifier, maximum 32 characters. If blank, the server generates one.
Public viewer room	When on, anyone with the room code can follow and no passcode is collected.
Viewer passcode	Required when the room is private. Eye icon toggles visibility.
Admin full name	Required name for the operational owner.
Admin email	Required login identifier; must be a valid email.
Admin mobile	Required notification destination/contact number.
Launch championship	Enabled only when all required values are present. The initial championship starts in DRAFT.
Success summary	Shows room code, administrator, email, one-time password, and message queue status.
Launch another / View championships	Resets the form or returns to the portfolio.


Main actions

- Copy the temporary password from the success state before leaving.
- Send credentials through an approved channel and require a password change operationally if supported by your deployment.

Creation is atomic: if provisioning fails, the platform rolls back the combined operation.

9. Dashboard

Route: /dashboard | Primary access: Championship Admin, Team Captain, Spectator



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Summarizes championship health, lifecycle progress, blockers, fixture activity, standings, and role-permitted next actions.

Field and display reference


Field / area	Meaning and use
Active championship	Selected tenant context in the left navigation.
Competition control	Appears when the role has permitted competition actions.
Current phase	Creation through Archived, plus a calculated lifecycle progress percentage.
Teams & players	Counts isolated to the active championship.
Squads locked	Locked squads over total squads; the league gate is satisfied when all are locked.
Current leader	Top standings team, or a placeholder before league play.
Required before next phase	Server-provided blockers that must be cleared.
Upcoming fixtures	Stage, match number, opponents, date, and venue.
Recently completed	Latest finished fixtures.
Champion panel	Appears after the final, with champion and runner-up.
Team match standings	Badminton widget showing leading teams and points when supported.

Main actions

- Treat blockers as the authoritative to-do list for the next lifecycle transition.

10. Championship Setup - auction and roster

Route: /admin/championship-settings | Primary access: Championship Admin



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Provides the fast operational setup for the auction and basic roster guardrails. Saving a draft creates the default auction and activates the workspace.

Field and display reference

Field / area	Meaning and use
Auction name	Required display name for the championship's auction.
Team purse	Positive budget allocated to each team. Entered in rupees; changes are blocked once bidding begins.
Player base price	Positive default opening price for new players.
Bid increment	Positive amount added between valid bids.
Bid timer	Bid window in seconds; minimum 5.
Additional rules	Free-text operational rules such as eligibility or tie handling.
Maximum squad size	Maximum purchased players; minimum 1.
Minimum male / female	Required composition. Their sum cannot exceed maximum squad size.
Roster validation	Shows used required slots and turns warning-colored when invalid.
Opening price / Bid window	Read-only summaries of base price and timer.
Save & activate	Validates and saves settings; activates a DRAFT championship.


Main actions

- Finalize purse and pricing before the first bid.
- Use Competition Control for detailed league, branding, quota, and sport-engine settings.

Purse changes after bidding begins can invalidate financial consistency and are intentionally blocked.

11. Teams & Captains

Route: /admin/team-management | Primary access: Championship Admin



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Creates a franchise and its dedicated captain account, then shows all teams in the championship.

Field and display reference


Field / area	Meaning and use
Team name	Required franchise name.
Short code	Required uppercase abbreviation, maximum 6 characters; used in compact score and fixture displays.
Colour	Team primary color used for badges, cards, charts, and bracket markings.
Captain full name	Required identity shown in the user card and audit context.
Captain email	Required login ID.
Captain mobile	Required notification/contact value.
Create captain login	Creates team, user, championship role, and one-time credentials. Disabled until the championship is ACTIVE.
Provisioned result	Shows captain name/email, one-time password, and whether the credential message was queued.
Team cards	Show short code, team name, player count, and available purse.
Tenant scoped	Confirms the list belongs only to the active championship.

Main actions

- Create exactly the configured number of teams.
- Copy each one-time password before changing screens.

12. Players and Add/Edit Player

Route: /players | Primary access: Championship Admin (edit); Captain/Viewer (read where mapped)



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Maintains the auction player pool and displays allocation status.

Field and display reference

Field / area	Meaning and use
Order	Auction order. If omitted in Add Player, the server assigns the next order.
Name	Player full name; required in the dialog.
Gender	MALE or FEMALE; used by roster and playing-format validation.
Skill	Elite, Pro, Advanced, or Intermediate.
Base Price	Opening auction price in rupees; number step 100,000.
Status	AVAILABLE, ON_BLOCK, SOLD, or UNSOLD.
Team	Allocated team after sale; blank before allocation.
Add Player	Opens the player dialog using the configured default base price.
Full Name	Required player name in Add/Edit Player.
Auction Order	Optional numeric sequence; placeholder Auto.
Save / Cancel	Creates or updates the record, or closes without saving.
Edit	Opens existing values for correction.
Delete	Requires confirmation and removes the player if backend rules allow it.


Main actions

- Finish order and pricing checks before the auction.
- Avoid deleting players after dependent bids, allocations, or match records exist.

The screenshot shows the list; Add Player opens a modal containing Full Name, Gender, Skill Level, Base Price, and Auction Order.

13. Auction Arena - administrator

Route: /auction | Primary access: Championship Admin



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Operates the live player auction, receives real-time bids, enforces budgets/roster limits, and creates final allocations.

Field and display reference

Field / area	Meaning and use
Status	NOT STARTED, RUNNING, PAUSED, or COMPLETED.
Timer	Seconds remaining for the active player; warning styling appears when low.
Players left	Number of players still available for auction.
On the block	Current player with gender, skill, base price, current bid, timer/leader.
Edit base price	Admin-only pencil; base price minimum and step are 100,000.
Bidding team	Admin can select the team represented by a bid.
Bid amount	Must meet Min next and the configured increment.
Quick minimum	Resets amount to the smallest valid next bid.
Place Bid	Submits player, team, and amount.
Start / Pause / Resume	Controls auction clock and RUNNING state.
Undo Bid	Invalidates the latest bid without deleting its audit/history presence.
Sell (Highest)	Allocates the player to the highest bidder at the current amount.
Mark Unsold	Closes the current player without allocation.
Reset Unsold	Returns all UNSOLD players to AVAILABLE after confirmation.
Next Player	Advances according to order.
Pick a specific player	Overrides sequence and places a selected available player on the block.
Coin Toss	Randomly chooses among two or more selected tied teams.

Field / area	Meaning and use
Force Reset / Force Complete	Exceptional status overrides protected by confirmation.
Bidding History	Live chronological feed; undone bids are struck through.
Team purse cards	Remaining purse, slots, male/female progress, leading indicator, and quick-bid behavior.


Main actions

- Use Sell only after verbally and visually confirming the highest bidder.
- Complete the auction only when all intended players are resolved.

Force Reset and Force Complete are recovery controls, not routine workflow actions.

14. Auction Arena - captain

Route: /auction | Primary access: Team Captain



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Gives a captain a team-bound bidding experience and read-only visibility into the shared auction state.

Field and display reference


Field / area	Meaning and use
Your team	Fixed to the captain's assigned team; cannot be changed.
Bid amount	Editable valid next bid when a player is on the block.
Place Bid	Submits only for the assigned team.
Bidding History	Shows live bid events and amount progression.
Purse cards	Shows remaining budgets and roster composition for all teams.
No admin controls	Start, sell, unsold, reset, and force actions are hidden.

Main actions

- Watch remaining purse, squad slots, and gender quotas before every bid.

15. Teams

Route: /teams | Primary access: Championship Admin, Captain, Spectator



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Compares team budgets and squad composition, then shows the selected team's purchased players.

Field and display reference


Field / area	Meaning and use
Team selector card	Name, short code, roster slots, match points, purse remaining, and spend bar.
Total	Purchased players over maximum squad size.
M / F	Male and female counts compared with configured minimums.
Spent	Purse total minus purse remaining.
Squad table - Player	Allocated player name.
Gender	Player roster category.
Skill	Registered skill level.
Base	Original auction opening price.
Sold Price	Winning allocation amount.

Main actions

- Use this screen immediately after auction completion to reconcile allocations and budgets.

16. Auction History

Route: /history | Primary access: Championship Admin, Team Captain



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Provides a chronological, championship-scoped record of every bid.

Field and display reference

Field / area	Meaning and use
Time	Local formatted bid timestamp.
Player	Player associated with the bid.
Team	Submitting team.
Status	Active or Undone. Undone rows remain visible and are struck through.
Amount	Bid amount formatted in compact currency.
No bids yet	Empty state before any bidding activity.


Main actions

- Use active/undone status to reconcile disputes; do not infer a sale from a bid alone.

This is bid history, not a sale ledger. Confirm allocations on Teams and player SOLD status.

17. Squad Confirmation

Route: /squad-confirmation | Primary access: Championship Admin and Team Captain



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Implements the post-auction approval gate: captains confirm valid rosters and the administrator locks them before fixtures can start.

Field and display reference

Field / area	Meaning and use
Phase status	NOT READY, READY, IN PROGRESS, or COMPLETED.
Progress bar	Locked squads over total squads.
Ready / Confirmed / Locked	Counts teams by validation and approval stage.
Team card	Player count, male/female counts, roster validity, and DRAFT/CONFIRMED/LOCKED state.
Roster rule chips	Validate exact player count and minimum male/female requirements.
Validation issues	Backend explanations for an invalid roster.
Roster table	Sequence, player, gender, skill, and allocation status.
Notes	Optional operational reason stored with confirm/lock/reopen actions.
Confirm this squad	Captain-only for assigned team; requires completed auction and valid DRAFT roster.
Approve & lock squad	Admin-only for a CONFIRMED squad.
Reopen squad	Admin-only correction path for CONFIRMED/LOCKED squads.
Lock all & complete Phase 2	Enabled only when every team is confirmed or already locked.
Recent activity	Actor, team, action, timestamp, and notes.
Status timeline	Roster ready, captain confirmed, admin locked.


Main actions

- Captains cannot confirm before auction completion.
- Matches remain locked until every squad is LOCKED.

Reopening a locked squad deliberately re-closes the league gate until the squad is approved again.

18. Competition Control - overview

Route: /competition | Primary access: Championship Admin; selected information visible to permitted roles



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

The full league and playoff control center. It combines configuration versions, lifecycle gates, scheduling policy, competition generation, sport rules, fixtures, bracket, and audit trail.

Field and display reference

Field / area	Meaning and use
Version / status	Current competition configuration version and DRAFT/VALID/LOCKED/SUPERSEDED state.
Lifecycle	Current championship phase.
Locked squads	League gate progress.
League fixtures	Completed league fixtures over generated league fixtures.
Qualifiers	Configured number of teams advancing.
Next phase blockers	Server-calculated requirements for the next transition.
Competition stages	Stage type, started timestamp, and NOT STARTED/ACTIVE/COMPLETED/FROZEN status.
Validation & lock map	Version, status, editability, dependencies, actor/time, and validation messages for each configuration section.
Fixtures	Stage, match number, teams, scheduled date, venue, and status.
Playoff bracket	Semifinal seeds and results, then generated final.
Competition audit	Event type, entity, actor, revision, reason, correlation ID, payload, and occurrence time.
Champion panel	Winner and runner-up after final completion.

Main actions

- Resolve blockers before generating fixtures or playoffs.
- Review configuration version before any destructive regeneration decision.

This long screen contains several configuration sections documented on the following pages.

19. Competition Control - championship and schedule fields

Route: /competition | Primary access: Championship Admin

Field	Meaning / accepted value
Championship preset	Small Corporate League, Standard Corporate League, or Custom Championship.
Target teams	Expected participating teams; minimum 2.
Maximum teams	Upper team-count bound; minimum 2.
Roster size minimum / maximum	Allowed team roster bounds; each minimum 1.
Playing side	Players participating per fixture side; minimum 1.
Timezone	IANA timezone used to interpret schedule fields.
Round robin	Single, Double, or Custom legs.
Playoff format	None, Top two final, Semifinals and final, or Semifinals plus third-place and final.
League start	Required date/time anchor before Save configuration is enabled.
Points for win / loss / tie / no result	Non-negative table points assigned to each outcome.
Qualifying teams	Even number, minimum 2, advancing from the league table.
Fixture spacing days	Gap between generated slots; 0 to 30.
Allowed weekdays	Uppercase weekday list used by generator.
Daily window start / end	Earliest and latest local kickoff times.
Fixture slot minutes	Reserved duration for each fixture; minimum 15.
Maximum fixtures per day	Daily schedule cap; minimum 1.
Minimum rest hours	Rest constraint between a team's fixtures; non-negative.
Blackout dates	Dates excluded from scheduling, entered as yyyy-mm-dd.
Tie-breaker priority	Ordered ranking criteria applied after table points.
Venues	One venue per line; enables venue allocation.
Allow manual fixture date edits	Permits administrative date changes after generation.
Allow simultaneous fixtures	Allows overlapping times when venues permit.
Allow team twice per day	Relaxes the once-per-day team constraint.
Save configuration	Creates a new validated configuration version.
Generate league fixtures	Builds isolated league fixtures after required gates.
Freeze table & generate playoffs	Freezes league standings, records qualifiers/seeds, and creates playoff fixtures.

20. Competition Control - branding, auction, and quotas

Field	Meaning / accepted value
Display name / Short name	Public long and abbreviated championship branding.
Logo reference	Reference/URL understood by the deployment's asset policy.
Primary / Secondary color	Color picker values for visual identity.
Sponsor	Optional sponsor name.
Contact information	Optional public/operational contact text.
Public description	Viewer-facing championship summary.
Public championship visibility	Controls public listing/visibility behavior.
Save branding version	Persists a new branding configuration version.
Auction type	Currently Open ascending.
Team budget	Positive team auction budget.
Minimum bid	Positive minimum opening bid.
Bid increment	Positive increment between bids.
Timer seconds	Bid clock, 5 to 600 seconds.
Maximum retained	Maximum retained players, minimum 0.
Auction enabled	Turns the auction workflow on for the championship.
Retained players allowed	Enables pre-auction retention policy.
Unsold reauction allowed	Allows UNSOLD players to return to the pool.
Save auction-policy version	Persists a new auction configuration version.
Add quota	Adds a roster or playing-side quota row.
Rule code	Uppercase identifier for the quota.
Category	Gender, Skill level, or Player category.
Value	Category value to which the quota applies, such as FEMALE.
Minimum / Maximum	Optional non-negative lower and upper counts.
Applies to	Squad or Playing side.
Remove	Deletes the quota from the current editor; save commits the new list.
Save quota rules	Validates and persists quota policy.

21. Competition Control - cricket and badminton rules

Cricket fields


Field	Meaning / accepted value
Preset	T10, T20, ODI, or CUSTOM. Presets populate sides, innings overs, and bowler limits.
Players per side	2 to 11.
Overs per innings	1 to 50.
Overs per bowler	Maximum bowling allocation; minimum 1.
Required wicketkeepers	1 up to players per side.
Tie policy	Super over, Declare tie, or Administrative decision.
Maximum super overs	Non-negative retry limit.
Powerplay ranges	Configured over ranges; editing switches the policy to CUSTOM.
Wide / No-ball penalty runs	Positive automatic extras.
Free hit after no-ball	Enables the free-hit rule.
Toss required	Requires toss workflow before innings start.
Abandonment policy	Administrative no result or Administrative result.
Audited target / result override	Allows exceptional administrative corrections with audit evidence.

Badminton fields

Field	Meaning / accepted value
Rubber preset	Standard five, Compact three, or Custom program.
Rubber enabled	Includes/excludes that rubber in fixtures.
Label / order	Display name and positive sequence.
Gender rule	Male, Female, Mixed, or Open.
Participants per side	Singles/doubles count, maximum 2.
Best of games	Number of games in the rubber.
Points per game	Target points for each game.
Win by / score cap	Required margin and hard cap.
Maximum appearances per fixture	Per-player usage cap.
Tie handling	League tie points or Administrative decision.
Multiple rubber categories	Allows one player across multiple format categories.
Lineup corrections after start	Allows post-start lineup corrections.
Save sport-rule version	Persists a new sport-engine rule version.

22. Matches

Route: /matches | Primary access: Championship Admin (manage); Captain/Viewer (read)



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Schedules fixtures after the squad gate, then assigns participants and records sport-specific results.

Field and display reference

Field / area	Meaning and use
Refresh	Reloads fixture, team, player, and squad readiness data.
New Match	Admin-only and disabled until every squad is locked.
Match list	Match number, status, teams, completed score, and venue.
Team A / Team B	Distinct team selections in the Schedule Match dialog.
Scheduled at	Local date/time converted to an ISO timestamp for storage.
Venue	Fixture location; defaults to Center Court in the manual dialog.
Match header	Teams, venue, status, aggregate format wins, winner.
Delete	Admin-only removal after confirmation.
Format card	Format short label/name/order, assigned players, live/final score, and winner.
Assign / Change players	Selects eligible team players up to players-per-side and gender rule.
Record result	Uses plus/minus controls for each side and blocks a tied final score.
Correct result	Updates a completed result through the correction endpoint.
Live updates	WebSocket events refresh match creation, assignments, and results.

Main actions

- Prefer generated league/playoff fixtures for the formal bracket; manual New Match is for permitted league scheduling workflows.

The seeded demonstration championship has not passed the squad gate, so the screenshot shows the intentional locked state.

23. Cricket match operations


The Matches screen embeds a cricket scorecard when the championship sport is CRICKET.

Field / action	Meaning
Playing XI player chips	Choose exactly the configured players per side.
Captain	Select the captain from the chosen XI.
Wicketkeeper(s)	Choose the configured number from the XI.
Lock XI	Validates side size, captain, and wicketkeepers; locks the playing side.
Toss winner	Team winning the toss.
Decision	BAT or BOWL.
Record toss	Creates toss state and starts the correct innings flow.
Batting first / Start without toss	Available only when toss is not required.
Live scorecard	Innings number, batting team, runs/wickets, overs, target, required run rate, and batter summaries.
Override target	Exceptional audited target change when enabled.
Start next innings	Creates the next innings when none is live and the match is incomplete.
Striker / Non-striker / Bowler	Required player references for a delivery.
Batter runs	0 to 6.
Wides / No balls / Byes / Leg byes / Penalty runs	Non-negative delivery extras.
Wicket	Marks a dismissal; reveals Dismissal type.
Dismissal type	Bowled, Caught, LBW, Run out, or Stumped.
Submit delivery	Adds an idempotent delivery and advances score/strike rules.
Reverse latest	Requires a reason and removes only the latest delivery using the expected innings version.

For corrections, record a clear reason. Delivery reversals and administrative overrides are operationally sensitive and should remain exceptional.

24. Score Board

Route: /scoreboard | Primary access: Championship Admin, Captain, Spectator



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Shows the live league table and optional participation penalties.

Field and display reference

Field / area	Meaning and use
Apply -2 pt penalties	Includes participation penalties for unplayed squad members.
Refresh	Reloads standings immediately; match WebSocket events also refresh automatically.
#	Current rank.
Team	Team name, short code, color, and leader marker.
P	Team matches played.
W / L	Team match wins and losses.
FW / FL	Individual format wins and losses.
Diff	Format wins minus format losses.
Base	Table points before penalties.
Penalty	Participation deduction.
Points	Final ranking points.
Ranking order	Total points, head-to-head, format wins, then format difference.


Main actions

- Confirm penalty policy before freezing the table for playoffs.

The participation notice explains the -2 points per absentee rule when a penalty is present.

25. Team Analysis

Route: /analysis | Primary access: Championship Admin, Captain, Spectator



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Explains team performance, format strengths/weaknesses, head-to-head record, and squad participation.

Field and display reference


Field / area	Meaning and use
Team tabs	Select the team to analyze.
Matches / Wins / Losses / Win %	Top-level team performance KPIs.
Format performance	Wins, losses, and win percentage by playing format.
Strongest / Weakest	Best and worst format based on recorded results.
Head to head	Played, wins, and losses against each opponent.
Players used	Distinct squad participants over squad size.
Participation %	Share of squad members who have appeared.
Unplayed	Count/list of players with no appearance; relevant to penalties.

Main actions

- Use participation data before the final league fixtures to avoid preventable penalties.

26. Format Leaders

Route: /format-leaders | Primary access: Championship Admin, Captain, Spectator



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Ranks teams within each supported match format by total format wins.

Field and display reference


Field / area	Meaning and use
Format badge	Short format code such as MS, WS, MD, XD, or MD2.
Leader	Current leading team for the format.
Wins	Leader's number of format wins.
All teams	Compact ordered team list and win totals.
No matches decided	Empty state for a format without completed results.

Main actions

- Format leadership does not replace the overall league table; it is a specialist view.

27. Top Performers

Route: /top-performers | Primary access: Championship Admin, Captain, Spectator



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Ranks individual players by wins and summarizes streak, efficiency, and participation indicators.

Field and display reference


Field / area	Meaning and use
Rank	Position in the main most-wins table.
Player / Gender	Player identity and category.
Team	Current allocated team short code.
Played / Wins / Losses	Appearance results.
Win %	Wins divided by matches played.
Streak	Longest winning streak; flame appears for notable streaks.
Avg Margin	Average point/run margin where supported.
Longest Streaks	Top five by streak.
Best Win %	Top five among players with at least two matches.
Most Matches	Top five by appearances.
No player stats yet	Shown until match/player statistics exist.

Main actions

- Compare players only within the same sport and scoring context.

28. Announcements

Route: /announcements | Primary access: Championship Admin and Spectator where mapped



Captured from the local Sports-Play instance using seeded demonstration data.

What this screen is for

Reserved for official tournament announcements, notifications, and updates.

Field and display reference

Field / area	Meaning and use
Coming soon	Current implementation is a placeholder and does not yet provide create/edit fields.
Navigation visibility	Screen access is still role-mapped even though operational publishing is not implemented.

Do not treat this screen as an active communication channel until announcement publishing is implemented and tested.

29. Operational closeout checklist

- Champion and runner-up match the completed final result.
- All league and playoff fixtures show the intended final status and score.
- Score Board rankings reflect the agreed penalty setting and tie-break order.
- Auction History contains expected bid activity; undone bids are explained.
- Teams and Players show reconciled SOLD/UNSOLD status, roster membership, sold price, and purse balance.
- Every squad is LOCKED, or any reopened squad has documented corrective notes.
- Competition audit contains result corrections, reversals, configuration changes, and playoff generation events.
- Viewer-room visibility and passcode policy are appropriate for post-event access.
- Any external exports, backups, or archives are handled according to company retention policy.

Common blockers and responses

Symptom	Likely cause	Response
No screens assigned	Role/screen mapping missing or disabled	Ask the platform administrator to restore database-driven navigation access.
Auction unavailable	No default auction configured	Championship Admin saves Championship Setup and activates the workspace.
New Match disabled	One or more squads not locked	Complete captain confirmations and admin lock in Squad Confirmation.
Generate league unavailable	Configuration or squad gate incomplete	Resolve dashboard/competition blockers and save a valid configuration.
Generate playoffs unavailable	League not complete	Finish every league fixture and confirm standings.
Bid rejected	Budget, roster, quota, timer, role, or minimum-next-bid rule	Read the server message and correct the specific constraint; do not retry blindly.
Viewer cannot enter	Room code/passcode mismatch or access policy	Confirm exact room code, public/private state, and current passcode.

30. Status and terminology glossary

Term	Meaning
DRAFT championship	Created but not yet operationally activated/configured.
ACTIVE championship	Operational workspace is available.
COMPLETED championship	Final winner is established and championship lifecycle is finished.
ARCHIVED championship	Retained historical championship.
AVAILABLE player	Eligible to be placed on the auction block.
ON BLOCK player	Current live auction player.
SOLD / UNSOLD	Allocated to a team / closed without allocation.
DRAFT squad	Not yet confirmed by captain.
CONFIRMED squad	Captain approved and awaiting admin lock.
LOCKED squad	Immutable approved roster satisfying the league gate.
SCHEDULED / LIVE / COMPLETED match	Fixture has not started / is being scored / has a final result.
FROZEN stage	Standings/qualifiers fixed for downstream bracket generation.
Configuration version	Immutable revision marker used to track policy changes.
Correlation ID	Request trace identifier connecting UI actions, API logs, and audit evidence.
Rubber	One badminton format contest inside a team match.
Format wins	Number of individual formats/rubbers won inside team matches.

Guide basis

This guide was produced from the local running platform, captured role-specific screens, frontend field definitions, backend DTOs and lifecycle services, seeded demonstration data, README, and operational runbook. Screenshots show demo data and may differ from production branding or championship state.