



~~The Proposal as per the below Quotation~~

B :- 5000 LPH Water Filtration Plant

www.rainwater.com



MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : sales@rajwater.com
info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : sales@rajwater.com
info@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : [+91 281 - 2922777](tel:+912812922777)
Telefax : [+91 281 - 2922481](tel:+912812922481)
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : sales@rajwater.com / info@rajwater.com

⇒ Scope of Supply

The following are the technical specification for the equipments supply for drinking water project.

1. Raw Water Feeding Pump.

Type	: Centrifugal
Max. Flow	: 7.00 m ³ /hr.
Working flow	: 5.00 m ³ /hr.
Working pressure	: 2 kg/cm ²
M.O.C.	: C.I.
Power	: 0.75 HP.
Make	: Kirlosker
Nos. Offered	: One No.

2. Pressure Sand Filter.

Type	: Down Flow Graded Sand Type
Model	: 2072/RW/MGF
M.O.C.	: MS.
Size Dia X Height.	: 500 mmX 1800 mm
Pipe Line Size	: 25 mm.
Sand Qnty.	: 350 kgs.
Valves	: PP multiport valve.
Max. Flow	: 7.00 m ³ /hr.
Working Flow	: 5.00 m ³ /hr.
Pressure Gauges	: 1 Nos.

3. Activated Carbon Filter.

Type	: Down Flow Graded Sand Type
Model	: 2072/RW/MGF
M.O.C.	: MS
Size Dia X Height.	: 500 mmX 1800 mm
Pipe Line Size	: 25 mm.
Carbon Qnty.	: 150 Kgs.
Valves	: PP multiport valve.
Max. Flow	: 7.00 m ³ /hr.
Working Flow	: 5.00 m ³ /hr.
Pressure Gauges	: 1 Nos.



MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : sales@rajwater.com
info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : sales@rajwater.com
info@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : [+91 281 - 2922777](tel:+912812922777)
Telefax : [+91 281 - 2922481](tel:+912812922481)
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : sales@rajwater.com / info@rajwater.com

4. Micron Cartridge Filter

Model	: MCF 20/RW/PP
Size	: 20" Long
Micron Rating	: 5 Micron
Type of Candle	: P. P. Spun / Wound
Material of Housing	: PP
Nos. of Candles	: 2 Nos.
Max. Flow	: 7.00 m ³ /HR
Working Flow	: 5.00 m ³ /HR

5. Control Panel

Electrical Control Panel

6. Interconnecting Pipe Lines

All interconnecting Piping Raw Water Pump to Filtration will be provided of pvc by us.