

MUMBAI OFFICE : 116-D, Govt. Industrial Estate, Charkop, Kandiwali (West), Mumbai - 400067, Maharashtra. Cell : +91 73595 95577 E-mail : inquiry@rajwater.com info@rajwater.com	AHMEDABAD OFFICE : B/9, Sumel-7, Business Park, Opp. Soni ni Chal, BRTS Bus Stop, N.H.-8 Ahmedabad - 382325. Cell : +91 70432 55777 E-mail : inquiry@rajwater.com info@rajwater.com	HEAD OFFICE : Plot No. : 27, Survey No. 47, Jivraj Industrial Area, Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004. Tel : +91 281 - 2922777 Telefax : +91 281 - 2922481 Cell : +91 74050 50444 / +91 70439 55777 Website : www.rajwater.com Email : inquiry@rajwater.com / info@rajwater.com
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ANNEXURE “A”

SPECIFICATION SHEET AND PRICE SCHEDULE:

The chiller is compacting, automatic and having aesthetic and elegant finish Package Chiller is mounted on heavy base made out of MS Square section and powder coated. 1 Compressor, Plate Type Heat Exchangers and 1 Pump are mounted on base. Water cooled Condenser & Cooling Tower are provided at side. Control Panel Box including Switch and instruments, for all Motors and Pumps is mounted in front for ease of operation. Unit is properly cleaned internally, Nitrogen Pressure tested at 350 Psig evacuated and properly gas charged.

PACKAGE CHILLER:

- 1) Scroll Compressor 1 Nos. Make **Copeland** or **Danfoss**
- 2) PHE Type Heat Exchanger 1 Nos. Make **Danfoss** or **Alfa Laval**.
- 3) Water cooled Condenser, made out of 24 SWG thick 3/8 inch OD.
- 4) Refrigeration Controls and Valves:
 - a. Digital Temperature Controller
 - b. Electronics Thermostat.
 - c. Low/High Pressure Cutout. Make ALCO or RANCO
 - d. Liquid Refrigerant Drier
 - e. Water Flow Switch
- 5) Electrical Control Panel Board.
- 6) Chilled Water Pump 1 HP of Standard Brand 1 Nos.
- 7) Interconnecting Refrigeration copper pipes and fitting including, Suction line is duly insulated.
- 8) Electrical wiring work carried out from Control Panel Box to Compressor, Exhaust fan & Pump 1 Pcs. each
- 9) Refrigerant Gas Freon R-22 FIRST CHARGED

GSTIN : 24AAECR3013M1ZJ

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : inquiry@rajwater.com
info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : inquiry@rajwater.com
info@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : [+91 281 - 2922777](tel:+912812922777)
Telefax : [+91 281 - 2922481](tel:+912812922481)
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / info@rajwater.com

ANNEXURE “B”

EXPOTION / EXCLUSION:

The following works/items not covered under the scope of supply and the same to be arranged by you at your cost, labor and material.

- 1. Piping between cooling tower and condenser will be in customer scope.
- 2. All kinds of civil/construction work such as breaking, providing, opening, refinishing, sealing & Grounding etc.
- 3. If our mechanic will have to stay for overnight for the installation of machine, it will be charged extra.
- 4. Electrical supply and earthling up to Control Panel Board

C. Chiller Machine 7.5 Ton

