



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

1000L Beer Brewing System Quotation List

Name	Capacity	Quantity	Pictures	Details
1. Reverse Osmosis				
(1) RO Plant	Output 1000LPH	1 Set		a. RO plant of 1000LPH Capacity b. 2000Liter Storage Tank (1 NOS)

2. Malt milling system

(1) Malt milling machine	Output 300kg/h	1 set		<ul style="list-style-type: none"> a. Model: Double roller, adjustable mill degree, stainless steel. b. Output:300kg/h c. Total weight:300kg d. Power:1.1Kw e. Rotating speed:1450rpm f. Voltage: 380V,3 phase. (can be adjustable) g. Crash the malt into grain to make beer
--------------------------	-------------------	-------	---	--



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



NSIC
CERTIFIED CO.




GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(2) Screw auger conveyer	300kg/h	1 set		Material:Stainless steel SS304 Voltage:380V/50Hz Power:1.5kw Usage:Transfer the crushed malt into mash tank for mashing
(3) Hopper	SS304	1 set		Effective volume: 100L Material:Stainless Steel SS304 100% TIG welding with pure argon gas shield Conical top and bottom
2. Brewhouse system				



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



NSIC
CERTIFIED CO.




GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(1) Mash tun/Lauter tank	Useful volume 1000L	1 set		<ul style="list-style-type: none"> a. Effective volume:1000L Total volume:1400L b. Malt mashing process and wort filtering c. Inner tank material:SS304 Stainless Steel; Outer tank material:SS304 Stainless steel d. Heating method:Steam taping heating e. Size: Ø1450X2300 f. Inner tank thickness:3mm;Outertank thickness:2mm g. Thickness of upper coneplate:3mm;Thickness of under cone plate:3mm h. Insulation:75mm Rockwool i. Sieve plate gap:0.7mm j. PT100 temperature sensor k. Control method: Automatic control l. Technology: Argon protected welding m. Inner surface mirror polished and acid passivated.
--------------------------	------------------------	-------	---	---



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



NSIC
CERTIFIED CO.




GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

- | | | | | |
|--|--|--|---|---|
| | | |  | <ul style="list-style-type: none"> n. Spray ball: 360° no dead corner o. Fast open glass manway on the top
Ø400mm p. Support: Ø133 stainless steel legs
with adjustable foot pads q. Butterfly valves: high quality stainless Steel r. Capability: Upper 120° conical head; fast-
open glass manway also can be sealed;
Top blender, power 1.5kw, rotate
speed: 1:80, the speed can be
adjustable; Zipper scraper groove. The
inner cylinder and the bottom part of the
tank are two-stage heating can be
controlled separately. |
|--|--|--|---|---|



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj®

NSIC
CERTIFIED CO.

CE CE mark Approved


GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(2) Boil kettle/ Whirlpool tank	Useful volume 1000L	1 set		<ul style="list-style-type: none"> a. Effective volume:1000 L Total volume:1400L a. Usage:Wort boiling and coagulate c. Inner tank material:SS304 Stainless Steel; Outer tank material:SS304 Stainless Steel d. Inner tank thickness 3mm, outer tank thickness 2mm e. Thickness of upper cone plate:3mm; Thickness of under cone plate:3mm f. Insulation:75mm Rockwool g. Size: Ø1450X2300 h. Thickness of dimple plate:2mm i. Heating method: Steam heating j. Technology: Argon protected welding k. Inner surface mirror polished and a l. Spray ball: 360° no dead corner m. PT100 temperature sensor j. Fast open glass manway on the top Ø400mm k. Steam exhaust pipe: Ø133mm with Condensate recovery tube
---------------------------------	------------------------	-------	--	--



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

- | | | | | |
|--|--|--|--|---|
| | | | | <p>o. Support: Ø133 stainless steel legs with adjustable foot pads</p> <p>p. Butterfly valves: high quality stainless Steel</p> <p>q. Top with 120 ° conical head and LED light; bottom with drain outlet, and the cylinder is equipped with stainless steel level gauge; Inside with 360 ° no dead corner cleaning ball; The use of the latest radiant jet technology (7 meters per second) is conducive to protein agglomeration.</p> |
|--|--|--|--|---|



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥




GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(3) Hot liquor tank	Useful volume 1500L	1 set		<ul style="list-style-type: none"> a. Effective volume:1500L Total volume:1800L b. Usage: Store the water for wort cooling and store the hot water after heat exchanging for next mashing process or wash the dregs. Save energy and time during the brewing process. c. Size: Ø 1500*2400 d. Inner tank material:SS304 stainless steel Outer tank material:SS304 Stainlesssteel e. Heating method:steam heating f. Heat exchange area:3.2 m² g. Inner thickness:3.0mm,outerthickness: 2.0mm h. Thickness of upper coneplate:3mm;Thickness of under cone plate:3mm i. Inner material is mirror stainlesssteel,0.4um j. Insulation material: PU, thickness: 75mm k. Thickness of dimple plate:2mm l. PT100 temperature sensor m. Technology: Argon protected welding n. Inner surface mirror polished and acid passivated. o. Fast open glass manway on the top Ø400mm p. Support: Ø133 stainless steel legs with
---------------------	------------------------	-------	---	---



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥





GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

				adjustable foot pads q. Top with 120° conical head and LED light. The bottom is equipped with a sewage outlet, the column has an overflow port, and the column is equipped with stainless steel level gauge. Inside with 360° no dead corner
(4) Venturi wort oxygenator	Φ32mm	Assort		a. Material: stainless steel SS304 and sightglass b. All argon arc welding c. Function: Adjustable current velocity to solve the oxygen in the water.
(5) Wort pump	5T/h	2 sets		a. PNC Centrifugal pump (The speed can be changed) b. Voltage: 380V/50Hz c. Power: 1.5kw d. Raise: 18m e. Usage: Transporting wort to the fermentation tank



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(6) Blender motor		1 set		Frequency: Rotating speed 1:70rpm/min Voltage:380V/50Hz Power:1.5kw
-------------------	--	-------	---	---



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥




GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(7) Feed water mixer				Adopt sight glass feed water mixer, can put the crushed malt through hopper into mash tun for uniform mixing.
(8) Wort pipeline	SS304	Assort		<ul style="list-style-type: none"> a. Material: All use stainless steel SS304 links $\phi 50, \phi 38$ b. Mirror polished, 0.4um c. The pipeline are finished with automatic argon protecting welding



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj®

NSIC
CERTIFIED CO.

CE CE mark Approved

GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(9) Work platform	SS304	Assort		<ul style="list-style-type: none"> a. Material: stainless steel SS304 b. It consists of with antiskid plate, guard bar, foot steps. c. Work for brewhouse.
(10) Plate heat exchange	8m ²	1 set		<ul style="list-style-type: none"> a. Wort heat exchange area: 8m² b. Material: stainless steel SS304 c. Cooling process with 2 stages. d. Usage: Wort cooling e. Pressure: 1.25bar f. Temperature: 140°C g. Wort inlet and outlet, cold water inlet and



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥




GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

				outlet with $\phi 38$ tri-clamp connection, plate for wort inlet and outlet, cold water outlet has temperature display, easy to observe temperature changes, plate replacement supporting flushing backwash function, easy to clean.
(11)Yeast adding tank	SS304	10L		<ul style="list-style-type: none"> a. Total volume: 10L. b. Material: stainless steel SS304. c. Working temperature: -2 to 150°C. d. With flange and venture tube. e. Top with a viewable mirror for easy observation of yeast input conditions



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj®

NSIC
CERTIFIED CO.

CE CE mark Approved


GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(12) Hops adding tank	SS304	10L		Total volume:10L Add hops into wort
(13) Manual butterfly valve	SS304	Assort		Model: Φ 38 、 Φ 50 Material: SS304 stainless steel Usage: For mashing process connection



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj®

NSIC
CERTIFIED CO.

CE CE mark Approved

GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :

116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.

Cell : [+91 73595 95577](tel:+917359595577)

E-mail : info@rajwater.com

AHMEDABAD OFFICE :

B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.

Cell : [+91 70432 55777](tel:+917043255777)

E-mail : export@rajwater.com




HEAD OFFICE :

Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.

Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)

Website : www.rajwater.com

Email : inquiry@rajwater.com / sales@rajwater.com

(14)Wort balance tank	SS304	1 set		Material:SS304 stainless steel Size: ϕ 200mm \times 245mm Sight glass
(15)Bimetal thermometer		3 sets		Quick loading link for temperature correction of plate for wort outlet and refrigerant outlet. Temperature range:0°C-150°C
(16)Adjusting the leg screw		40 piece		Material:SS304 stainless steel Size:M24 Usage:Tank support to adjust tank balance



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

3. Fermentation system

(1) Fermentation tank	Useful volume 2000L	6 sets		<ul style="list-style-type: none"> a. Effective volume:2000L Total volume:2300L b. Inner tank material:SS304 Stainless steel c. Outer tank material:SS304 Stainless steel d. Conical bottom 70 degree,top manhole e. Inner thickness:3mm;outer thickness:2mm f. Insulation:polyurethane,thickness 80mm. g. Thickness of dimple plate:2mm
-----------------------	------------------------	--------	---	---



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥




GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

				<p>h. Testing pressure: 0.3Mpa, working pressure: 0.15Mpa.</p> <p>i. Cooling system: one-stage dimple plate cooling</p> <p>j. Cooling medium: Glycol or alcoholic water</p> <p>k. Automatic heat and cold exchange process</p> <p>l. Automatic pressure control process.</p> <p>m. Support: Ø133 stainless steel legs with adjustable foot pads</p> <p>r. Butterfly head, top pressure manhole, with Relief valve at the top of the tank, CIP cleaning tube, pressure release valve; Diaphragm shock pressure gauge; inside with 360° cleaning ball, The tank is equipped with one-stage cooling dribbling; Inner surface mirror polished and acid passivated. A material inlet and outlet at the bottom; a take wine mouth at the central of the tank, with sample valve</p>
--	--	--	---	---



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(2) Bright beer tank	Useful Volume 1000L	2 sets		<ul style="list-style-type: none"> a. Effective volume:1000L Total volume:1200L b. Inner tank material:SS304 Stainless Steel Outer tank material SS304 Stainless steel c. Inner thickness:3mm;outer thickness:2mm d. Insulation:polyurethane,thickness 80mm. e. Thickness of dimple plate:2mm f. Testing pressure:0.3Mpa,working pressure:0.15Mpa. g. Cooling system:one-stage dimple plate cooling h. Cooling medium: Glycol or alcoholic water i. Automatic heat and cold exchange process j. Automatic pressure control process k. Support: Ø133 stainless steel legs with adjustable foot pads
----------------------	------------------------	--------	---	---



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥





GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

				<p>l. With relative pipeline, spray ball, pressure relief valve, sample valve, hop port, PT100 etc.</p> <p>m. Usage: Mature beer is filled in this container.</p> <p>n. The tank is equipped with one – stage cooling dribbling; Inner surface mirror polished and acid passivated. Stainless steel dimple plate cooling, a material inlet and outlet at the bottom; with sample valve, Carbon dioxide feed port, inside with titanium bar, conducive to the dissolution of carbon dioxide.</p>
(3) Pressure release valve	SS304	7 Pieces		<p>Material: stainless steel SS304 Connection method: Threaded connection Pressure control range: 0.2/2.2 bar</p> <p>Mechanical cup-type pressure relief to stabilize the stability of beer during high foaming period</p>



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj®

NSIC
CERTIFIED CO.

CE CE mark Approved


GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(4) Diaphragm shock pressure gauge	SS304	7 Pieces		Dial diameter:60mm Pressure range:0-0.6Mpa Precision:1.6 Working temperature:-20℃-0+70℃
---------------------------------------	-------	----------	--	--



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj®

NSIC
CERTIFIED CO.

CE CE mark Approved



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(5) Temperature Sensor		10 pieces		PT100 temperature sensor Temperature measurement range: -50°C—300°C
(6) Relief valve		7 pieces		Material: stainless steel SS304 Specification: φ38mm



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj®

NSIC
CERTIFIED CO.

CE CE mark Approved

GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(7) Sampling valve		7 pieces		Material: stainless steel SS304
(8) Adjusting the leg screw	M24	28 pieces		Material: stainless steel SS304 Size: M24 Usage: Tank support to adjust tank balance



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(9) Threading tube	SS304	1 set		It is connected by SS304 stainless steel pipe, branching out the reserved outlet, fixing frame and soft hose conveying.
(10) Magnetic valve	DN32	8 sets		For fermentation tank cooling water control Size:DN32
4. Refrigeration system				



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(1) Glycol liquor tank	Useful volume 1500L	1 set		<ul style="list-style-type: none"> a. Effective volume:1500L b. Usage: Used for fermentation tank cold and heat exchange, temperature control Butterfly valves; Inner surface acid passivated; Cylinder equipped with PU liquid level gauge c. Thickness: inner 3mm, outer 2mm. d. Top manway can be sealed e. Cooling type: glycol/alcohol. f. Temperature measurement: PT100 g. Polyurethane insulation: 80mm h. Support: Ø133 stainless steel legs with adjustable foot pads
(2) Glycol liquor pump	DN50	1 set		Voltage: 380V/50Hz Max raise: 25m Max flow: 25m ³



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj®

NSIC
CERTIFIED CO.

CE CE mark Approved

GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

				Max output power:1750w DN50 Flange connection For glycol water pumping Transfer refrigerant to the fermentation tank and bright beer tank for temperature control
(3) Chiller unit	10 Ton	1 set		a. Refrigerator,10 Ton for 1 set b. Power:4.25kw.Voltage: 380V,50Hz,3 phase c. Refrigerant: R404A d. Kirloskar compressor.
(4) Glycol liquor pipeline	PP-R	1 set		Material: use high quality PP-R tube for glycol water cooling, Ø 32



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(5) DN32 Insulation tube		1 set		Polyurethane for insulation
5. CIP system				



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(1) CIP Tank	200L	1 set		<ul style="list-style-type: none"> a. Effective volume:200L b. Inner tank material: SS304 Stainlesssteel Outer tank material:SS304 Stainlesssteel c. Thickness:Inner thickness3mm Outerthickness 1.5mm,fast open observation hole d. Heating method:electric heating e. Pwer:9kw f. Thickness of dimple plate:2mm g. Polyurethane insulation:50mm
--------------	------	-------	---	--



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(2) Moveable CIP pump	5T/h	1 set		Voltage:380V/50Hz Power:1.5kw Flow:5T/h Raise:18m
-----------------------	------	-------	---	--



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥




GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(3) CIP pipeline	SS304	Assort		Material:Stainless steel SS304,butterfly valves,three links,connection Diameter: ϕ 38mm Thickness:1.5mm
(4) CIP control cabinet		1 set		To control the CIP system
(5) CIP cleaning ball	SS304	10 sets		Material:SS304 stainless steel Size:DN25 Usage: Connect the CIP cleaning pipe to clean the inside of the tank



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

6. Controlling system

(1) Control panel	Mash system control	1 set	Siemens (S7-200) PLC Low-voltage electrical appliances all Schneider Electric, relay Omron. Digital display panel Cabinet material: Stainless steel SS304 Mash tun/lauder tank, Boil kettle/whirlpool tun, hot water tank temperature display PLC sets time and temperature Reverse rotation automatic cleaning Blender with speed control Wort pump with speed control
-------------------	---------------------	-------	---



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(2)Control panel	Fermentation tank control	1 set	<p>Voltage:380V/50Hz Cabinet material: Stainless steel SS304 Low-voltage electrical appliances all Schneider Electric, relay Omron. Fermentation tank temperature automatic / manual controllce Glycol tank temperature automatic / manual control;Chiller automatic / manual control Glycol liquor pump automatic / manual controllce Control cabinet with time module</p>
7.Steam system			



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥




GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(1) Boiler	100kg/h	1set		<p>Capacity 100Kg/hr Type :- Fire Tube Fuel Kilocalories :- 4000kcal/Kg Estimated Efficiency:- 76+ Or -2% Estimated Efficiency With Recovery System :- 80+ or -2% Dryness Fraction :-98-100%</p>
------------	---------	------	---	--



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj®

NSIC
CERTIFIED CO.

CE CE mark Approved






GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

Accessory system				
(1) Related pipelines and valves	SS304	Several		Used for fermentation system, mash system and refrigeration system and so on.
(2) Φ32 rubber hose		Assort		Two stainless steel hose connectors Model: Φ38.
(3) Cable conductor		Assort		Used for connecting control system, pump and refrigeration system and so on.
(5) Butterfly pads		50 set		Model: Dg40/32 According to using proportion to configuration.
(6) Inflatable head	All the accessory that used for the whole brewery	10 set		Each one has 5m (Φ12) flexible pipe.



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥





GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

(7) Saccharimeter		8 set		10°、20°
(8) Survey barrel		2 set		Material: Stainless steel SS 304.



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj®

NSIC
CERTIFIED CO.

CE CE mark Approved

GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :

116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.

Cell : [+91 73595 95577](tel:+917359595577)

E-mail : info@rajwater.com

AHMEDABAD OFFICE :

B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.

Cell : [+91 70432 55777](tel:+917043255777)

E-mail : export@rajwater.com

HEAD OFFICE :

Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.

Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)

Website : www.rajwater.com

Email : inquiry@rajwater.com / sales@rajwater.com





Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥

Raj[®]

NSIC
CERTIFIED CO.

CE CE mark Approved

GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com