G.S.T. TIN 24091804617 Dt. 18-9-09 C.S.T. TIN 24591804617 Dt. 18-9-09



Water Technology (Guj.) Pvt. Ltd

Plot No.: 27, Survey No. 47, Jivraj Industrial Area,

MUMBAI OFFICE :-

Unit No. 11, Ruby Coach Lane, Marol Nake,

Near Hind Saurashtra Indl. Estate.

Off. Andheri-Kurla Road, Andheri (E), Mumbai - 59

: +91 22 28505403 : +91 93728 05577 E-mail: rajwater@ymail.com Near Falcan Pump, Vavdi, Gondal Road, Rajkot - 360 004. (Gujarat) India

Tele : +91 281 - 3291791 / 2922777 Telefax : +91 281 - 2922481

: +91 93757 55777 / +91 74050 55777

Website: www.rajwater.com

E-mail: sales@rajwater.com / info@rajwater.com

PROPOSAL FOR ULTRA FILTRATION PILOT SYSTEM Sub:

> **MODEL: HFU2020AN** Capacity: 8 m3/hr UF Feed

Proposed solution:

UF membrane systems configured to achieve the water quality suitable for feed of R.O. The system takes cares of the physical impurities of water such as color, TSS, turbidity and silt. The proposed system is a continuous, dead end filtration system. There will not be continuous reject water generation. However there will be a periodic cleaning which spends approximately 10 – 15% of the total water...

Typical Feed Quality

Turbidity : < 20 NTU

: < 20 ppm **TSS**

COD 50 - 100 ppm

20 - 30 ppm BOD

Product Water

Turbidity :< 1 NTU

SDI

Flow rates:

UF Feed flow rate : 10 m3/hr UF Permeate flow rate : 8 m3/hr

G.S.T. TIN 24091804617 Dt. 18-9-09 C.S.T. TIN 24591804617 Dt. 18-9-09



Il Shree Umiya Matay Namah II

Water Technology (Guj.) Pvt. Ltd

MUMBAI OFFICE :-

Unit No. 11, Ruby Coach Lane, Marol Nake,

Near Hind Saurashtra Indl. Estate,

Off. Andheri-Kurla Road, Andheri (E), Mumbai - 59.

: +91 22 28505403 : +91 93728 05577 E-mail: rajwater@ymail.com

Plot No.: 27, Survey No. 47, Jivraj Industrial Area, Near Falcan Pump, Vavdi, Gondal Road,

Rajkot - 360 004. (Gujarat) India

Tele : +91 281 - 3291791 / 2922777 Telefax : +91 281 - 2922481

: +91 93757 55777 / +91 74050 55777

Website: www.rajwater.com

E-mail: sales@rajwater.com / info@rajwater.com

Scope of supply for Ultra Filtration Pre-Treatment System

Pressure Sand Filter.

: Down Flow Graded Sand Type Type

Model : 2162/RW/SS

M.O.C. : SS 304.

: 525 mm Dia X 1550 mm Size Dia X Height.

Pipe Line Size : 25 mm. Sand Qnty. :385 Kgs.

Valves : PP multiport Valve

: 10.00 m3/hr. Max. Flow **Working Flow** : 8.00 m3/hr.

Activated Carbon Filter.

: Down Flow Graded Sand Type Type

Model : 2162/RW/SS

M.O.C. : SS 304

Size Dia X Height. :525 mm Dia X 1550 mm

Pipe Line Size : 25 mm. Act. carbon Qnty. : 155 Kgs.

Valves : PP multiport Valve

Max. Flow : 10.00 m3/hr. : 8.00 m3/hr. Working Flow

Scope of supply for Ultra Filtration System:

Micron Cartridge Filter

Capacity :8000 LPH Micron rating : 50 micron

: PP Material

UF Feed Pump:

Qty : 1 no **MOC** : SS 304

: 10 m3/hr @ 18 m head Flow rate

Make : CRI/Sumo/Grundfos/Eqvt

G.S.T. TIN 24091804617 Dt. 18-9-09 C.S.T. TIN 24591804617 Dt. 18-9-09



Il Shree Umiya Matay Namah II

Water Technology (Guj.) Pvt. Ltd

Plot No.: 27, Survey No. 47, Jivraj Industrial Area,

MUMBAI OFFICE :-

Unit No. 11, Ruby Coach Lane, Marol Nake,

Near Hind Saurashtra Indl. Estate,

Off. Andheri-Kurla Road, Andheri (E), Mumbai - 59

: +91 22 28505403 : +91 93728 05577 E-mail: rajwater@ymail.com Tele : +91 281 - 3291791 / 2922777 Telefax : +91 281 - 2922481

Rajkot - 360 004. (Gujarat) India

Near Falcan Pump, Vavdi, Gondal Road,

: +91 93757 55777 / +91 74050 55777

Website: www.rajwater.com

E-mail: sales@rajwater.com / info@rajwater.com

UF Back flush pump:

Qty :1 no **MOC** : CI

Flow rate : 10 m3/hr @ 22 m head

Make : CRI/Sumo/Grundfos/KBL/Eqvt

Air blower:

Qty : 1 no **MOC** : CI/Eqvt

Flow rate : 10 m³/hr @ 0.5 air pressure

: Ring blower/Rotary Type

Make : Poonam/Kay/Everest/Eqvt

Ultra Filtration System:

Ultrafiltration skid/frame : MS - PU

Membrane model : HUF2020AN

No of membranes : 06

Make : Toray

: (Modified PAN) Membrane Type : Hollow fiber Type

Surface area : 45 m2

Mode : Filtration on dead end (Outside to Inside)

Dimensions : Diameter 08 inch by Length 60 inch

Housing MOC : PVC+SS304 End caps : Glass filled ABS

Pipes and fittings & Valves : SS304

Il Shree Umiya Matay Namah II

G.S.T. TIN 24091804617 Dt. 18-9-09 C.S.T. TIN 24591804617 Dt. 18-9-09



Water Technology (Guj.) Pvt. Ltd

MUMBAI OFFICE :-

Unit No. 11, Ruby Coach Lane, Marol Nake,

Near Hind Saurashtra Indl. Estate,

Off. Andheri-Kurla Road, Andheri (E), Mumbai - 59.

: +91 22 28505403 Cell : +91 93728 05577 E-mail: rajwater@ymail.com Plot No.: 27, Survey No. 47, Jivraj Industrial Area, Near Falcan Pump, Vavdi, Gondal Road,

Rajkot - 360 004. (Gujarat) India

Tele : +91 281 - 3291791 / 2922777 Telefax : +91 281 - 2922481

: +91 93757 55777 / +91 74050 55777

Website: www.rajwater.com E-mail : sales@rajwater.com / info@rajwater.com

