AN ISO 9001: 2008 COMPANY

II Shree Umiya Matay Namah II



## Water Technology (Guj.) Pvt. Ltd

### GSTIN 24AAECR3013M1ZJ

MUMBAI OFFICE: 116-D, Govt. Industrial Estate,

Charkop, Kandiwali (West), Mumbai - 400067, Maharashtra.

: <u>+91 73595 95577</u> Cell E-mail: inquiry@rajwater.com

info@rajwater.com

AHMEDABAD OFFICE:

B/9, Sumel-7, Business Park, Opp. Soni ni Chal,

BRTS Bus Stop, N.H.-8 Ahmedabad - 382325.

: <u>+91 70432 55777</u> E-mail: inquiry@rajwater.com

info@rajwater.com

**HEAD OFFICE:** 

Plot No.: 27, Survey No. 47, Jivraj Industrial Area, Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.

: +91 281 - 2922777

Telefax : <u>+91 281 - 2922481</u> Cell : <u>+91 74050 50444 / +91 70439 55777</u>

Website: www.rajwater.com

: inquiry@rajwater.com / info@rajwater.com

Date: - 7th June 2018

Thursday

Quotation No

:- RW/2018-19/Q\_2955/R\_2

Concern Person

:- Mr. Tapas Da

Concern Number

:- 8837403163

Email Id

:- tapasdattajayanta@gmail.com / dimpzzz01@gmail.com

Company Name

Address

**Quotation For Water Treatment Project** 

Dear Sir,

We are pleased to enclose our detailed Techno-Commercial offer, based on your requirement.

#### Contents of the Quotation

- Commercial Proposal
- Terms & Condition
- Technical Specification for each product

#### **Machinery Offer**

Water Treatment Project

We hope the same is in line with your requirement. We shall gladly assist you in case you need any further clarification or information.

With warm Regards,

For , Raj Water Technology (Guj.) Pvt. Ltd.

**BHAVIK PATHAK** 

**Designation: Marketing Co-ordinator** 

Mobile: 7043755777



# **Commercial Proposal**

Sr No.	Equipment Name	Qty	Basic Rate	Amount
1	3000 Liter Per Hour SS-304 RO Plant , With U.V System, SS Storage Tank 1500 Liter 2-Nos	1	6,50,000.00	6,50,000.00
2	Ozonization With Circulation System	1	75,000.00	75,000.00
3	Water Chiller 5-Ton, With Storage Tank	1	2,00,000.00	2,00,000.00
4	Hot & Cold Jar Washing Machine	1	55,000.00	55,000.00
Tota	al Amount in Words :-		Total Amount	₹ 9,80,000.00

