GSTIN: 24AAECR3013M1ZJ

Raj

Water Technology (Guj.) Pvt. Ltd

.....

MUMBAI OFFICE: 116-D, Govt. Industrial Estate, Charkop, Kandiwali (West), Mumbai - 400067,

Maharashtra.

Cell : <u>+91 73595 95577</u>

E-mail : <u>inquiry@rajwater.com</u> <u>info@rajwater.com</u> AHMEDABAD OFFICE:

B/9, Sumel-7, Business Park, Opp. Soni ni Chal, BRTS Bus Stop, N.H.-8

Ahmedabad - 382325. Cell : <u>+91 70432 55777</u>

E-mail: inquiry@rajwater.com

info@rajwater.com

HEAD OFFICE:

Plot No.: 27, Survey No. 47, Jivraj Industrial Area, Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.

Tel : <u>+91 281 - 2922777</u> Telefax : <u>+91 281 - 2922481</u>

Cell : <u>+91 74050 50444 / +91 70439 55777</u>

Website: www.rajwater.com

Email : <u>inquiry@rajwater.com / info@rajwater.com</u>

15-Ton Chiller Machine Specification

Air Cooled Chiller of 15 TR capacity, with R – 22 as refrigerant with semi-hermetic SCOLL compressor from COPLAND or DANFOSS. All the other components are being imported or used from the world's best company from USA and Europe.

The scroll chiller is controlled with the following salient features:

- 1) Temperature sensing of chilled water in and out, evaporating and ambient temperature.
- 2) Pressure transducer based low and high pressure alarms.
- 3) Compressor: Semi-Hermetic Scroll
- 4) Expansion valve: Thermostatic expansion valve used which is interlocked
- 5) With the PID based temperature controller
- 6) Capacity Control: Fully automatic, seamless from 25% to 100%
- 7) Motor Protection: Electronic Thermistor based, with heat sensor embedded In the stator coil.
- 8) Reverse Rotation Protection: In-built into the chiller.
- 9) Oil level protection: In-built into the compressor.
- 10) Compressor start / stop : At no Load

TECHNICAL SPECIFICATIONS (15 TR, AIR COOLED GLYCOL CHILLER)

A) CHILLER

- 1) **SYSTEM**: INDUSTRIAL WATER CHILLER
- 2) MODEL: FC/015
- 3) **FLOW RATE**: 1000 Ltrs./ hr.
- 4) INLET TEMPERATURE TO CHILLER: 40* DEG. C.
- 5) **OUTLET TEMPERATURE FROM CHILLER**: 5* DEG. C.
- 6) **REFIGERATION LOAD**: 15 TON
- 7) CHILLER TYPE: TUBE 'N' TUBE / SHELL 'N' TUBE TYPE
- 8) CONDENSOR TYPE: AIR COOLED TYPE
- 9) **CONTROL**: FULLY AUTOMATIC.
- 10) SAFETY INTERLOCKS
 - L.P. SWITCH & GAUGE
 - H.P. SWITCH & GAUGE
 - DIGITAL TEMPERATURE CONTROLLER
 - WATER FLOW FAILURE TRIP
 - COMPRESSOR OVERLOAD TRIP
 - VOLTAGE SCANNER WITH UV/ OV / SPP / RP
 - OIL FAILURE SWITCH

Raj

Water Technology (Guj.) Pvt. Ltd

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE : 116-D, Govt. Industrial Estate, Charkop, Kandiwali (West),

Mumbai - 400067, Maharashtra.

Cell: <u>+91 73595 95577</u> E-mail: <u>inquiry@rajwater.com</u>

info@rajwater.com

AHMEDABAD OFFICE : B/9, Sumel-7, Business Park,

Opp. Soni ni Chal, BRTS Bus Stop, N.H.-8 Ahmedabad - 382325.

Cell: <u>+91 70432 55777</u> E-mail: <u>inquiry@rajwater.com</u>

info@rajwater.com

HEAD OFFICE:

Plot No.: 27, Survey No. 47, Jivraj Industrial Area, Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.

Tel : <u>+91 281 - 2922777</u> Telefax : <u>+91 281 - 2922481</u>

Cell : <u>+91 74050 50444 / +91 70439 55777</u>

Website: www.rajwater.com

Email: inquiry@rajwater.com / info@rajwater.com

B) COMPRESSOR

MAKE: COPELAND / DANFOSS
NO. OF COMPRESSOR: 1 Nos.

TYPE : SEMI – HERMETIC SCROLL

C) PUMP

1) MAKE: CROMPTON/HITESH/KIRLOSKAR

2) NO. OF PUMPS: 2 NOS.

D) ELECTRICAL SPECIFICATION

1) POWER SUPPLY: 400 V +/- 10% / 3 PH. / 50 Hz +/- 5 %

2) CONNECTED LOAD AT 100 % CAPACITY: 18.55 KW

E) GENERAL CONDITION

1) DESIGN TEMPERATURE: 45 DEG. C. AMBIENT

2) NOISE LEVEL: LESS THAN 85 db at 1.0 MTR DISTANCE

3) CONDENSER FAN CONTROL: N. A.

4) CONDENSER FAN TYPE: N. A.

5) REFIGERANT REQUIRED: R - 22

F) STORAGE TANK

M. S. Powder coated storage tank with PUFF INSULATION and M. S. Water Storage Tank – 500 Ltrs.

GSTIN: 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd

AHMEDABAD OFFICE: **HEAD OFFICE:** B/9, Sumel-7, Business Park,

Plot No.: 27, Survey No. 47, Jivraj Industrial Area, Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.

: <u>+91 281 - 2922777</u> Telefax: +91 281 - 2922481

: +91 74050 50444 / +91 70439 55777 Cell

Website: www.rajwater.com

: inquiry@rajwater.com / info@rajwater.com Email

MUMBAI OFFICE:

116-D, Govt. Industrial Estate, Charkop, Kandiwali (West), Mumbai - 400067,

Maharashtra.

: <u>+91 73595 95577</u> Cell

E-mail: inquiry@rajwater.com info@rajwater.com

Ahmedabad - 382325. : <u>+91 70432 55777</u> E-mail: inquiry@rajwater.com

info@rajwater.com

BRTS Bus Stop, N.H.-8

Opp. Soni ni Chal,

1. MAKE OF ITEMS: FLOW COOL - CHILLER.

Sr. No.	Item	Manufacturer
1	COMPRESSOR	COPLAND / DANFOSS
2	CONDENSOR	ALFA LAVAL
3	CHILLER	ALFA LAVAL
4	BASE FRAME	SELF
5	EXPANSION VALVE	DANFOSS (DENMARK)
6	LP / HP SWITCH	DANFOSS (DENMARK)
7	OIL LEVEL SWITCH	N. A.
8	CONTROL PANEL	SELF
9	ELECTRICALS	L & T / SIEMENS / SCHENIDER
10	VALVE	IMPORTED
11	ISOLATION VALVES	IMPORTED
12	FILTER / DRIER	DANFOSS (DENMARK)
13	VOLTAGE SCANNER	PROTON / MINILEC / L & T
14	MICRO PROCESSOR	SELF
15	GLYCOL PUMP	CROMPTON / HITESH
16	GLYCOL STORAGE TANK	BHARAT
17	EXHAUST FAN	HI – COOL
18	COOLING TOWER	N. A.

GSTIN: 24AAECR3013M1ZJ

Raj

Water Technology (Guj.) Pvt. Ltd

MUMBAI OFFICE: 116-D, Govt. Industrial Estate, Charkop, Kandiwali (West),

Mumbai - 400067, Maharashtra.

Cell : <u>+91 73595 95577</u> E-mail : <u>inquiry@rajwater.com</u>

info@rajwater.com

AHMEDABAD OFFICE: B/9, Sumel-7, Business Park,

Opp. Soni ni Chal, BRTS Bus Stop, N.H.-8 Ahmedabad - 382325. Cell : <u>+91 70432 55777</u>

E-mail: inquiry@rajwater.com

info@rajwater.com

HEAD OFFICE:

Plot No. : 27, Survey No. 47, Jivraj Industrial Area, Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.

Tel : <u>+91 281 - 2922777</u> Telefax : <u>+91 281 - 2922481</u>

Cell : <u>+91 74050 50444 / +91 70439 55777</u>

Website: www.rajwater.com

Email : inquiry@rajwater.com / info@rajwater.com

