Water Technology (Guj.) Pvt. Ltd

HEAD OFFICE :

HEAD OFFICE:
Plot No.: 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : +91 281 - 2922777
Telefax: +91 281 - 2922481
Cell: +91 74050 50444 / +91 70439 55777
Website: www.rajwater.com
Email: sales@rajwater.com / info@rajwater.com

212500

1

212500

GSTIN: 24AAECR3013M1ZJ MUMBAI OFFICE:

116-D, Govt. Industrial Estate, Charkop, Kandiwali (West), Mumbai - 400067,

Muharashtra.
Cell : <u>+91 73595 95577</u>
E-mail : <u>sales@rajwater.com</u>
info@rajwater.com

Accessory- Valve, pipes, spare parts

Beer Can Filing And Capping Machine

AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell: ±91.70432.55777
E-mail: sales@rajwater.com
info@rajwater.com

3.7		•	on Number: RW/2 D/Q 4320sssss	
Mr. A	Ir. Anii Kumar			
	2500 Liter / Batch Beer P	roduction	Line	
Sr.no	Item	Qty	Rate	Amount
	Milling System Malt miller	1set		
	Production capacity:800Kg/h			
	Type: Double roller, roller material :high all	oy		
	 Include motor, belt pulley and belt etc. 			
1	 Material: carbon steel 		140000	140000
	Water Purification System-3000LPH	1Set		
2	Storage Tank -5000 Liter - 2Nos		550000	550000
Brew	House System	I	330000	330000
	Mash tun 2500L	1		
	• Lauter tank-2500L			
	 Kettle/whirlpool tun 2500L 			
3	 Wort pump 5T/H-2Nos 		2158000	2158000
4	Work platform- SUS304,Matching	1	85000	85000
5	Plate heat exchanger- 14m2	1	140000	140000
6	Gas steam generator-300Kg/hr	1	774000	774000
7	Hot water tank-5000L	1	609000	609000
8	Hot water pump-5t	1	45500	45500
Ferm	enting System			
9	Fermentation tank-5000L(8Pc)	8	762000	6096000
10	Yeast adding tank-50l	1	25500	25500
11	Sanitation grade hose- Φ32, L=20m/pcs-2	1	61200	61200
	ng System	<u> </u>		
12	Chiller machine-15HP	2	575000	1150000
13	Ice water tank-7500L	1	671500	671500
14	Cool water pump-5T/H	1	45500	45500
CIP s	vstem			
	Sterilizing t/Alkali liquor Tank-300L(2Nos)CIP trolley-1	1Set		
1.0	GP trolley-1Washing pump-3T/H		245000	245000
16		1	215900	215900
15	Control System- Control cabinet- PLC control	1	459000	459000

II Shree Umiya Matay Namah II

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE : MUMBAI OFFICE:
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell: ±91.73595.95577
E-mail: sales@rajwater.com
info@rajwater.com

AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell: ±91 70432 55777
E-mail: sales@rajwater.com
info@rajwater.com

Water Technology (Guj.) Pvt. Ltd

17	Beer can filling and capping machine :- 12-1 500ml, 1000-1500 cans/hour Can inverted Machine-2Set Can empty and collection platform - 1.5m*0.6m-2Set	1Set	6050000	6050000
	 Bottle dryer Machine-1Set Single side sticker labelling machine- Belt conveyor Conveyor motor Beer pasteurizer tunnel machine 500B/H (650Ml) Bottle inlet temperature : 3°C Bottle outlet temperature : 30-25°C Sterilization temperature : 65-70°C (Adjustable Electricity source : 380V / 50Hz or customize Heating steam pressure : 0.2Mpa, hot recyclable water quantity : 6m3 Material : Frame is SUS304 and the board is 2 mm thick. The net belt material is SUS304, Over size :((L×W×H):6000×1100×1650mm 			
18	Automatic Inkjet Batch Coding Machine		200000	400000
Beer	Bottle Filling Machine			

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE :

AHMEDABAD OFFICE :

Water Technology (Guj.) Pvt. Ltd

HEAD OFFICE :

HEAD OFFICE:
Plot No.: 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : +91 281 - 2922777
Telefax : +91 281 - 2922481
Cell : +91 74050 50444 / +91 70439 55777

Website : www.rajwater.com

sales@rajwater.com / info@rajwater.com

6975000

116-D, Govt. Industrial Estate, Charkop, Kandiwali (West), Mumbai - 400067, B/9, Sumel-7, Business Park, Opp. Soni ni Chal, BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : +91 70432 55777
E-mail : sales@rajwater.com Maharashtra. Cell : <u>+91 73595 95577</u> E-mail : sales@rajwater.com

Beer filling Machine-500 B/H 650ML 6975000 Inlet belt conveyor-2Meter Mono block glass bottle Beer filler (8-6-1) Washing heads: 8diameter Filling valve heads : 6(diameter : ϕ 510) Capping heads: 1 (diameter Bottle size: 330ml,750ml Applicable bottle : bottle height 200∼ 350mm Overall dimension: 1800×1300×2550 mm (

Outlet belt conveyor-2M

Exchange part-1Set

L×W×H) Weight: 1800 Kg

Beer Pasteurizer tunnel machine

- 500B/H (650Ml)
- Bottle inlet temperature: 3°C Bottle outlet temperature: 30-25°C
- Sterilization temperature : 65-70°C (Adjustable Electricity source: 380V / 50Hz or customize
- Heating steam pressure: 0.2Mpa, hot recyclable water quantity: 6m3
- Material: Frame is SUS304 and the board is 2 mm thick. The net belt material is SUS304,
- Over size :((L×W×H):6000×1100×1650mm

Bottle drying machine: Power of motor: 5.5KW

- Blowing rater:546-716m3/h
- Material:SUS304
- Weight; 120kg. Machine size:L950*W430*H1400mm
- Packing size: L1100*W 530*H1570 mm

Double side sticker labelling machine :-

- Model PM-660
- Production capacity (Speed). 1-45m/min
- Labelling accuracy +/-1 mm
- Max labelling width 120mm
- Weight 240Kg
- Overall dimension:2500*1300*1400
- Input voltage 220V/50Hz/500W
- Label inner diameter 76.2mm
- 9 Label outer diameter 350mm

Water Technology (Guj.) Pvt. Ltd

MUMBAI OFFICE : 116-D, Govt. Industrial Estate, Charkop, Kandiwali (West), Mumbai - 400067,

GSTIN: 24AAECR3013M1ZJ

Maharashtra. Cell : <u>+91 73595 95577</u> E-mail: sales@rajwater.com info@rajwater.com

AHMEDABAD OFFICE B/9, Sumel-7, Business Park, Opp. Soni ni Chal, BRTS Bus Stop, N.H.-8 Ahmedabad - 382325. Cell : +91 70432 55777 E-mail : sales@rajwater.com

info@rajwater.com

HEAD OFFICE

HEAD OFFICE:
Plot No.: 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : +91 281 - 2922777
Telefax : +91 281 - 2922481
Cell : +91 74050 50444 / +91 70439 55777

Website:

www.rajwater.com sales@rajwater.com / info@rajwater.com

Power: 370W Voltage: 50 HZ /220V • Turning conveyor-3PCS			
Conveyor motor-4PCS			
		Grand Total	2,68,63,600

Raj Water Technology (Guj.) Pvt. Ltd.

Terms & Condition

1) Price

The Quoted Prices Are Ex-Factory

2) Payment

- 50% Advance Along With The Purchase Order, 30% After Inspection, & 20% Before Material Dispatch.
- In Case Of Cancellation Of Confirmed Order Due To Any Reason, As A Part Of Penalty 25% Amount Of The Order Value Shall Have To Pay By You To Raj Water.

3) Packing, Freight & Transit Insurance, & Unloading

- Packing Charge Will Be Extra (Depend On Packing Material)
- Transport To Be Arranged By The Customer OR If Arranged By Raj Water: Extra At Actual Plus GST.
- Transportation Insurance In The Scope Of Buyer.
- Unloading In The Scope Of Buyer. Buyer Has To Ready Forklift Or Crane And Unskilled Labor.

4) Delivery

- Schedule For Dispatch Will Be Notified.
 - Delivery Dates Are Approximate Only, And Assume Timely Receipt Of All Information, Test Materials & Payment.

5) Warranty

- We Shall Provide 1 Year Warranty For The Following:
- Manufacturing Defects, Raw Water Pump, High Pressure Pump, Treated Water Transfer Pump.
- Due To Fluctuation In Power Supply, Attempted Repaired By Person Other Than Our Technical Representative, Improper Handling Or Negligence By End Users, Poor Maintenance, Improper Use Of Equipment, That All Type Of Damage Not Covered In Warranty Create Area.
- During The Warranty Period, We Shall Provide Supervisory Services Of Our Technical Representative As And When Required.



Water Technology (Guj.) Pvt. Ltd

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE : 116-D, Govt. Industrial Estate, Charkop, Kandiwali (West), Mumbai - 400067,

Maharashtra. Cell : <u>+91 73595 95577</u> E-mail: sales@rajwater.com info@rajwater.com

AHMEDABAD OFFICE AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell: ±91.70432.55777
E-mail: sales@rajwater.com
info@rajwater.com

HEAD OFFICE :

HEAD OFFICE: Plot No. : 27, Survey No. 47, Jivraj Industrial Area, Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004. Tel : +91 281 - 2922777 Telefax : +91 281 - 2922481 Cell : +91 74050 50444 / +91 70439 55777

Telefax : Cell : Website :

www.rajwater.com sales@rajwater.com / info@rajwater.com

6) Accommodation

- Technician Charge Will Be Extra 1000/- Rs. Per Day.
- Travelling, Lodging And Boarding, Local Conveyance And Any Other Miscellaneous Expense Of Our Technical Representative Will Have To Be Borne By Client.

7) Validity

- Our Offer Is Valid For Your Acceptance For A Period Of 6 Months From The Date; Thereafter It Will Be Subject To Confirmation By Us.
- 8) Image:-Images Are For Representation Purpose Only.
- 9) Jurisdiction:-All Terms Subject To Rajkot, Gujarat Jurisdiction

2500 Liter / Batch Beer Production Plant

Water Technology (Guj.) Pvt. Ltd

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE : 116-D, Govt. Industrial Estate, Charkop, Kandiwali (West), Mumbai - 400067,

Maharashtra. Cell : <u>+91 73595 95577</u> E-mail: sales@rajwater.com info@rajwater.com AHMEDABAD OFFICE B/9, Sumel-7, Business Park, Opp. Soni ni Chal,

BRTS Bus Stop, N.H.-8 Ahmedabad - 382325. Cell : +91 70432 55777 E-mail : sales@rajwater.com

HEAD OFFICE :

1

HEAD OFFICE:
Plot No.: 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : +91 281 - 2922777
Telefax : +91 281 - 2922481
Cell : +91 74050 50444 / +91 70439 55777

Website:

www.rajwater.com sales@rajwater.com / info@rajwater.com

Malt miller

1.Production capacity:800Kg/h

2. Type: Double roller, roller material: high alloy.

3. Include motor, belt pulley and belt etc.

4.Material: carbon steel

5.Brand:Xinwei



Brew House System

1.Mash tun

1.Effective Capacity: 2500L;Total

Capacity:3250L

2.Boundary dimension:φ1960×1800mm

3.Insulation:rock wool

4.Insulation thickness:80mm

5.Interior thickness:3mm

6.Exterior thickness:2mm

7. Mechanical agitation: frequency

control, Danfoss. Top with mixing device

8.Heating:Steam Heating,heating area:4m2

9. Dished top; Top mounted manhole

10.Belt graduation display Level gauge

11.CIP 360° rotary spray device, 2 for each tun

12.Temperature sensor

13.Material: SUS304,Brushed outer shell

14. Plate Surface protection, ribbon polished on

15.100%TIG welding with pure argon gas

shield

16.4pcs completely SUS304 heavy duty legs

with leveling pad

17.Outdoor seam exhaust device

18. With all matched valves and accessories

1



Water Technology (Guj.) Pvt. Ltd

HEAD OFFICE :

HEAD OFFICE:
Plot No.: 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : +91 281 - 2922777
Telefax : +91 281 - 2922481
Cell : +91 74050 50444 / +91 70439 55777

Website:

www.rajwater.com sales@rajwater.com / info@rajwater.com

MUMBAI OFFICE : 116-D, Govt. Industrial Estate, Charkop, Kandiwali (West), Mumbai - 400067,

GSTIN: 24AAECR3013M1ZJ

2.Lauter tun

Maharashtra. Cell : <u>+91 73595 95577</u> E-mail: sales@rajwater.com info@rajwater.com

1.Effective Capacity: 2500L;Total

Capacity:3250L

2.Boundary dimension: φ1960×2480

3.Insulation: rock wool 4.Insulation thickness:80mm 5.Interior thickness:3mm:Exterior

thickness:2mm

6.Mechanical agitation:frequency

control, Danfoss.

Agitator with the possibility to turn the other

AHMEDABAD OFFICE

B/9, Sumel-7, Business Park, Opp. Soni ni Chal,

BRTS Bus Stop, N.H.-8 Ahmedabad - 382325. Cell : +91 70432 55777 E-mail : sales@rajwater.com

way around to sweep.

7. Dished top; Top mounted manhole 8.Belt graduation display Level gauge

9.CIP 360° rotary spray device, 2 for each tun 10. Milling sieve plate, max 0,7mm holes, no

11. Side spent grain door, the lid with the double hinge; a small plate at the bottom of the side door.

12. Material: SUS304, Brushed outer shell

13. Plate Surface protection, ribbon polished on

14.100%TIG welding with pure argon gas shield

15.4pcs completely SUS304 heavy duty legs with leveling pad

17. With all matched valves and accessories

1



Water Technology (Guj.) Pvt. Ltd

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE : MUMBAI OFFICE:
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell: ±91.73595.95577
E-mail: sales@rajwater.com
info@rajwater.com

AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell: ±91 70432 55777
E-mail: sales@rajwater.com
info@rajwater.com

3.Kettle/whirlpool tun	1.Effective Capacity: 2500L;Total Capacity:3250L 2.Boundary dimension:\(\phi 1960 \times 2480 \) 3.Insulation:rock wool 4.Insulation thickness:80mm 5.Interior thickness:3mm 6.Exterior thickness:2mm 7.Can be seen as a hot water tank, 1°C raised in 1 min. 8.Heating:Steam Heating, heating area:1.8m2 9.Dished top; Top mounted manhole 10.Belt graduation display Level gauge 11.CIP 360°rotary spray device,2 for each tun 12.Temperature sensor 13.Material: SUS304,Brushed outer shell 14.Plate Surface protection, ribbon polished on welds 15.100%TIG welding with pure argon gas shield 16.4pcs completely SUS304 heavy duty legs with leveling pad 17.Outdoor seam exhaust device 18.With all matched valves and accessories	1	
4.Wort pump	1.Flux:5m3/h,lift pump:18m 2.Type :Sanitary Centrifugal pump,frequency control,Danfoss.Half open pump, malt and wort can be pumped at the same time 3.Temperature resistance:120°C inletφ38,outletφ32,clamp connection 4.Material:Sanitary SUS304 5.Brand:YUY	2	

Water Technology (Guj.) Pvt. Ltd

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE : MUMBAI OFFICE:
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell: ±91.73595.95577
E-mail: sales@rajwater.com
info@rajwater.com

AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : +91 70432 55777
E-mail: sales@rajwater.com
info@rajwater.com

5.Heat exchanger	1.Effective cooling area:14m2 2.Two stage for city water and ice water 3.Material:SUS304,plate Heat exchanger 4.Ice water inlet/outlet,water inlet,water outlet:clamp connecting 5.Brand:Taineng	1	
6.Gas steam generator	Brand: Huazheng Origin: China Rated steam capacity:300kg/h Rated working pressure:0.7MPa Natural gas consumption:24m2 LPG: 19.8kg/H Power of water pump:1.1kw Boundary dimension: 1120*1370*2120mm Weight:1070kg Working voltage:AC380V50Hz Thermal Efficiency:89-93% Head of tube plate:8=12mm Steam outlet:DN40 Blowdown/drain:DN32 Water inlet:DN25 Safety valve:DN40	1	

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE:
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell: ±91.73595.95577
E-mail: sales@rajwater.com
info@rajwater.com

MUMBAI OFFICE :

II Shree Umiya Matay Namah II

AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell: ±91.70432.55777
E-mail: sales@rajwater.com
info@rajwater.com

Water Technology (Guj.) Pvt. Ltd

HEAD OFFICE:
Plot No.: 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : +91 281 - 2922777
Telefax : +91 281 - 2922481
Cell : +91 74050 50444 / +91 70439 55777
Website : www.rajwater.com

www.rajwater.com sales@rajwater.com / info@rajwater.com

7.Hot water tank	5000L φ2260*H2400	1	
8.Hot water Pump	1.Flux:5m3/h,lift pump:18m 2.Type :Sanitary Centrifugal pump,frequency control,Danfoss.Half open pump, malt and wort can be pumped at the same time 3.Temperature resistance:120°C inletφ38,outletφ32,clamp connection 4.Material:Sanitary SUS304 5.Brand:YUY	1	
9.Pipeline of Mash Combination	Sanitary valves and piping, Clamp connecting, Material:SUS304 Complete valves, fittings and all parts Every weld to a smooth sanitary finish (Butterfly valve,Solenoid valve,Steam trap,Pipeline sight glass etc.)	1set	
10.Wort Thermograph	WNG/WNY(0~100°C), Glass, Stainless steel casing tube thermometer	1pcs	
11.Venturi pipe cross (Wort oxygenator)	φ32, Material:SUS304	1set	
12.Measurement tube	φ32 L=350, Material:SUS304	1pcs	
13.Sugar Meter	10°,20°, Material:Glass	2 for each	
14.Grain Rake	L=1500, Material:SUS304	1pcs	

Water Technology (Guj.) Pvt. Ltd

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE : MUMBAI OFFICE:
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell: ±91.73595.95577
E-mail: sales@rajwater.com
info@rajwater.com

AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell: ±91 70432 55777
E-mail: sales@rajwater.com
info@rajwater.com

HEAD OFFICE:
Plot No.: 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : +91 281 - 2922777
Telefax : +91 281 - 2922481
Cell : +91 74050 50444 / +91 70439 55777
Website : www.rajwater.com

www.rajwater.com sales@rajwater.com / info@rajwater.com

15.Titanium stick	φ22×125	1pcs	
16.CIP 360°rotary spray device	Spraying Balls 360°comprehensive cleaning	matching	
17.Work Platform	Matched with the equipment, Material:SUS304,Brushed surface,Floor with holes ;stairs can be attached and removed. With bolts or hooks. Including leveling feet	1set	
3.Fermenting Syste	em		
1.Fermentation Tank (Uni-tank)	1.Effective Capacity: 5000L;Total Capacity:6520L 2.Boundary Dimension:φ2100*3900mm 3.Dimple plate cooling jacket,Dual glycol zoned jacket:1.5mm,Cooling area:9m2 4.Insulation:polyurethane. 5.Insulation thickness:100mm 6.Interior thickness:3mm 7.Exterior thickness:2mm 8.Dished head and taper angle 60° 9.Side man way 10.CIP 360° rotary spray device 11.Inner tank mechanical polishing and out Plate Surface protection ribbon polished on welds. 12.Double in/outlet 13. With carbon stone connection 14.With Solenoid valve,breathing valve,mechanical pressure regulating valve,sampling valve and accessories matched 15.Material: SUS304,Brushed outer shell	8	
2.Yeast adding Tank	50SUS304	1	

II Shree Umiya Matay Namah II

Water Technology (Guj.) Pvt. Ltd

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE : MUMBAI OFFICE:
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell: ±91.73595.95577
E-mail: sales@rajwater.com
info@rajwater.com

AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell: ±91.70432.55777
E-mail: sales@rajwater.com
info@rajwater.com

HEAD OFFICE:
Plot No.: 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : +91 281 - 2922777
Telefax : +91 281 - 2922481
Cell : +91 74050 50444 / +91 70439 55777
Website : www.rajwater.com

www.rajwater.com sales@rajwater.com / info@rajwater.com

3.Sanitation grade hose	Φ32 internal diameter, L=20m/pcs Material:Foodstuff rubber, Brand:Lanshell (Blue food hose LSFSD, with stainless steel links)	2pcs	
4.Cold media Pipeline,Valve	φ32/φ25; With Pipeline,Valves(Manual butterfly valve,ball valve,pipes and fittings) Material:PPR Assorted to the whole system	1set	308
5.Insulation Pipeline,Valve	φ32/φ25(internal diameter), With PAP plate,Adhesive tape; Material:Polyethylene Assorted to the whole system	1set	
6.CIP 360°rotary spray device	Spraying Balls 360° comprehensive cleaning	matching	
Cooling System			
1.Chiller Machine	1.Cooling Capacity:15HP,assembling unit,R407C 2.Glycol water chilling,glycol % = 30%, so the liquid will not freeze	2	

Water Technology (Guj.) Pvt. Ltd

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE : MUMBAI OFFICE:
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell: +91.73595.95577
E-mail: sales@rajwater.com
info@rajwater.com

AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell: ±91.70432.55777
E-mail: sales@rajwater.com
info@rajwater.com

HEAD OFFICE:
Plot No.: 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : +91 281 - 2922777
Telefax : +91 281 - 2922481
Cell : +91 74050 50444 / +91 70439 55777
Website: www.rajwater.com
Email : sales@rajwater.com / info@rajwater.com

1.Sterilize Tank	1.Effective volume:200L 2.Body Thickness:2mm 3.Lid with a hinge.Outer Plate Surface	1	
CIP system		I	
5.Insulation Pipeline	φ32 internal diameter Material:Polyethylene Assorted to the whole system	1set	
4.Cold media Pipeline	φ32/φ25 Material:PPR/SUS304 Assorted to the whole system	1set	338
3.Ice water Pump	1.Flux:5m3/h,lift pump:25m 2.Type :Sanitary Centrifugal pump 3.Temperature resistance:120°C inletφ38,outletφ32,clamp connection 4.Material:Sanitary SUS304 5.Brand:YUY	1	
2.Ice water tank	1.Effective Capacity:7500L;Total Capacity:8300L 2.Boundary dimension:φ2200×3560 3.Insulation:polyurethane;TH=80mm 4.Interior Shell: SUS 304 full welded;TH=3mm 5.Exterior Shell: SUS 304 full welded;TH=2mm 6.Inner tank mechanical polishing and out Plate 7.Surface protection ribbon polished on welds 8.100%TIG welding with pure argon gas shield 9.Material:SUS304,Brushed outer shell	1	

protection, welding line Polished 4.Material:SUS304,Brushed outer shell

5. With valves and accessories

GSTIN: 24AAECR3013M1ZJ

116-D, Govt. Industrial Estate, Charkop, Kandiwali (West), Mumbai - 400067,

Mumbai - 400067, Maharashtra. Cell : <u>+91 73595 95577</u> E-mail : <u>sales@rajwater.com</u> info@rajwater.com

MUMBAI OFFICE :

II Shree Umiya Matay Namah II

AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell: ±91.70432.55777
E-mail: sales@rajwater.com
info@rajwater.com

Water Technology (Guj.) Pvt. Ltd

HEAD OFFICE :

HEAD OFFICE:
Plot No.: 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road, Rajkot - 360004.
Tel : +91 281 - 2922777
Telefax: +91 281 - 2922481
Cell: +91 74050 50444 / +91 70439 55777
Website: www.rajwater.com
Email: sales@rajwater.com / info@rajwater.com

1set

2.Alkali liquor	1.Effective volume:200L	1	
Tank	2.Body Thickness:2mm		
	3.Electric heating,4KW		
	4.Lid with a hinge.Outer Plate Surface		
	protection, welding line Polished		
	5.Material:SUS304,Brushed outer shell		
	6.With valves and accessories		
	7.CIP trolley Dimension:2000×700,Frame		
	trolley(Open trolley no plate)		
3.Washing pump	1.Flux 3m3/h,lift pump:18m 2.Type :Sanitary Centrifugal pump 3.Temperature resistance:120°C Inletφ38,outletφ32,clamp connection 1.Material: SUS304 5.Brand:YUY	1	
4.Pipeline,Valve S	Assorted to the whole system, Material:Sanitary SUS304	1set	THE SECOND
5.Control box	Adjustable temperature control by thermostat Material:spraying plastic Matched with the CIP trolley	1pcs	
6.wired hose	φ32 L=1.5m,with φ32 Stainless steel rubber	1pcs	

Control system

Control	PLC,including power control
Cabinet Material: spraying plastic	
	Temperature control and display
	Power centralized control
	Materila:PVC
	Assorted to the whole system
	•

hose connecter and Pipe clamp,

material:foodstuff hose



II Shree Umiya Matay Namah II

Water Technology (Guj.) Pvt. Ltd

GSTIN: 24AAECR3013M1ZJ

MUMBAI OFFICE : MUMBAI OFFICE:
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell: ±91.73595.95577
E-mail: sales@rajwater.com
info@rajwater.com

AHMEDABAD OFFICE:
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell: ±91 70432 55777
E-mail: sales@rajwater.com
info@rajwater.com