



Decide with Confidence



9001:2015



14001:2015

II Shree Umiya Matay Namah II



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

Date :- 22th December 2019

Sunday

Quotation No :- RW/2019-20/Q_1555/R_22

Concern Person :- Mr. Samir

Company Name :- New Africa Beverages

Concern Number :- +264813664466

Email Id :- samir.alaudin@gmail.com

Address :- P. O. Box 2010, Oshakati.
Namibia.

Quotation For Tomato & Juice Filing Line

Dear Sir ,

We are pleased to enclose our detailed Techno-Commercial offer, based on your requirement.

❖ Contents of the Quotation

- Commercial Proposal
- Terms & Condition
- Technical Specification for each product

❖ Machinery Offer

- Carbonated Soda Soft Drink Project

We hope the same is in line with your requirement. We shall gladly assist you in case you need any further clarification or information.

With warm Regards,

For , Raj Water Technology (Guj.) Pvt. Ltd.

Dharti Patel

Designation : Marketing Asst. Manager

Mobile : 0281613154



Decide with Confidence



9001:2015



14001:2015

॥ Shree Umiya Matay Namah ॥



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.


MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

Raj, with its modern setup, is a one stop shop for water, juice and soft drink solutions. Believing that infrastructure and technology are must haves to meet high quality standards, the company fulfils the customer requirements and expectations with utmost care.

PRODUCT CATEGORIES:



SERVICES:

- Plant Layout Planning & Consultancy.
- 24 X 7 Sales & Marketing team available for Customer care.
- Equipment selection, sales & service.
- Equipment Training.
- Spares & Accessories.

WHY WORK WITH US?

- Vast Experience of in-house Manufacturing & Research with.
- Customization of all type of water treatment projects.
- Comprehensive Product & Services Portfolio.
- Modern and advanced technology and equipment with High Quality.
- Superior quality & Affordable price.
- Prompt after Sales Service & Support.
- Streamlined Processes.

Core Purpose

To build success stories of people by providing unlimited opportunities through innovative solutions.

Core Value

- 1) Hard Work
- 2) Customer Delight
- 3) Continuous Research & Improvement
- 4) Social Responsibility

Our Vision

To Implement Great Practices of Reliance and become 1000 Cr. Turnover Company by 2026.



Decide with Confidence



9001:2015



14001:2015

II Shree Umiya Matay Namah II



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :

116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.

Cell : [+91 73595 95577](tel:+917359595577)E-mail : info@rajwater.com**AHMEDABAD OFFICE :**

B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.

Cell : [+91 70432 55777](tel:+917043255777)E-mail : export@rajwater.com**HEAD OFFICE :**

Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.

Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)Website : www.rajwater.comEmail : inquiry@rajwater.com / sales@rajwater.com

Commercial Proposal

Sr No.	Equipment Name	Qty	Basic Rate	Amount
1.	FRUIT & VEGETABLE WASHER: Suitable for washing the various solid fruits & vegetables. The product is dumped into the washer where an air blower attached to the unit will agitate it and subsequently wash it by a strong water spray. The product will be subject to four stages of washing. a) Soaking into the water. b) Agitation in the water. c) Subjecting to strong water spray. d) Draining after washing. The body of the unit is made out of S.S. 304 and the unit is complete with drive mechanism, a take-off conveyor for conveying the fruits/vegetables and draining the water while conveying. The conveyor is designed in such a way so that the product should not go sideways. The unit is also provided with a turbine blower, pump, suitable pipeline, geared motor etc. Electric Power: 7 HP	1	725000.00	725000.00
2.	THREE WAY INSPECTION CUM PREPARATION CONVEYOR: Suitable for inspection and preparation of fruits & vegetables. The conveyor will be of flat belt type 900 mm wide and approximately 5 mtr. long. The unit will be fitted with a food grade belt, S.S. body, S.S. waste collection pockets, S.S. feed & discharge chute, S.S. partition guide to divide the conveyor in 3 lanes, S.S. drive & driven roller, suitable drive system etc. In order to vary the speed an A.C. variable drive is provided. Electric Power: 1 HP.	1	425000.00	425000.00
3.	ELEVATOR: Fitted with plastic modular belt, suitable to receive the prepared product and feed the same to the hot break system. The discharge height of the elevator will be matching with the feed height of crusher of the hot break	1	595000.00	595000.00



Decide with Confidence



9001:2015



14001:2015

II Shree Umiya Matay Namah II



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :

116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.

Cell : [+91 73595 95577](tel:+917359595577)E-mail : info@rajwater.com

AHMEDABAD OFFICE :

B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.

Cell : [+91 70432 55777](tel:+917043255777)E-mail : export@rajwater.com

HEAD OFFICE :

Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.

Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)Website : www.rajwater.comEmail : inquiry@rajwater.com / sales@rajwater.com

	system.			
	SPECIAL FEATURES: <ol style="list-style-type: none"> The belt will be modular plastic belt of reputed make The body of the elevator will be made out of S.S. Adequate support structure for the belt on the carry way and return way will be provided The feed and discharge hoppers will be of S.S. 304.			
	Electric Power: 1 HP.			
4.	HOT BREAK SYSTEM: Suitable to chop the tomato and raise the temperature instantaneously to 90° C. The system consists of the following:	1	1100000.00	1100000.00
	a) Tomato Crusher: With all contact parts in S.S., the machine is suitable for crushing tomatoes. The machine will be complete with S.S. crushing chamber, S.S. feed hopper, S.S. discharge outlet, suitable motor etc.	1		
	b) S.S. Tank: The tank is conical bottom, dishendtop type. The tank will be provided with inlet & outlet connection for product circulation, an inlet for crushed tomatoes, main hole, vapour outlet connection and other necessary fittings like sight glass, temperature indicator etc.	1		
	c) S.S. Product Circulation Pump: Suitable to handle the above crushed tomato without damaging the seeds. The pump is of high discharge capacity so as to heat the product instantaneously. The pump will be fitted with suitable motor	1		
	d) Heat Exchanger: Shell & tube type. The tubes will be SS 304 while the shell will be in m.s. Suitably insulated and covered with S. S. sheeting. All other contact parts will be made out of S.S.304. The heat exchanger will be complete with fittings like pressure gauge, air vent, safety valve, steam inlet valve, steam condensate assembly, temperature indicator to indicate outlet temperature etc.	1		



Decide with Confidence



9001:2015



14001:2015

II Shree Umiya Matay Namah II



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :

116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.

Cell : [+91 73595 95577](tel:+917359595577)E-mail : info@rajwater.com**AHMEDABAD OFFICE :**

B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.

Cell : [+91 70432 55777](tel:+917043255777)E-mail : export@rajwater.com**HEAD OFFICE :**

Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.

Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)Website : www.rajwater.comEmail : inquiry@rajwater.com / sales@rajwater.com

	e) Control System: i) The unit is provided with suitable control system so as to feed the pulper with required quantity of product at the right temperature.	1		
	ii) Automatic temperature control system to control the steam in order to maintain the temperature of the product.			
	f) Interconnecting Pipeline	1		
	g) Structure: For the above unit made out of m.s. channels, angles etc.	1		
	Electric Power: 8.5 HP			
5.	PULPER (SINGLE STAGE): Suitable for pulping of fruits and vegetables. The body of the unit is made of SS square pipes. The unit consists of a single stage pulping unit. For the 3 units the sieve sizes will be different. It consists of a S.S. sieve, S.S. beater blades, brushes, S.S. feed hopper, S.S. collection hopper etc. The unit is provided with top openable covers for easy settings of blades/brushes and also for easy cleaning and maintenance. Suitable drive system is provided with motor, pulley, bearings etc. The contact parts of the machine will be in S.S. 304. Electric Power: 5 HP / 3 HP	3	375000.00	1125000.00
6.	PULP COLLECTION TANK: Rectangular sloped bottom type suitable for collection of the pulp from the pulper. The tank will be made out of S.S. 304 sheet and will be mounted on a S.S. rectangular pipe framework. The top portion of the tank will be of folded construction. The unit will be provided with a outlet pipe fitted with the female part of SMS union.	3	75000.00	225000.00
7.	PULP TRANSFER PUMP: With all contact parts in S.S./food grade rubber suitable for pumping the pulp from collection tank to the mixing tank. The pump will be fitted with motor.	3	85000.00	255000.00



Decide with Confidence



9001:2015



14001:2015

II Shree Umiya Matay Namah II



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :

116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.

Cell : [+91 73595 95577](tel:+917359595577)E-mail : info@rajwater.com

AHMEDABAD OFFICE :

B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.

Cell : [+91 70432 55777](tel:+917043255777)E-mail : export@rajwater.com

HEAD OFFICE :

Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.

Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)Website : www.rajwater.comEmail : inquiry@rajwater.com / sales@rajwater.com

	Capacity: Upto 1000 liters/hour. Electric Power: 1 HP.			
8.	HOLDING TANK: Suitable for holding the pulp after the product passes through the pulpers. The tank is cylindrical type with conical bottom and made of SS 304. Legs of the tank are made of SS pipes. Outlet connection is provided to the tank to transfer the material to the next machine. Holding capacity: 1000 liters	1	225000.00	225000.00
9.	SCREW PUMP: To transfer the pulp from the holding tank to the spray dryer. The pump is similar to the other pumps quoted as part of this offer.	1	85000.00	85000.00
10.	JACKETED TANK WITH STIRRER & INSULATION: Suitable for heating and concentration of the product before feeding it to the spray dryer. The unit consists of a cylindrical tank with dish end bottom made out of SS 304. The tank is heated using steam as a heating medium and a jacket is provided for the same. The tank is insulated from outside with glass wool and the insulation material is covered with SS 304 sheets. The tank is provided with a slow speed stirrer with scrapers attached to it. Holding capacity: 1000 liters Electric Power: 5 HP Note: We are not including the structure of the machine as part of this offer.	2	750000.00	1500000.00
11.	S.S. PIPELINES & FITTINGS: Wherever necessary, to interconnect the various equipments offered above. It consists of the following: <ol style="list-style-type: none"> 1. SS pipes 2. SS Valves 3. SS Bends 	1	225000.00	225000.00



Decide with Confidence



9001:2015



14001:2015

II Shree Umiya Matay Namah II



GSTIN : 24AAECR3013M1ZJ

Water Technology (Guj.) Pvt. Ltd.

MUMBAI OFFICE :
116-D, Govt. Industrial Estate,
Charkop, Kandiwali (West),
Mumbai - 400067,
Maharashtra.
Cell : [+91 73595 95577](tel:+917359595577)
E-mail : info@rajwater.com

AHMEDABAD OFFICE :
B/9, Sumel-7, Business Park,
Opp. Soni ni Chal,
BRTS Bus Stop, N.H.-8
Ahmedabad - 382325.
Cell : [+91 70432 55777](tel:+917043255777)
E-mail : export@rajwater.com

HEAD OFFICE :
Plot No. : 27, Survey No. 47, Jivraj Industrial Area,
Nr. Falcon Pump, Vavdi, Gondal Road,
Rajkot - 360004. (Guj.) India.
Cell : [+91 74050 50444](tel:+917405050444) / [+91 70439 55777](tel:+917043955777)
Website : www.rajwater.com
Email : inquiry@rajwater.com / sales@rajwater.com

	SS unions etc.			
12.	CONTROL PANEL: Common operating panel to control the operations of the machines mentioned above. The panel consists of the following: <ol style="list-style-type: none"> 1. Starters & MCBs 2. VFDs wherever required 3. Emergency stop button Mimic diagram of plant	1	275000.00	275000.00
13.	ERECTION & COMMISSIONING Supervisory service charges of our technicians for erection and commissioning of equipment quoted above, coming under our scope of supply, for a maximum period of 5 days or part thereof. This service will be supervisory in nature and all tools, tackles, manpower, utility connections, product line connections, workshop facilities, foundations, civil engineering work etc. are to be provided by you free of cost as per the requirement of our technical personnel. In addition to the above, you will have to bear their following expenses: <ol style="list-style-type: none"> 1. To & fro AC class rail fare 2. Lodging & boarding expenses 3. Local conveyance expenses In case the additional days are required, the same will be charged to you on pro-rata basis.	LS	125000.00	125000.00
	Total Amount in Words :- Sixty Eight Lakh Eighty Five Thousand		Total Amount	₹ 68,85,000.00