

SUPER RESOLUTION FOR IMAGES USING MACHINE LEARNING

Abstract— The field of computer vision relies heavily on techniques like image super-resolution (SR) to increase the pixel count of still images and moving films. Super-resolution imaging with the aid of deep learning methods has made incredible strides in recent years. The purpose of this article is to survey the state of the art in super-resolution imaging utilizing deep learning techniques. Supervised SR, unsupervised SR and domain-specific SR are the three main types of SR research that have been conducted thus far. We also discuss other relevant topics, including publicly available benchmark datasets and measures for assessing performance. In the end, we conclude this study by pointing out a number of potential future avenues of exploration and unresolved concerns that the community at large should work to resolve.

Keywords— computer vision, super-resolution, style, styling, insert (key words)


Introduction

In the context of photographs, "super-resolution" refers to either the process of enlarging low-resolution images with minimal loss of quality or the process of restoring high-resolution images from the rich features gained in low-resolution images. Because of the existence of multiple solutions, this problem is extremely difficult to solve for any given low-resolution image. fields can benefit from this, including analysis of satellite and aerial images, processing of medical images, improvement of compressed images and videos, etc. If you have a low-resolution

image, you can use this method to recover or restore a high-resolution version of it. Noise removal, upscaling, and modified hues are just a few of the various methods used to improve images. In this post, we'll go through how to improve low-resolution photographs by using a deep network in conjunction with an adversarial network (Generative Adversarial Networks) to create high-resolution images. Our primary goal is to up-scale low-resolution photos to a higher resolution without losing texture quality in order to recreate super-resolution (SR) images. Images with faults such as jpeg compression, tears, folds, and other damage can be restored using a model that has been trained for super-resolution, as the model will already have a super-resolution fix element, such as materials, fur, or an eye, should look. Image inpainting is the technique of digitally editing a photo to fix flaws like a wire fence that wasn't originally there. It is typical practice to remove parts of the image before training the model, and then have it reconstruct those areas based on its existing understanding of the whole. As a general rule, inpainting images requires a lot of time and effort when done by a human with skill.

The resolution of a digital image is defined as the pixel density (or PPI) of the image. Increasing the pixel count of a high-resolution version of a low-resolution image (or signal, such as a video sequence) is known as super-resolution (SR) (s). When you zoom closer on a digital photo, for instance, you'll notice that the details start to fade. This is due to the

fact that linear interpolation cannot provide a high enough pixel density in the enlarged region to depict a clear image. This is an illustration of how SR attempts to derive the HR image from the given LR image: Since Deep Learning algorithms can automatically extract features, they have been crucial in advancing Super-Resolution technology. In fact, recent work has sought to minimize the usage of high-resolution photos as basic truths while training neural networks.



Improving an image's resolution is what's meant by the term "Super-Resolution," which was introduced earlier. So, let's say we start with a 64x64 pixel image and super-resolve it to a 256x256 pixel image. Since the image's spatial dimensions (its height and width) are increased by a factor of four, this procedure is referred to as 4x up sampling. It is possible to mathematically model a Low Resolution (LR) image from a High Resolution (HR) image using a degradation function (δ) and a noise component (η) as shown below.

$$I_{LR} = \delta(I_{HR}, \eta)$$

MOTIVATION

It's common knowledge that enlarging or zooming in on an image causes it to distort and blur the details, making it impossible to make out what's going on in the picture. As a result, we've been working on a system to enable us to view larger, higher-resolution photos. The goal of this project is to

create a system that, given a low-resolution input image, will output a high-resolution version. This will be accessible as a web app, with a user interface through which one may upload a low-resolution image, receive a super-resolution image in return, and then download both the original and the expanded version., and rms do not have to be defined. Do not use abbreviations in the title or heads unless they are unavoidable.

Major contributions

1. We provide an in-depth analysis of deep learning-based image SR approaches, covering a wide range of topics in the field, from problem settings and benchmark datasets to performance measures, a family of SR methods that incorporates deep learning, domain-specific SR applications, and more.
2. We present a hierarchical and structural overview of the most recent advances in deep learning based SR techniques, summarizing the benefits and drawbacks of each part of an efficient SR solution.
3. In order to give the community useful advice, we talk about the problems and questions that still need answers, as well as the emerging trends and potential paths forward.

Objective


- To obtain a crucial component of our product is the clarity of the provided photographs when they are zoomed in or magnified. Our approach uses deep neural networks to simplify this process. The user

will be able to access super-resolution photographs at any time from any location with the aid of this initiative.

Literature Review

Creating a CNN to improve the resolution of CT scans is an ongoing project. With the help of the modified U-Net, the network is able to learn an end-to-end mapping between images of low (thick-slice thickness) and high (thin-slice thickness) resolution. Using preexisting thin-slice CT images averaged in the axial direction as input and their central slice as label, we train and test a convolutional neural network (CNN) to validate the suggested technique. A total of 52 CT studies are utilized to train the CNN, whereas 13 CT studies are used for testing. To verify the reliability of the results, we employ a cross-validation procedure with a depth of five. 7670 total slices are used to train the CNN because all input and output images are in this format. We evaluate the suggested method's efficacy by looking at its resolution, contrast, and noise features. CNN may produce output visuals that are nearly indistinguishable from the real thing. Deblurring of bone features and air voids is the most notable enhancement in picture recovery made by CNN. The CNN output has a normalized root mean square error that is 10% lower than the input and a peak signal-to-noise ratio that is 10% greater (thicker slices). We find that the CNN's output noise level is comparable to the result of iterative picture reconstruction and lower than the ground truth. Super-resolution and noise reduction can both benefit from the proposed deep learning approach.

Methodology



Datasets for Super-resolution

Different datasets for picture super-resolution exist today, each with its own unique characteristics in terms of image quantity, image quality, resolution, diversity, etc. In the case of the latter, the LR pictures are commonly generated via the imresize function in MATLAB with the default options (i.e., bicubic interpolation with anti-aliasing). In Table 1, we provide a variety of picture datasets that are widely utilized by the SR community, along with details about each one, including the number of high-resolution images (HR), the average resolution (AR), the number of pixels (PP), the image formats (IF), and the category keywords (KW).

Dataset	Amount	Avg. Resolution	Avg. Pixels	Format	Category Keywords
BSDS300 [40]	300	(435, 367)	154, 401	JPG	animal, building, food, landscape, people, plant, etc.
BSDS500 [41]	500	(432, 370)	154, 401	JPG	animal, building, food, landscape, people, plant, etc.
DIV2K [42]	1000	(1972, 1437)	2, 793, 250	PNG	environment, flora, fauna, handmade object, people, scenery, etc.
General-100 [43]	100	(435, 381)	181, 108	BMP	animal, daily necessity, food, people, plant, texture, etc.
120 [44]	20	(3843, 2870)	11, 577, 492	PNG	animal, building, landscape, people, plant, etc.
Manga109 [45]	109	(826, 1169)	966, 011	PNG	manga volume
OutdoorScene [46]	10624	(553, 440)	249, 593	PNG	animal, building, grass, mountain, plant, sky, water
PIRM [47]	200	(617, 482)	292, 021	PNG	environments, flora, natural scenery, objects, people, etc.
Set5 [48]	5	(313, 336)	113, 491	PNG	baby, bird, butterfly, head, woman
Set14 [49]	14	(492, 446)	230, 203	PNG	humans, animals, insects, flowers, vegetables, comic, slides, etc.
T91 [21]	91	(264, 204)	58, 853	PNG	cat, flower, fruit, human face, etc.
Urban100 [50]	100	(984, 797)	774, 314	PNG	architecture, city, structure, urban, etc.

Image Quality Assessment

Picture quality is concerned with how viewers perceive various aspects of an image. There are two main types of image quality assessment (IQA) techniques: those that rely on human perception (how realistic the image appears) and those that rely on computation. Even while the former is better suitable to our requirements, it is typically more time-consuming and costly than the latter, which has led to the latter's current dominance. However, there aren't always consistent or inconsistent different methods due to the fact that objective methods typically fail to adequately represent human visual perception. There are three subcategories of objective IQA approaches full-reference approaches, which conduct an assessment using reference images; reduced-reference approaches, which are based on comparisons of extracted features; and no-reference approaches, also known as blind IQA, which do not use reference images at all. The next section will introduce a variety of popular IQA techniques, both subjective and objective.

$$PSNR = 10 \cdot \log_{10} \left(\frac{L^2}{\frac{1}{n} \sum_{i=1}^N (I(i) - \hat{I}(i))^2} \right)$$

where L , in most 8-bit representations, is equal to 255.

Poor performance in portraying the reconstruction quality in real situations, where we are typically more concerned with human perceptions, can be attributed to the PSNR's one-to-one relationship with the pixel-level MSE. However, PSNR is still now the most often utilized evaluation criterion for SR models due to the need to compare with literature research and the absence of entirely precise perceptual measures.

Operating Channels

For SR, the YCbCr color format is just as popular as the more standard RGB color scheme. The Y, Cb, and Cr channels stand for the brightness, blue-difference, and red-difference chroma components of an image in this coordinate system. The Y channel of YCbCr space was favored by early models, but the RGB channels were favored by more contemporary models for both performance and evaluation of super-resolution. It's important to keep in mind that the evaluation results can vary substantially depending on whether the operation was performed (training or evaluation) on the same colour space or the same set of channels (up to 4 dB).

Super-resolution Challenges

The NTIRE Challenge. Several challenges, such as SR, denoising, and colorization, are part of the New Trends in Image Restoration and Enhancement (NTIRE) competition, which is held in conjunction with CVPR. The DIV2K dataset forms the foundation for the NTIRE challenge for image SR, which features bicubic downscaling tracks and blind tracks with realistic unknown degradation. Each of these routes takes a somewhat different tack toward advancing SR study in both ideal and real-world challenging settings by introducing varying degrees of degradation and scaling. Throw down the PIRM! ECCV's companion challenge event, Perceptual Image Restoration and Manipulation (PIRM), features a wide variety of objectives. One problem of PIRM, in contrast to NTIRE, centres on balancing generation accuracy and perceptual quality. The topic of SR on mobile devices is the main subject of the other.

It is generally known that models that aim for distortion often produce aesthetically unpleasant outcomes, whereas models that aim for perceptual quality do poorly in terms of

information fidelity. In particular, the PIRM used root-mean-squared error limits to partition the perception-distortion plane into three zones (RMSE). The method that maximizes perceptual quality as measured by NIQE and Ma is the winner in that region. In contrast, participants in the SR on smartphones sub-challenge [81] are tasked with carrying out SR using only the resources available on their smartphones, which may include CPU, GPU, RAM, and more. In this way, PIRM promotes cutting-edge study of the perception-distortion trade-off and pushes for lightweight and efficient image augmentation on smartphones.

SUPERVISED SUPER-RESOLUTION

How to accomplish upsampling (i.e., generate HR output from LR input) is the essential issue since image super-resolution is an ill-posed problem. Even while existing models' designs differ greatly from one another, they can be classified into one of four model frameworks depending on the upsampling techniques used and where in the model they are implemented.

Pre-upsampling Super-resolution

Since it is challenging to directly learn the mapping from low-dimensional to high-dimensional space, it is straightforward to obtain higher-resolution images by conventional upsampling procedures and then refine them via deep neural networks. Dong et al. take this into account by first adopting the pre-upsampling SR framework and then proposing SRCNN to learn a full mapping from interpolated LR pictures to HR images.

To rebuild high-quality details, first the LR images are upsampled to coarse HR images of the necessary size using

conventional methods (such as bicubic interpolation), and then the deep CNNs are applied to these images. Now that the most time-consuming part of the upsampling process has been over, CNNs just need to polish the rough versions of the images, making their job much easier. Furthermore, these models accept as input interpolated images of variable sizes and scaling factors, producing refined results with performance comparable to single-scale SR models. As a result, it has grown to become one of the most widely used frameworks, with the primary distinctions between them lying in their posterior model designs and respective learning methodologies. Predefined upsampling, however, typically has side effects (such as noise amplification and blurring), and since most operations are conducted in high-dimensional space, the cost of time and space is significantly higher than in other frameworks.

Data Description

The DIV2K dataset is the one we used for our study. We are making public a sizable, newly compiled collection of RGB photographs with a wide variety of content called DIV2K.

The DIV2K dataset is divided into:

- Train data: We create equivalent low-resolution photographs starting with 800 high-definition high-resolution images, and we give both high- and low-resolution images for 2, 3, and 4 downscaling factors.
- Validation data: 100 high-definition, high-resolution images are used to create corresponding low-resolution images. The low-resolution images are made available to participants at the start of the challenge so they can receive online feedback from the validation server. The high-

resolution images will be made available when the challenge's final phase begins.

- Test data: The participants will receive the low-resolution photographs when the final evaluation phase begins, and the results will be made public after the challenge is over and the winners have been chosen. Low Low-revolutionized images are created using 100 varied images.

Conclusion and Future Work

In this study, we provide a comprehensive overview of recent deep learning-based breakthroughs in image super-resolution. Most of our time was spent talking about how to make SR better in both supervised and unsupervised settings, and we also covered several domain-specific use cases. Despite significant progress, several issues remain unresolved. Therefore, we will highlight these issues head-on and present some prospective directions for future development in this part. Through this review, we hope to not only improve researchers' familiarity with image SR, but also pave the way for additional studies and new applications in this exciting area.

References

[1] H. Greenspan, "Super-resolution in medical imaging," *The Computer Journal*, vol. 52, 2008.

[2] J. S. Isaac and R. Kulkarni, "Super-resolution techniques for medical image processing," in *ICTSD*, 2015.

[3] Y. Huang, L. Shao, and A. F. Frangi, "Simultaneous super-resolution and cross-modality synthesis of 3d medical

images using weakly-supervised joint convolutional sparse coding," in *CVPR*, 2017.

[4] L. Zhang, H. Zhang, H. Shen, and P. Li, "A super-resolution reconstruction algorithm for surveillance images," *Elsevier Signal Processing*, vol. 90, 2010.

[5] P. Rasti, T. Uiboupin, S. Escalera, and G. Anbarjafari, "Convolutional neural network super resolution for face recognition in surveillance monitoring," in *AMDO*, 2016.

[6] D. Dai, Y. Wang, Y. Chen, and L. Van Gool, "Is image super-resolution helpful for other vision tasks?" in *WACV*, 2016.

[7] M. Haris, G. Shakhnarovich, and N. Ukita, "Task-driven super-resolution: Object detection in low-resolution images," *Arxiv:1803.11316*, 2018.

[8] M. S. Sajjadi, B. Schölkopf, and M. Hirsch, "Enhancenet: Single image super-resolution through automated texture synthesis," in *ICCV*, 2017.

[9] Y. Zhang, Y. Bai, M. Ding, and B. Ghanem, "Sodmtgan: Small object detection via multi-task generative adversarial network," in *ECCV*, 2018.

[10] R. Keys, "Cubic convolution interpolation for digital image processing," IEEE Transactions on Acoustics, Speech, and Signal Processing, vol. 29, 1981.

[11] C. E. Duchon, "Lanczos filtering in one and two dimensions," Journal of Applied Meteorology, vol. 18, 1979.