Status	Finished
Started	Thursday, 15 October 2026, 4:52 PM
Completed	Thursday, 15 October 2026, 4:57 PM
Duration	5 mins 15 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

- a. Creates a new file for writing ✓
- b. Appends to an existing file
- c. Opens an existing file in read mode
- d. Opens a file in binary mode

The correct answer is: Creates a new file for writing

Question **2**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

- a. Opens the file in read mode
- b. Overwrites the file with "Adding new data"
- c. Appends "Adding new data" to the end of the file ✓
- d. Raises an error because the file is opened in append mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **3**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

a. The current position of the file cursor
b. The name of the file
c. The size of the file
d. The access mode in which the file was opened ✓

The correct answer is: The access mode in which the file was opened

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. reduce()
b. resize()
c. truncate() ✓
d. shrink()

The correct answer is: truncate()

Question **5**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readlines()
b. readchar()
c. read(size) ✓
d. readline()

The correct answer is: read(size)

Question **6**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters ahead from the current position. ✓

b. • Move file pointer five characters behind from the current position.

c. • Move file pointer five characters behind ahead from the end of a file.

d. Move file pointer five characters ahead from the beginning

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Both text and binary file ✓

b. Binary file

c. Text file

d. none of the given choices

The correct answer is: Both text and binary file

Question **8**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

a. To write data to a file
b. To delete a file
c. To automatically close the file after its suite finishes ✓
d. To read data from a file

The correct answer is: To automatically close the file after its suite finishes

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. wb ✓
b. w
c. r+
d. rb

The correct answer is: wb

Question **10**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open(file = "c:\\scores.txt", "w")
b. outfile = open("c:\scores.txt", "w")
c. outfile = open("c:\\scores.txt", "w") ✓
d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **11**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)

b. infile = open(file = “a.txt”, “r”)

c. infile = open(“a.txt”, “r”) ✓

d. infile = open(file, “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **12**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It raises an error

b. It appends data to the file

c. It does nothing

d. It clears the old data and starts fresh ✓

The correct answer is: It clears the old data and starts fresh

Question **13**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. null

b. 1

c. garbage

d. 0 ✓

e. 2

The correct answer is:
0

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads a single line from the file

b. It reads the entire file and returns it as a string

c. It reads the file and returns it as a dictionary

d. It reads the entire file and returns it as a list of lines ✓

The correct answer is: It reads the entire file and returns it as a list of lines

Question **15**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer to beginning of the file

b. move the file pointer five characters behind from the current position

c. move the file pointer five characters ahead from the current position ✓

d. moves the file pointer to the end of a file

The correct answer is:
move the file pointer five characters ahead from the current position