

# **NETDOG - CONFIGURATION MANAGEMENT AND MONITORING SYSTEM**

A PROJECT REPORT

submitted By

**ASWIN BABU K  
TVE16MCA14**

**to**

the APJ Abdul Kalam Technological University  
in partial fulfillment of the requirements for the award of the degree

**of**

Master of Computer Applications



**Department of Computer Applications**

College of Engineering

Trivandrum-695016

JUNE 2019

## DECLARATION

I undersigned hereby declare that the project report (Netdog - Configuration Management and Monitoring System), submitted for partial fulfillment of the requirements for the award of degree of Master of Computer Applications of the APJ Abdul Kalam Technological University, Kerala is a bonafide work done by me under supervision of Prof. Baby Sylva L. This submission represents my ideas in my own words and where ideas or words of others have been included, I have adequately and accurately cited and referenced the original sources. I also declare that I have adhered to ethics of academic honesty and integrity and have not misrepresented or fabricated any data or idea or fact or source in my submission. I understand that any violation of the above will be a cause for disciplinary action by the institute and/or the University and can also evoke penal action from the sources which have thus not been properly cited or from whom proper permission has not been obtained. This report has not been previously formed the basis for the award of any degree, diploma or similar title

Place

Date

Aswin Babu K

DEPARTMENT OF COMPUTER APPLICATIONS

COLLEGE OF ENGINEERING  
TRIVANDRUM



CERTIFICATE

This is to certify that the report entitled **Netdog - Configuration Management and Monitoring System** submitted by **Aswin Babu K** to the APJ Abdul Kalam Technological University in partial fulfillment of the requirements for the award of the Degree of Master of Computer Applications is a bonafide record of the project work carried out by him under my guidance and supervision.. This report in any form has not been submitted to any University or Institute for any purpose.

Internal Supervisor

External Supervisor

Head of the Dept

# Contents

<b>Acknowledgemnt</b>	<b>i</b>
<b>Abstract</b>	<b>ii</b>
<b>List of Tables</b>	<b>iii</b>
<b>List of Figures</b>	<b>iii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Configuration . . . . .	1
1.2 Interface . . . . .	2
1.3 Executing commands . . . . .	2
1.4 Broadcasting files . . . . .	2
1.5 Convenience features . . . . .	3
1.6 Licence . . . . .	4
<b>2 Requirement Analysis</b>	<b>5</b>
2.1 Purpose . . . . .	5
2.2 Overall Description . . . . .	5
2.2.1 Product Functions . . . . .	6
2.2.2 Hardware Requirements . . . . .	6
2.2.3 Software Requirements . . . . .	6
2.3 Functional Requirements . . . . .	6
2.4 Performance Requirements . . . . .	7
<b>3 Design And Implementation</b>	<b>8</b>
3.1 Overall Design . . . . .	8
3.2 User Interfaces . . . . .	8
3.3 Hardware Interfaces . . . . .	8
3.4 Communications Interfaces . . . . .	9
3.5 System Design . . . . .	9
3.5.1 NetDog Server . . . . .	9
3.5.2 NetDog client . . . . .	10
3.5.3 Web Server . . . . .	10
3.5.4 NetDog protocol . . . . .	10

3.5.5	DataFlow Diagram . . . . .	11
3.5.6	Screenshots . . . . .	12
<b>4</b>	<b>Coding</b>	<b>14</b>
<b>5</b>	<b>Testing and Implementation</b>	<b>15</b>
5.1	Testing methods done for the project . . . . .	15
5.2	Unit Testing . . . . .	16
5.3	Integration Testing . . . . .	16
5.4	System Testing . . . . .	17
<b>6</b>	<b>Conclusion</b>	<b>18</b>
	<b>REFERENCES</b>	<b>19</b>

## ACKNOWLEDGEMENT

If words are considered as symbols of approval and tokens of acknowledgment, then let words play the heralding role of expressing our gratitude.

First of all I would like to thank God almighty for bestowing us with wisdom, courage and perseverance which had helped us to complete this project ***NET-DOG - CONFIGURATION MANAGEMENT AND MONITORING SYSTEM***. This project has been a reality as a result of the help given by a large number of personalities.

I would like to remember with gratitude **Prof. Jose T Joseph**, Head Of Department Department of Computer Applications, College of Engineering, Trivandrum for the encouragement and guidance rendered.

I express our sincere thanks to **Prof. Baby Sylva**, Assistant Professor, Department of Computer Applications, College of Engineering Trivandrum for his valuable guidance, support and advices that aided in the successful completion of my project.

Finally, We wish to express our sincere gratitude to all our friends, who directly or indirectly contributed in this venture.

ASWIN BABU K

## **ABSTRACT**

Netdog is a simple to use configuration management and monitoring system. It was developed with schools, colleges and small businesses in mind. Netdog allows people to easily manage the computers on a network. This includes execution of commands across all computers, shutting down the computers and even view various hardware stats across the machines. The current version is the result of over a thousand commits of code and as a result is a ready to deploy, mature product.

# List of Tables

5.1	Unit test cases and results . . . . .	16
5.2	Unit test cases and results . . . . .	16
5.3	Unit test cases and results . . . . .	17



# List of Figures

3.1	NetDog protocol message structure . . . . .	10
3.2	Level 0 Data Flow . . . . .	11
3.3	Level 1 Data Flow . . . . .	12
3.4	NetDog Home Page . . . . .	12
3.5	NetDog Execute command page . . . . .	13
3.6	NetDog success page . . . . .	13

# Chapter 1

## Introduction

The Netdog project initially started as a simple tool to shutdown computers in a network. In the course of development, several features were added into it and it morphed into a easy to use configuration management system.

Configuration Management systems are a class of automation software which allows easy management of computers on a network. Imagine a network where a specific version of a software needs to be installed across all computers. They can be achieved through configuration management system.

One thing about configuration management systems is that, they are designed for computer professionals who are not afraid to get their hands dirty and spend considerable amount of time learning and debugging. This makes these tools not very accessible to non tech-savvy people. For example, Redhat's Ansible, a popular configuration management systems expects its users to write the configuration in YAML format. Not something every literate person in the world knows.

Netdog aims to differ here by offering dead simple interface which can be used to administer the computers on a network. Amazingly, if a user knows to use the keyboard and mouse and is aware of the command that is needed to be run across the machines, he is ready to use Netdog. No further training is needed. But equally as important, Netdog provides a number of additional features which makes management of computers on the network a breeze. The following sections take a more intimate look at Netdog and what it offers.

### 1.1 Configuration

Netdog provides automated installation and configuration. Make sure the clients and server can see each other on the network, install the client part on each client and install the server and you are good to go. This is in stark difference to normal configuration management systems which require a person to spend considerable amount of time figuring out how to get it up and running.

## **1.2 Interface**

Netdog uses an easy to use web interface for users to manage the computers on the network. On the first run of Netdog server, the interface prompts the user to select the network interface which should be used by the server for communicating with the clients. The interface is protected by a username and password which can be chosen by the user at the time of first run.

Once logged in, the homepage is presented to the user. From here, Netdog allows the users to execute commands, Shutdown, Suspend, broadcast files and monitor all the computers on the network.

## **1.3 Executing commands**

Netdog allows easy execution of commands across all the machines. The commands are executed on the client machine with super user permission. This means you can perform system level tasks easily such as installing and updating the packages on the client as well as make changes to system files.

When the user clicks on the Execute command button, he/she is taken first to a page where the command can be entered. Once that is done, he has to choose the clients on which the command would get executed. By default, all the clients are selected. The user is free to deselect the clients by unchecking check boxes right next to them.

## **1.4 Broadcasting files**

A very useful feature provided by Netdog is the ability to broadcast files across clients. This too can be done from the home page. Clicking on the Broadcast button takes the user to the upload page where the source file can be selected. Once that is done, select the target clients and the file will get broadcasted to all of them. The broadcasted files will be in "\share" directory in the clients.

The interesting thing about broadcast feature is that, it can broadcast any file, no matter what type or how large. This makes it very convenient as documents, pictures, videos and even software packages can be broadcasted.

## 1.5 Convenience features

Netdog provides a couple of convenience features, which allows the users to shutdown and suspend the clients without having to type the commands for them. These works very similar to above features. The shutdown and suspend features have their own buttons in the home page. The user can simply click the button, select the target machines and the said systems will get affected.

## 1.6 Licence

NetDog is licensed under the MIT License. A copy is attached below

### MIT License

Copyright (c) 2018 Aswin Babu Karuvally

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# Chapter 2

## Requirement Analysis

### 2.1 Purpose

The purpose is to build a configuration management system that is very simple to use and at the same time providing enough features so that it is powerful enough and can distinguish itself from the rest of the applications in the market. A second aim was to integrate a monitoring system into the product so that the system administrators do not have to learn and configure a separate monitoring application such as Nagios.

Though feature rich configuration management systems exist in the market, all of them are plagued by learning curve. None of them can be used by pointing and clicking. Netdog aims to fix that and prove that you don't have to be a computer savvy person to manage computers on a network.

### 2.2 Overall Description

NetDog uses client-server architecture. The server provides the web interface to be used by the system administrator. It also provides interfaces for clients to connect to and exchange information. The server can push information to the clients and vice versa. Server usually pushes files and execution information while clients push out status information.

After installing NetDog server or client on a machine, a unique public-private key pair for the machine is generated which is then used for uniquely identifying the machine and securing data transmission between the client and server. The advantage of this method is that, even if the IP addresses of the client or server changes, they can identify each other and re-start functioning as if nothing happened.

Once the server program is up and running, it listens on the port 1337 for connections from clients. Once the client program is up, it starts listening on port 1994. These ports serve dual purpose of facilitating communication and allowing

the identification of server and clients from the rest of the machines on the network. Both NetDog server and client are daemons. They are system services which remain in memory and automatically starts during system boot. They start even before a user logs into the system, ie. Netdog remains fully functional as long as the computer is powered on.

When a client starts for the first time, it looks for active servers on the network. When it finds one, it starts the pairing procedure. During the pairing process, the client sends its hostname and public-key. The server in turn provides the client with it's public key. These keys are then used for identification and encrypted communication between machines.

### **2.2.1 Product Functions**

- Execute commands/scripts remotely on machines
- Broadcast files to Netdog clients
- Track and identify clients through IP changes
- Secure client-server communication using public key encryption
- Monitor all the clients on the network
- Easy to use web interface

### **2.2.2 Hardware Requirements**

- Intel Pentium IV or equivalent CPU
- 512 MB or more RAM
- 100 mbps Network Interface Card

### **2.2.3 Software Requirements**

- Linux (preferably Debian GNU/Linux)
- Python 3.5

## **2.3 Functional Requirements**

The system should be designed to accept communication requests from many clients at once. For this, a multi threaded server is necessary. Also, network outages can occur during the operation. The server should be resilient enough

so that, it checks the status of the connection every once in a while and restarts the communication process once the network is up and running again. Also, the functions should extensively log themselves so that in case of a system failure, the culprit can be easily found.

## **2.4 Performance Requirements**

The system would need a gigabit ethernet controller for the server to make sure that it can properly handle connections from multiple clients on the network. The client can work satisfactorily well even on old hardware such as a 10 mbit network card. There are no specific requirements for the CPU or the rest of the hardware. The machine must be powerful enough to run a recent version of Linux, which means any usable computing hardware would do.



# Chapter 3

## Design And Implementation

### 3.1 Overall Design

NetDog follows the client-server architecture. What this means is that, NetDog has both a client part and a server part. The server part is meant to be run on the machine used by the system administrator, while the client part runs on the rest of the machines on the network.

Both the server and client listens for connections from each other, allowing the server to execute commands on clients and the client to report back any progress. But the server has an additional capability that the clients lack, an easy to use web interface that can be used by the administrator to control the machines and configure the server.

### 3.2 User Interfaces

NetDog is a very easy to use system. One of the main aims while designing the system was to abstract as much lower level details of the system as possible from the user. There is no user interface for the client machines. All of the system is controlled from the server. The server provides a command line interface and a very convinient web interface for administration. The whole system can be operated and configured from these interfaces.

### 3.3 Hardware Interfaces

The system tries hard not to reinvent the wheel. Thus, it uses existing Linux subsystems as much as possible. As a side effect, NetDog can work with any networking hardware supported by Linux. If the clients on the network can succesfully communicate over the network using their network interface cards, you are good to go.

### 3.4 Communications Interfaces

The system uses the TCP/IP system for communication between server and clients. On top of TCP, the system uses a home grown higher level "NetDog" protocol for coordinating the client machine and servers. It is the NetDog protocol that ensures efficient communication and security. The protocol designed to evolve as per changing requirements and is still under heavy development, but the current specification is as follows.

```
{
  "encrypted": ENCRYPT_STATUS
  "sender_id": SENDER_HOSTNAME
  "message": {
    "hostname": SENDER_HOSTNAME
    "data": {
      "command": NETDOG_PROTOCOL_COMMAND
      "payload": RAW_DATA
    }
  }
}
```

### 3.5 System Design

On a lower level, the design of NetDog is a bit different. NetDog is splitted into three modules, the server module, the client module and the web server module. The three of them has distinct functions. But the interesting fact is, both the client module and the server module share the same underpinnings. All the functions they use are from a library called libgreen, that was built specifically for use in NetDog.

#### 3.5.1 NetDog Server

The NetDog server module acts as the server. The server module resides in the file "netdog\_server.py" It uses functions part of the libgreen library to setup a server working on the netdog protocol.

It listens for connections from clients on port 1337 and also provides the web interface. The server is completeley multithreaded and this allows it to perform tasks involving hundreds of machines at a surprisingly quick rate.

### 3.5.2 NetDog client

The NetDog client module is the part of NetDog that is run on the client machines. The client module listens for connections from the server at port 1994. Once a connection is received, it is handled as per the command it contains.

### 3.5.3 Web Server

The webserver module provides the web interface for use by the administrator. It resides in the file “web\_interface.py”. The web server also uses the libgreen library extensively, to serve its clients. It is not directly invoked from the file, rather the contents of “web\_server.py” is imported into “netdog\_server.py” and started as a separate thread. The web server was originally written in bottle, but has been completely re-written using Flask, giving it better performance and lot lesser bugs. The interface itself was originally designed using the Google Material Design Lite CSS library, but now has been redesigned using the lightweight Milligram library.

### 3.5.4 NetDog protocol

The NetDog client and server operates using the NetDog protocol. NetDog protocol is a custom built protocol, that has been developed on top of the Sockets library part of standard Python installation. The mechanism as well as the policies for the protocol is defined inside the libgreen library.

The NetDog protocol defines the structure of messages passed between the server and the clients. The message has primarily three parts:

- Hostname, which is the hostname of the sender
- encrypted flag, whether the message is encrypted or not
- data, which is further divided into command and payload




Figure 3.1: NetDog protocol message structure

### 3.5.5 Screenshots




Figure 3.2: First time run screen




Figure 3.3: First time run screen




Figure 3.4: Account creation




Figure 3.5: Login