

Cucumber Report

09-Nov-2022, 11:47:46 am

Start : Nov 09, 11:41:34.586 am

End : Nov 09, 11:47:35.570 am

Duration : 6 m 0.984 s

Features



Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 12
FAILED - 2
SKIPPED - 0


PASSED - 54
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>validate the login functionality</u>	6 m 0.984 s	14	12	2	0	56	54	2	0




#	Feature Name	T	P	F	S	Duration
1	<u>validate the login functionality</u>	14	12	2	0	6 m 0.984 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>validate the login functionality</u>	<u>User logs into the application with valid credentials</u>	4	3	1	0	2 m 20.744 s
2	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	13.780 s
3	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	15.747 s
4	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	15.992 s
5	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	12.587 s
6	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	10.464 s
7	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	10.243 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>validate the login functionality</u>	<u>User should not be able to login into the application without any credentials</u>	4	4	0	0	10.939 s
9	<u>validate the login functionality</u>	<u>User should not be able to login into the application with only username</u>	4	4	0	0	10.523 s
10	<u>validate the login functionality</u>	<u>User should not be able to login into the application with only password</u>	4	4	0	0	17.040 s
11	<u>validate the login functionality</u>	<u>verify if error messages are shown when user try login without any credentials</u>	4	4	0	0	11.195 s
12	<u>validate the login functionality</u>	<u>Verify error message for invalid username</u>	4	4	0	0	9.943 s
13	<u>validate the login functionality</u>	<u>Verify error message for invalid username and invalid password</u>	4	4	0	0	17.254 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
14	<u>validate the login functionality</u>	<u>Validate if user gets blocked after three unsucessful login attempts and error message is displayed</u>	4	3	1	0	1 m 4.125 s

validate the login functionality

FAILED	DURATION - 6 m 0.984 s	Scenarios Total - 14 Pass - 12 Fail - 2 Skip - 0		Steps Total - 56 Pass - 54 Fail - 2 Skip - 0	
/ 11:41:34.586 am // 11:47:35.570 am /					

User logs into the application with valid credentials

FAILED	DURATION - 2 m 20.744 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 11:41:34.707 am // 11:43:55.451 am /				
validate the login functionality				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	1 m 9.541 s
2	When user enters valid username akash@memorres.com and password Ak@sh1234	PASSED	0.879 s
3	And clicks on login button	PASSED	0.109 s
4	Then user logged in sucessfully java.lang.AssertionError: did not expect [Clinimise - Login] but found [Clinimise - Login] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failEquals(Assert.java:1417) at org.testng.Assert.assertNotEqualsImpl(Assert.java:156) at org.testng.Assert.assertNotEquals(Assert.java:2033) at org.testng.Assert.assertNotEquals(Assert.java:2055) at stepDefinitions.Login.user_logged_in_sucessfully(Login.java:57) at ?.user logged in sucessfully(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.095 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	1 m 7.929 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.3', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration
	<p>[70e13d3dfd8ea09894a885108c3624b7, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\vasudha\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:55426}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55426/devtoo..., se.cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 70e13d3dfd8ea09894a885108c3624b7</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:571) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331) at stepDefinitions.Hooks.AddScreenshot(Hooks.java:41)</p> <p>Caused by: java.io.UncheckedIOException: java.net.SocketException: Connection reset</p> <p>at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:98) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331) at stepDefinitions.Hooks.AddScreenshot(Hooks.java:41) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.net.SocketException: Connection reset at java.base/sun.nio.ch.SocketChannelImpl.throwConnectionReset(SocketChannelImpl.java:394) at java.base/sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:426) at io.netty.buffer.PooledByteBuf.setBytes(PooledByteBuf.java:258) at io.netty.buffer.AbstractByteBuf.writeBytes(AbstractByteBuf.java:1132) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at io.netty.channel.socket.nio.NioSocketChannel.doReadBytes(NioSocketChannel.java:357) at io.netty.channel.nio.AbstractNioByteChannel\$NioByteUnsafe.read(AbstractNioByteChannel.java:151) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:722) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:833) </pre>		

User should not be able to login into the application with invalid credentials

<div>PASSED</div>	<div>DURATION - 13.780 s</div>	<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 11:43:55.475 am // 11:44:09.255 am /</div>				
<div>validate the login functionality</div>				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	11.082 s
2	When user enters invalid username akash@memorres.com and password Ak@sh123	PASSED	0.278 s
3	And clicks on login button	PASSED	0.056 s
4	Then user not able to login	PASSED	0.011 s

User should not be able to login into the application with invalid credentials

<div>PASSED</div>	<div>DURATION - 15.747 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:44:09.270 am // 11:44:25.017 am /				
validate the login functionality				


#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.643 s
2	When user enters invalid username akash@memorres.com and password akash@memorres.com	PASSED	0.299 s
3	And clicks on login button	PASSED	0.076 s
4	Then user not able to login	PASSED	0.010 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 15.992 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0				
/ 11:44:25.027 am // 11:44:41.019 am /							
validate the login functionality							


#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	9.707 s
2	When user enters invalid username akash@@memorres.com and password Ak@sh1234	PASSED	0.280 s
3	And clicks on login button	PASSED	0.063 s
4	Then user not able to login	PASSED	0.009 s

User should not be able to login into the application with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.946 s
2	When user enters invalid username akash329**&\$% and password akash123	PASSED	0.273 s
3	And clicks on login button	PASSED	0.061 s
4	Then user not able to login	PASSED	0.012 s

User should not be able to login into the application with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.546 s
2	When user enters invalid username akash@@abc.com and password Ak@sh1234	PASSED	0.302 s
3	And clicks on login button	PASSED	0.067 s
4	Then user not able to login	PASSED	0.015 s

User should not be able to login into the application with invalid credentials





#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.367 s
2	When user enters invalid username akash@memorres and password y4<Ep3>T	PASSED	0.475 s
3	And clicks on login button	PASSED	0.063 s
4	Then user not able to login	PASSED	0.015 s

User should not be able to login into the application without any credentials





#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.295 s
2	When user does not enter any username "" and password ""	PASSED	0.161 s
3	And clicks on login button	PASSED	0.069 s
4	Then user not able to login	PASSED	0.017 s

User should not be able to login into the application with only username

<div>PASSED</div>	<div>DURATION - 10.523 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:45:25.372 am // 11:45:35.895 am /</div>				
<div>validate the login functionality</div>				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.876 s
2	When user enters only username "akash@memorres.com" and does not enter any password ""	PASSED	0.277 s
3	And clicks on login button	PASSED	0.059 s
4	Then user not able to login	PASSED	0.015 s

User should not be able to login into the application with only password

PASSED	DURATION - 17.040 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:45:35.931 am // 11:45:52.971 am /				
validate the login functionality				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	14.445 s
2	When user does not enter any username "" and enters only password "Ak@sh1234"	PASSED	0.234 s
3	And clicks on login button	PASSED	0.067 s
4	Then user not able to login	PASSED	0.017 s

verify if error messages are shown when user try login without any credentials

<div>PASSED</div>	<div>DURATION - 11.195 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:45:52.980 am // 11:46:04.175 am /</div>				
<div>validate the login functionality</div>				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.812 s
2	When user does not enter any username "" and password ""	PASSED	0.144 s
3	And clicks on login button	PASSED	0.069 s
4	Then error messages are dispalyed for email and password fields	PASSED	0.155 s

Verify error message for invalid username

PASSED		<i>DURATION - 9.943 s</i>			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0		
/ 11:46:04.182 am // 11:46:14.125 am /							
validate the login functionality							



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.362 s
2	When user enters invalid username "akash@memorres"	PASSED	0.177 s
3	And clicks on login button	PASSED	0.076 s
4	Then error message is displayed for email field	PASSED	0.033 s

Verify error message for invalid username and invalid password

<div><div>PASSED</div><div>DURATION - 17.254 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 11:46:14.152 am // 11:46:31.406 am /				
validate the login functionality				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	13.554 s
2	When user enters invalid username ledeyi1355@adroh.com and password Ak@sh123	PASSED	0.335 s
3	And clicks on login button	PASSED	0.068 s
4	Then error message is shown for invalid credentials	PASSED	0.901 s

Validate if user gets blocked after three unsuccessful login attempts and error message is displayed

<div>FAILED</div> <div>DURATION - 1 m 4.125 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 11:46:31.445 am // 11:47:35.570 am /				
validate the login functionality				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.708 s
2	When user enters valid username "akash@memorres.com" and invalid password "Ak@sh12345"	PASSED	0.339 s
3	And clicks on login button for four times	PASSED	0.200 s
4	Then user gets blocked and error message is correctly shown for blocked user	FAILED	42.214 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //div[text()='Too many login attempts, please try login into your account after an hour'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.3', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at pageObjects.Loginpage.errorMessageForBlockedUser(Loginpage.java:81) at stepDefinitions.Login.user_gets_blocked_and_error_message_is_correctly_shown_for_blocked_user(Login.java:142) at ?.user gets blocked and error message is correctly shown for blocked user(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:80) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.88) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.3', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [13c71865f5f772de2265310cfb58b4c5, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\vasudha\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:55741}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55741/devtoo..., se:cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 13c71865f5f772de2265310cfb58b4c5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331) at stepDefinitions.Hooks.AddScreenshot(Hooks.java:41)	FAILED	0.093 s