

Cucumber Report

08-Nov-2022, 5:40:37 pm

Start : Nov 08, 5:35:07.730 pm

End : Nov 08, 5:40:30.612 pm

Duration : 5 m 22.882 s

Features





PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios


PASSED - 0
FAILED - 13
SKIPPED - 0

Steps


PASSED - 39
FAILED - 13
SKIPPED - 0




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>validate the login functionality</u>		5 m 22.882 s		13	0	13	0	52	39	13	0



#	Feature Name	T	P	F	S	Duration
1	<u>validate the login functionality</u>	13	0	13	0	5 m 22.882 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>validate the login functionality</u>	<u>User logsins into the application with valid credentials</u>	4	3	1	0	31.190 s
2	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	3	1	0	13.896 s
3	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	3	1	0	12.343 s
4	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	3	1	0	12.169 s
5	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	3	1	0	12.040 s
6	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	3	1	0	14.093 s
7	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	3	1	0	12.587 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>validate the login functionality</u>	<u>User should not be able to login into the application without any credentials</u>	4	3	1	0	11.708 s
9	<u>validate the login functionality</u>	<u>User should not be able to login into the application with only username</u>	4	3	1	0	12.029 s
10	<u>validate the login functionality</u>	<u>User should not be able to login into the application with only password</u>	4	3	1	0	12.493 s
11	<u>validate the login functionality</u>	<u>verify if error messages are shown when user try login into appliation without any credentials</u>	4	3	1	0	2 m 22.734 s
12	<u>validate the login functionality</u>	<u>Verify error message for invalid username</u>	4	3	1	0	21.933 s
13	<u>validate the login functionality</u>	<u>Verify error message for invalid username and invalid password</u>	4	3	1	0	13.145 s


validate the login functionality




User logs into the application with valid credentials



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	22.650 s
2	When user enters valid username akash@memorres.com and password Ak@sh1234	PASSED	0.940 s
3	And clicks on login button	PASSED	0.249 s
4	Then user logged in sucessfully java.lang.AssertionError: expected [https://app-stg.clinimise.com/#/dashboard] but found [https://app-stg.clinimise.com/#/settings] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at stepDefinitions.Login.user_logged_in_sucessfully(Login.java:57) at ?.user logged in sucessfully(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:8) * Not displayable characters are replaced by '?'.	FAILED	3.097 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.805 s
	image		

#	Step / Hook Details	Status	Duration
			


User should not be able to login into the application with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.667 s
2	When user enters invalid username akash@memorres.com and password Ak@sh123	PASSED	1.175 s
3	And clicks on login button	PASSED	0.246 s
4	Then user not able to login <code>java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In]</code> <code>at org.testng.Assert.fail(Assert.java:110)</code> <code>at org.testng.Assert.failNotEquals(Assert.java:1413)</code> <code>at org.testng.Assert.assertEqualsImpl(Assert.java:149)</code> <code>at org.testng.Assert.assertEquals(Assert.java:131)</code> <code>at org.testng.Assert.assertEquals(Assert.java:655)</code> <code>at org.testng.Assert.assertEquals(Assert.java:665)</code> <code>at stepDefinitions.Login.user_not_able_to_login(Login.java:72)</code> <code>at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinemise/src/test/java/features/Login.feature:19)</code> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.105 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) <i>image</i>	PASSED	1.253 s

#	Step / Hook Details	Status	Duration
			


User should not be able to login into the application with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.309 s
2	When user enters invalid username akash@memorres.com and password akash@memorres.com	PASSED	1.138 s
3	And clicks on login button	PASSED	0.288 s
4	Then user not able to login <code>java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In]</code> <code>at org.testng.Assert.fail(Assert.java:110)</code> <code>at org.testng.Assert.failNotEquals(Assert.java:1413)</code> <code>at org.testng.Assert.assertEqualsImpl(Assert.java:149)</code> <code>at org.testng.Assert.assertEquals(Assert.java:131)</code> <code>at org.testng.Assert.assertEquals(Assert.java:655)</code> <code>at org.testng.Assert.assertEquals(Assert.java:665)</code> <code>at stepDefinitions.Login.user_not_able_to_login(Login.java:72)</code> <code>at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinemise/src/test/java/features/Login.feature:19)</code> * Not displayable characters are replaced by '?'.	FAILED	0.075 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	1.077 s

#	Step / Hook Details	Status	Duration
			


User should not be able to login into the application with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.459 s
2	When user enters invalid username akash@@memorres.com and password Ak@sh1234	PASSED	0.774 s
3	And clicks on login button	PASSED	0.292 s
4	Then user not able to login <code>java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In]</code> <code>at org.testng.Assert.fail(Assert.java:110)</code> <code>at org.testng.Assert.failNotEquals(Assert.java:1413)</code> <code>at org.testng.Assert.assertEqualsImpl(Assert.java:149)</code> <code>at org.testng.Assert.assertEquals(Assert.java:131)</code> <code>at org.testng.Assert.assertEquals(Assert.java:655)</code> <code>at org.testng.Assert.assertEquals(Assert.java:665)</code> <code>at stepDefinitions.Login.user_not_able_to_login(Login.java:72)</code> <code>at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinemise/src/test/java/features/Login.feature:19)</code> <code>* Not displayable characters are replaced by '?'.</code>	FAILED	0.075 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) <i>image</i>	PASSED	2.033 s

#	Step / Hook Details	Status	Duration
			

User should not be able to login into the application with invalid credentials

FAILED	DURATION - 12.040 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 5:36:17.527 pm // 5:36:29.567 pm /	validate the login functionality			

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.799 s
2	When user enters invalid username akash329**&\$% and password akash123	PASSED	0.915 s
3	And clicks on login button	PASSED	0.213 s
4	Then user not able to login java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at stepDefinitions.Login.user_not_able_to_login(Login.java:72) at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:19) * Not displayable characters are replaced by '?'. AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	0.087 s
	image	PASSED	1.568 s

#	Step / Hook Details	Status	Duration
			


User should not be able to login into the application with invalid credentials

FAILED	DURATION - 14.093 s / 5:36:29.609 pm // 5:36:43.702 pm / validate the login functionality	Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
--------	---	--	---

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.693 s
2	When user enters invalid username akash@@abc.com and password Ak@sh1234	PASSED	1.125 s
3	And clicks on login button	PASSED	0.223 s
4	Then user not able to login java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at stepDefinitions.Login.user_not_able_to_login(Login.java:72) at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinemise/src/test/java/features/Login.feature:19) * Not displayable characters are replaced by '?'. AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	0.057 s
	image	PASSED	2.174 s

#	Step / Hook Details	Status	Duration
			


User should not be able to login into the application with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.050 s
2	When user enters invalid username akash@memorres and password y4<Ep3>T	PASSED	0.659 s
3	And clicks on login button	PASSED	0.240 s
4	Then user not able to login <code>java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at stepDefinitions.Login.user_not_able_to_login(Login.java:72) at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinemise/src/test/java/features/Login.feature:19) * Not displayable characters are replaced by '?'. </code>	FAILED	0.063 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	1.110 s

#	Step / Hook Details	Status	Duration
			


User should not be able to login into the application without any credentials

FAILED	DURATION - 11.708 s / 5:36:56.373 pm // 5:37:08.081 pm / validate the login functionality		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
--------	---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.393 s
2	When user does not enter any username "" and password ""	PASSED	0.523 s
3	And clicks on login button	PASSED	0.295 s
4	Then user not able to login java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at stepDefinitions.Login.user_not_able_to_login(Login.java:72) at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinemise/src/test/java/features/Login.feature:35) * Not displayable characters are replaced by '?'. AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	0.023 s
	image	PASSED	1.007 s

#	Step / Hook Details	Status	Duration
			


User should not be able to login into the application with only username



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.339 s
2	When user enters only username "akash@memorres.com" and does not enter any password ""	PASSED	1.045 s
3	And clicks on login button	PASSED	0.282 s
4	Then user not able to login <code>java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In]</code> <code>at org.testng.Assert.fail(Assert.java:110)</code> <code>at org.testng.Assert.failNotEquals(Assert.java:1413)</code> <code>at org.testng.Assert.assertEqualsImpl(Assert.java:149)</code> <code>at org.testng.Assert.assertEquals(Assert.java:131)</code> <code>at org.testng.Assert.assertEquals(Assert.java:655)</code> <code>at org.testng.Assert.assertEquals(Assert.java:665)</code> <code>at stepDefinitions.Login.user_not_able_to_login(Login.java:72)</code> <code>at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinemise/src/test/java/features/Login.feature:42)</code> <code>* Not displayable characters are replaced by '?'.</code>	FAILED	0.048 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) <i>image</i>	PASSED	0.843 s

#	Step / Hook Details	Status	Duration
			


User should not be able to login into the application with only password



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.620 s
2	When user does not enter any username "" and enters only password "Ak@sh1234"	PASSED	0.787 s
3	And clicks on login button	PASSED	0.280 s
4	Then user not able to login <code>java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In]</code> <code>at org.testng.Assert.fail(Assert.java:110)</code> <code>at org.testng.Assert.failNotEquals(Assert.java:1413)</code> <code>at org.testng.Assert.assertEqualsImpl(Assert.java:149)</code> <code>at org.testng.Assert.assertEquals(Assert.java:131)</code> <code>at org.testng.Assert.assertEquals(Assert.java:655)</code> <code>at org.testng.Assert.assertEquals(Assert.java:665)</code> <code>at stepDefinitions.Login.user_not_able_to_login(Login.java:72)</code> <code>at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:49)</code> <code>* Not displayable characters are replaced by '?'.</code>	FAILED	0.052 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) <i>image</i>	PASSED	1.161 s

#	Step / Hook Details	Status	Duration


verify if error messages are shown when user try login into appliation without any credentials



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.704 s
2	When user does not enter any username "" and password ""	PASSED	0.566 s
3	And clicks on login button	PASSED	0.282 s
4	Then error messages are displayed for email and password fields <pre>org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //span[text()='Please enter an email address'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at pageObjects.Loginpage.errorMessageForEmptyFields(Loginpage.java:60) at stepDefinitions.Login.error_messages_are_displayed_for_email_and_password_fields(Login.java:100) at ?.error messages are displayed for email and password fields(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:56) * Not displayable characters are replaced by '?'.</pre>	FAILED	2 m 12.753 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.88) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip:</pre>	FAILED	0.100 s

#	Step / Hook Details	Status	Duration
	<pre>'192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ad53b49dc4a41ed1c05839ae6651dd9f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (leec40d3a576..., userDataDir: C:\Users\vasudha\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:63988}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63988/devtoo..., se:cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ad53b49dc4a41ed1c05839ae6651dd9f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331) at stepDefinitions.Hooks.AddScreenshot(Hooks.java:41)</pre>		

Verify error message for invalid username




#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.113 s
2	When user enters invalid username "akash@memorres"	PASSED	0.687 s

#	Step / Hook Details	Status	Duration
3	And clicks on login button	PASSED	0.287 s
4	<p>Then error message is displayed for email field</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //span[text()='Please enter a valid email address'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at pageObjects.Loginpage.errorMessageForInvalidEmail(Loginpage.java:67) at stepDefinitions.Login.error_message_is_displayed_for_email_field(Login.java:115) at ? error message is displayed for email field(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:63) * Not displayable characters are replaced by '?'.</pre>	FAILED	10.583 s
	<p>AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.88) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [19c78c898e3daf608d6d20feb610d3fc, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...), userDataDir: C:\Users\vasudha\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:64087}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64087/devtoo..., se:cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 19c78c898e3daf608d6d20feb610d3fc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331)</pre>	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	at stepDefinitions.Hooks.AddScreenshot(Hooks.java:41)		

Verify error message for invalid username and invalid password



#	Step / Hook Details	Status	Duration				
1	Given user is on login page	PASSED	7.664 s				
2	When user enters invalid username <username> and password <password>	PASSED	0.939 s				
3	And clicks on login button	PASSED	0.251 s				
4	Then error message is shown for invalid credentials	FAILED	0.060 s				
	<table border="1" style="margin-bottom: 10px;"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>ledeyi1355@adrok.com</td> <td>Ak@sh123</td> </tr> </table> <pre>io.cucumber.core.exception.CucumberException: Step ['error message is shown for invalid credentials\$] is defined with 0 parameters at 'stepDefinitions.Login.error_message_is_shown_for_invalid_credentials()'. However, the gherkin step has 1 arguments: * Table: username password ledeyi1355@adrok.com Ak@sh123 Step text: error message is shown for invalid credentials at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</pre>	username	password	ledeyi1355@adrok.com	Ak@sh123		
username	password						
ledeyi1355@adrok.com	Ak@sh123						

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
	<p>AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	1.739 s