Cucumber Report

| Start : Nov 29, 10:47:57.642 am	End : Nov 29, 10:58:13.458 am	Duration : 10 m 15.816 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 23 FAILED - 4 SKIPPED - 0	PASSED - 112 FAILED - 4 SKIPPED - 4

2

27

120

Pass % — 0 %

Pass % — 85 %

Pass % — 93 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
validate the Forgot Password functionality	5 m 12.370 s	9	6	3	0	54	47	3	4
validate the login functionality	5 m 3.414 s	18	17	1	0	66	65	1	0

#	Feature Name	T	P	F	S	Duration
1	validate the Forgot Password functionality	9	6	3	0	5 m 12.370 s
2	validate the login functionality	18	17	1	0	5 m 3.414 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	validate the Forgot Password functionality	validate browser back button on forgot password page	5	0	1	4	1 m 17.840 s
2	validate the Forgot Password functionality	Validate if user enters unauthorized email and clicks on Get Password Reset Link button	6	5	1	0	1 m 7.928 s
3	validate the Forgot Password functionality	Validate if user enters invalid email and clicks on Get Password Reset Link button	6	6	0	0	16.755 s
4	validate the Forgot Password functionality	Validate if user does not enter any email and clicks on Get Password Reset Link button	6	6	0	0	14.686 s
5	validate the Forgot Password functionality	Verify confirmation message and resend button appears after	7	7	0	0	15.104 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
6	validate the Forgot Password functionality	Validate confirmation message when user enters the valid email ID and click on Resend button	9	9	0	0	15.954 s
7	validate the Forgot Password functionality	Validate after clicking on back button of forgot password page, user navigated to login page	5	5	0	0	16.351 s
8	validate the Forgot Password functionality	Validate page title and url of forgot password page	5	5	0	0	20.681 s
9	validate the Forgot Password functionality	Validate placeholder text, headings and text on buttons of forgot password page	5	4	1	0	1 m 6.873 s
10	validate the login functionality	User logins into the application with valid credentials	4	4	0	0	14.530 s
11	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	10.375 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
12	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	11.110 s
13	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	10.084 s
14	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	9.706 s
15	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	9.243 s
16	validate the login functionality	User should not be able to login into the application with invalid credentials	4	4	0	0	10.147 s
17	validate the login functionality	User should not be able to login into the application without any credentials	4	4	0	0	9.357 s
18	validate the login functionality	User should not be able to login into the application with only username	4	4	0	0	10.756 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19	validate the login functionality	User should not be able to login into the application with only password	4	4	0	0	10.554 s
20	validate the login functionality	verify if error messages are shown when user try login without any credentials	4	4	0	0	9.097 s
21	validate the login functionality	Verify error message for invalid username	4	4	0	0	9.017 s
22	validate the login functionality	Verify error message for invalid username and invalid password	4	4	0	0	10.879 s
23	validate the login functionality	Validate if user gets blocked after three unsucessful login attempts and error message is displayed	4	4	0	0	17.005 s
24	validate the login functionality	Validate placeholder text on email and password text fields	2	2	0	0	10.161 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
25	validate the login functionality	Validate if forgot password link is available and working properly on login page	4	4	0	0	9.947 s
26	validate the login functionality	Validate the page title and Url of the login page	2	2	0	0	11.715 s
27	validate the login functionality	Validate all headings and text of button on login page	2	1	1	0	1 m 59.485 s

validate the Forgot Password functionality

FAILED	DURATION - 5 m 12.370 s		Scenarios		Steps	
			Total - 9		Total - 54	
/ 10:47:57.642 am // 10:53:10.012 am /			Pass - 6	9	Pass - 47	54
			Fail - 3		Fail - 3	
			Skip - 0		Skip - 4	

validate browser back button on forgot password page

FAILED	DURATION - 1 m 17.840 s		Steps	
/ 10:47:57.647 am // 10:49:15.487 am /			Total - 5	
			Pass - 0	5
validate the Forgot Password functionality			Fail - 1	
			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given user is on login page	FAILED	21.453 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure.
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:565)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:242)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:81)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:49)
	    at utils.TestBase.WebDriverManager(TestBase.java:34)
	    at utils.TestContextSetup.<init>(TestContextSetup.java:18)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)
	    at org.picocontainer.injectors.ConstructorInjector$1.run(ConstructorInjector.java:342)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.AbstractInjector$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: org.openqa.selenium.WebDriverException: Timed out waiting for driver server to start. Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.4', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: ChromeDriver		
	at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:230)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	... 80 more Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.WebDriverException: Timed out waiting for driver server to start. Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.4', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: unknown		
	at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096)		
	at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:220)		
	... 82 more Caused by: org.openqa.selenium.WebDriverException: Timed out waiting for driver server to start. Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.4', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: unknown		
	at org.openqa.selenium.remote.service.DriverService.waitUntilAvailable(DriverService.java:251)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverService.lambda$start$1(DriverService.java:205) at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1768) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: org.openqa.selenium.net.UrlChecker$TimeoutException: Timed out waiting for [http://localhost:58229/status] to be available after 20005 ms at org.openqa.selenium.net.UrlChecker.waitUntilAvailable(UrlChecker.java:89) at org.openqa.selenium.remote.service.DriverService.waitUntilAvailable(DriverService.java:247) ... 5 more Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.FutureTask.get(FutureTask.java:204) at org.openqa.selenium.net.UrlChecker.waitUntilAvailable(UrlChecker.java:87)		
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) image 	PASSED	48.504 s
2	When user clicks on forgot password link of login page	SKIPPED	0.001 s
3	Then forgot password page is opened	SKIPPED	0.000 s
4	Given user clicks on browser back button of browser	SKIPPED	0.000 s
5	Then user navigated to login page	SKIPPED	0.000 s

Validate if user enters unauthorized email and clicks on Get Password Reset Link button

FAILED	DURATION - 1 m 7.928 s		Steps	
/ 10:49:15.510 am // 10:50:23.438 am /			Total - 6	
validate the Forgot Password functionality			Pass - 5 Fail - 1 Skip - 0	6

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	15.206 s

| #	Step / Hook Details	Status	Duration
2	When user clicks on forgot password link of login page	PASSED	2.162 s
3	Then forgot password page is opened	PASSED	2.017 s
4	Given user enters unauthorized "ledeyi1355@adroh.com" email ID	PASSED	0.329 s
5	And user clicks on Get Password Reset Link button	PASSED	0.087 s
6	Then error message should be displayed correctly for unauthorized email	FAILED	44.172 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //div[contains(text(),'Please enter a valid email address to get a passwo')] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.4', os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at pageObjects.ForgotPasswordpage.getErrorUnauthorizedEmail(ForgotPasswordpage.java:72)
	  at stepDefinitions.ForgotPassword.error_message_should_be_displayed_correctly_for_unauthorized_email(ForgotPassword.java:58)
	  at ?.error message should be displayed correctly for unauthorized email(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/ForgotPassword.feature:19)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	0.234 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.108) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.4', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [51e8219f18292092093b05f0604c66e4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\vasudha\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:54559}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54559/devtoo..., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 51e8219f18292092093b05f0604c66e4
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331) at stepDefinitions.Hooks.AddScreenshot(Hooks.java:42)		

Validate if user enters invalid email and clicks on Get Password Reset Link button

PASSED	DURATION - 16.755 s			Steps
/ 10:50:23.460 am // 10:50:40.215 am /				Total - 6
				Pass - 6
validate the Forgot Password functionality				Fail - 0
				Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.890 s
2	When user clicks on forgot password link of login page	PASSED	2.082 s
3	Then forgot password page is opened	PASSED	2.021 s
4	Given user enters invalid "ledeyi1355@adroh.c" email ID	PASSED	0.207 s
5	And user clicks on Get Password Reset Link button	PASSED	0.066 s
6	Then error message should be displayed correctly for invalid email	PASSED	0.083 s

Validate if user does not enter any email and clicks on Get Password Reset Link button

PASSED	DURATION - 14.686 s			Steps
/ 10:50:40.240 am // 10:50:54.926 am /				Total - 6
				Pass - 6
validate the Forgot Password functionality				Fail - 0
				Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.921 s
2	When user clicks on forgot password link of login page	PASSED	2.110 s
3	Then forgot password page is opened	PASSED	2.004 s
4	Given user does not enter any "" email ID	PASSED	0.072 s
5	And user clicks on Get Password Reset Link button	PASSED	0.099 s
6	Then error message should be displayed correctly for empty email field	PASSED	0.048 s

Verify confirmation message and resend button appears after

PASSED	DURATION - 15.104 s		Steps	
/ 10:50:54.942 am // 10:51:10.046 am /			Total - 7	
			Pass - 7	
validate the Forgot Password functionality			Fail - 0	
			Skip - 0	7

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.428 s
2	When user clicks on forgot password link of login page	PASSED	2.104 s
3	Then forgot password page is opened	PASSED	2.004 s
4	Given user enters a valid and authorized "akash@memorres.com" email ID	PASSED	0.176 s
5	And user clicks on Get Password Reset Link button	PASSED	0.083 s
6	Then confirmation message displayed correctly	PASSED	1.702 s
7	And Resend Password Link button is visible on forgot password page	PASSED	0.026 s

Validate confirmation message when user enters the valid email ID and click on Resend button

PASSED	DURATION - 15.954 s

/ 10:51:10.062 am // 10:51:26.016 am /

validate the Forgot Password functionality

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.155 s
2	When user clicks on forgot password link of login page	PASSED	2.091 s
3	Then forgot password page is opened	PASSED	2.019 s
4	Given user enters a valid and authorized "akash@memorres.com" email ID	PASSED	0.170 s
5	And user clicks on Get Password Reset Link button	PASSED	0.102 s
6	Then confirmation message displayed correctly	PASSED	1.598 s
7	And Resend Password Link button is visible on forgot password page	PASSED	0.025 s
8	When user clicks on Resend Password Link button	PASSED	0.038 s
9	Then confirmation message displayed correctly	PASSED	0.043 s

Validate after clicking on back button of forgot password page, user navigated to login page

PASSED	DURATION - 16.351 s

/ 10:51:26.030 am // 10:51:42.381 am /

validate the Forgot Password functionality

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.889 s
2	When user clicks on forgot password link of login page	PASSED	2.106 s
3	Then forgot password page is opened	PASSED	2.010 s
4	Given user clicks on back button of forgot password page	PASSED	0.068 s

#	Step / Hook Details	Status	Duration
5	Then user navigated to login page	PASSED	2.003 s

Validate page title and url of forgot password page

PASSED	DURATION - 20.681 s
/ 10:51:42.425 am // 10:52:03.106 am /	
validate the Forgot Password functionality	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.167 s
2	When user clicks on forgot password link of login page	PASSED	2.096 s
3	Then forgot password page is opened	PASSED	2.012 s
4	When forgot password page is opened	PASSED	2.010 s
5	Then Validate page title and url of forgot password page	PASSED	4.040 s

Validate placeholder text, headings and text on buttons of forgot password page

FAILED	DURATION - 1 m 6.873 s
/ 10:52:03.139 am // 10:53:10.012 am /	
validate the Forgot Password functionality	

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.179 s
2	When user clicks on forgot password link of login page	PASSED	2.227 s
3	Then forgot password page is opened	PASSED	2.006 s
4	When forgot password page is opened	PASSED	2.022 s

#	Step / Hook Details	Status	Duration
5	Then Validate placeholder text, headings and text on buttons of forgot password page	FAILED	51.275 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //div//h6 For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.4', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver 　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) 　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) 　at pageObjects.ForgotPasswordpage.validateHeadingsTextPlaceholder(ForgotPasswordpage.java:113) 　at stepDefinitions.ForgotPassword.validate_placeholder_text_headings_and_text_on_buttons_of_forgot_password_page(ForgotPassword.java:125) 　at ?.Validate placeholder text, headings and text on buttons of forgot password page(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/ForgotPassword.feature:70) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	0.007 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.108) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.4', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3dfb72b57af71383a36b277b5be75d12, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\vasudha\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:54752}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54752/devtoo..., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3dfb72b57af71383a36b277b5be75d12 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) 　at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331)		

#	Step / Hook Details	Status	Duration
	at stepDefinitions.Hooks.AddScreenshot(Hooks.java:42)		

validate the login functionality

| FAILED	DURATION - 5 m 3.414 s		Scenarios Total - 18 Pass - 17 Fail - 1 Skip - 0	18	Steps Total - 66 Pass - 65 Fail - 1 Skip - 0	66
/ 10:53:10.044 am // 10:58:13.458 am /						

User logins into the application with valid credentials

PASSED	DURATION - 14.530 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 10:53:10.060 am // 10:53:24.590 am /				
validate the login functionality				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.676 s
2	When user enters valid username akash@memorres.com and password Ak@sh1234	PASSED	0.393 s
3	And clicks on login button	PASSED	0.084 s
4	Then user logged in sucessfully	PASSED	3.011 s

User should not be able to login into the application with invalid credentials

PASSED   DURATION - 10.375 s

/ 10:53:24.609 am // 10:53:34.984 am /

validate the login functionality

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.546 s
2	When user enters invalid username akash@memorres.com and password Ak@sh123	PASSED	0.387 s
3	And clicks on login button	PASSED	0.094 s
4	Then user not able to login	PASSED	0.028 s

User should not be able to login into the application with invalid credentials

PASSED   DURATION - 11.110 s

/ 10:53:35.012 am // 10:53:46.122 am /

validate the login functionality

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.362 s
2	When user enters invalid username akash@memorres.com and password akash@memorres.com	PASSED	0.406 s
3	And clicks on login button	PASSED	0.095 s
4	Then user not able to login	PASSED	0.015 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 10.084 s
/ 10:53:46.129 am // 10:53:56.213 am /	
validate the login functionality	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.239 s
2	When user enters invalid username akash@@memorres.com and password Ak@sh1234	PASSED	0.410 s
3	And clicks on login button	PASSED	0.088 s
4	Then user not able to login	PASSED	0.019 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 9.706 s
/ 10:53:56.225 am // 10:54:05.931 am /	
validate the login functionality	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.973 s
2	When user enters invalid username akash329**&$% and password akash123	PASSED	0.337 s
3	And clicks on login button	PASSED	0.084 s
4	Then user not able to login	PASSED	0.016 s

## User should not be able to login into the application with invalid credentials

PASSED	DURATION - 9.243 s
/ 10:54:05.968 am // 10:54:15.211 am /	
validate the login functionality	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.391 s
2	When user enters invalid username akash@@abc.com and password Ak@sh1234	PASSED	0.327 s
3	And clicks on login button	PASSED	0.087 s
4	Then user not able to login	PASSED	0.034 s

### User should not be able to login into the application with invalid credentials

PASSED	DURATION - 10.147 s
/ 10:54:15.220 am // 10:54:25.367 am /	
validate the login functionality	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.350 s
2	When user enters invalid username akash@memorres and password y4<Ep3>T	PASSED	0.331 s
3	And clicks on login button	PASSED	0.078 s
4	Then user not able to login	PASSED	0.021 s

User should not be able to login into the application without any credentials

PASSED	DURATION - 9.357 s

/ 10:54:25.370 am // 10:54:34.727 am /

validate the login functionality

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.736 s
2	When user does not enter any username "" and password ""	PASSED	0.166 s
3	And clicks on login button	PASSED	0.074 s
4	Then user not able to login	PASSED	0.014 s

User should not be able to login into the application with only username

PASSED	DURATION - 10.756 s

/ 10:54:34.735 am // 10:54:45.491 am /

validate the login functionality

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.329 s
2	When user enters only username "akash@memorres.com" and does not enter any password ""	PASSED	0.366 s
3	And clicks on login button	PASSED	0.081 s
4	Then user not able to login	PASSED	0.015 s

User should not be able to login into the application with only password

PASSED	DURATION - 10.554 s
/ 10:54:45.500 am // 10:54:56.054 am /	
validate the login functionality	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.856 s
2	When user does not enter any username "" and enters only password "Ak@sh1234"	PASSED	0.238 s
3	And clicks on login button	PASSED	0.095 s
4	Then user not able to login	PASSED	0.018 s

verify if error messages are shown when user try login without any credentials

PASSED	DURATION - 9.097 s
/ 10:54:56.065 am // 10:55:05.162 am /	
validate the login functionality	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.368 s
2	When user does not enter any username "" and password ""	PASSED	0.174 s
3	And clicks on login button	PASSED	0.068 s
4	Then error messages are displyed for email and password fields	PASSED	0.149 s

Verify error message for invalid username

PASSED	DURATION - 9.017 s

/ 10:55:05.169 am // 10:55:14.186 am /

validate the login functionality

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.378 s
2	When user enters invalid username "akash@memorres"	PASSED	0.197 s
3	And clicks on login button	PASSED	0.091 s
4	Then error message is displayed for email field	PASSED	0.035 s

Verify error message for invalid username and invalid password

PASSED	DURATION - 10.879 s

/ 10:55:14.212 am // 10:55:25.091 am /

validate the login functionality

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.499 s
2	When user enters invalid username ledeyi1355@adroh.com and password Ak@sh123	PASSED	0.388 s
3	And clicks on login button	PASSED	0.081 s
4	Then error message is shown for invalid credentials	PASSED	1.392 s

Validate if user gets blocked after three unsucessful login attempts and error message is displayed

PASSED	*DURATION - 17.005 s*
/ 10:55:25.100 am // 10:55:42.105 am /	
validate the login functionality	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	4.822 s
2	When user enters valid username "akash@memorres.com" and invalid password "Ak@sh12345"	PASSED	0.380 s
3	And clicks on login button for four times	PASSED	8.243 s
4	Then user gets blocked and error message is correctly shown for blocked user	PASSED	0.044 s

Validate placeholder text on email and password text fields

PASSED	*DURATION - 10.161 s*
/ 10:55:42.121 am // 10:55:52.282 am /	
validate the login functionality	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

2

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.727 s
2	Then verify placeholder texts are visible coorectly on email and password text fields	PASSED	0.142 s

Validate if forgot password link is available and working properly on login page

PASSED	DURATION - 9.947 s
/ 10:55:52.289 am // 10:56:02.236 am /	
validate the login functionality	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.397 s
2	And check if forgot password link is available	PASSED	0.045 s
3	When user clicks on forgot password link	PASSED	0.065 s
4	Then user redirected to forgot password page	PASSED	0.049 s

Validate the page title and Url of the login page

PASSED	DURATION - 11.715 s
/ 10:56:02.248 am // 10:56:13.963 am /	
validate the login functionality	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

2

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.447 s
2	Then verify if url and page title are visible correctly on login page	PASSED	3.031 s

Validate all headings and text of button on login page

FAILED	DURATION - 1 m 59.485 s

/ 10:56:13.973 am // 10:58:13.458 am /

validate the login functionality

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.203 s
2	Then verify if headings and text of login button on login page are visible properly	FAILED	1 m 18.472 s

org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer   (failed to check if window was closed: disconnected: unable to connect to renderer)   (Session info: chrome=107.0.5304.108) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.4', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b6c8955ecaa2b92569404799349f90b1, findElement {using=xpath, value=//div//h2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\vasudha\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:55170}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55170/devtoo..., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b6c8955ecaa2b92569404799349f90b1
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
    at pageObjects.Loginpage.validateHeadings(Loginpage.java:137)
    at stepDefinitions.Login.verify_if_headings_and_text_of_login_button_on_login_page_are_visible_properly(Login.java:180)
    at ?.verify if headings and text of login button on login page are visible properly(file:///C:/Users/vasudha/Documents/Work/Memorres/

#	Step / Hook Details	Status	Duration
	clinimise/src/test/java/features/Login.feature:104) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	32.436 s

	org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=107.0.5304.108) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.4', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b6c8955ecaa2b92569404799349f90b1, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\vasudha\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:55170}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55170/devtoo..., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b6c8955ecaa2b92569404799349f90b1
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331)
	  at stepDefinitions.Hooks.AddScreenshot(Hooks.java:42)		