

# Cucumber Report

09-Nov-2022, 12:03:37 pm

Start : Nov 09, 11:58:48.815 am

End : Nov 09, 12:03:24.609 pm

Duration : 4 m 35.794 s

Features



Scenarios

Steps


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 12  
FAILED - 2  
SKIPPED - 0


PASSED - 54  
FAILED - 2  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>validate the login functionality</u>	4 m 35.794 s	14	12	2	0	56	54	2	0




#	Feature Name	T	P	F	S	Duration
1	<u>validate the login functionality</u>	14	12	2	0	4 m 35.794 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>validate the login functionality</u>	<u>User logs into the application with valid credentials</u>	4	3	1	0	38.565 s
2	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	11.456 s
3	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	11.707 s
4	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	12.420 s
5	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	12.201 s
6	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	13.977 s
7	<u>validate the login functionality</u>	<u>User should not be able to login into the application with invalid credentials</u>	4	4	0	0	11.656 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>validate the login functionality</u>	<u>User should not be able to login into the application without any credentials</u>	4	4	0	0	11.088 s
9	<u>validate the login functionality</u>	<u>User should not be able to login into the application with only username</u>	4	4	0	0	10.774 s
10	<u>validate the login functionality</u>	<u>User should not be able to login into the application with only password</u>	4	4	0	0	11.901 s
11	<u>validate the login functionality</u>	<u>verify if error messages are shown when user try login without any credentials</u>	4	4	0	0	10.936 s
12	<u>validate the login functionality</u>	<u>Verify error message for invalid username</u>	4	4	0	0	11.202 s
13	<u>validate the login functionality</u>	<u>Verify error message for invalid username and invalid password</u>	4	4	0	0	12.709 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
14	<u>validate the login functionality</u>	<u>Validate if user gets blocked after three unsucessful login attempts and error message is displayed</u>	4	3	1	0	1 m 34.546 s


## validate the login functionality

<b>FAILED</b>	<b>DURATION - 4 m 35.794 s</b>	Scenarios Total - 14 Pass - 12 Fail - 2 Skip - 0		Steps Total - 56 Pass - 54 Fail - 2 Skip - 0	
/ 11:58:48.815 am // 12:03:24.609 pm /					



## User logs into the application with valid credentials

<b>FAILED</b>	<b>DURATION - 38.565 s</b>		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 11:58:48.956 am // 11:59:27.521 am /				
validate the login functionality				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	32.065 s
2	When user enters valid username akash@memorres.com and password Ak@sh1234	PASSED	1.037 s
3	And clicks on login button	PASSED	0.178 s
4	Then user logged in sucessfully java.lang.AssertionError: did not expect [Clinimise - Login] but found [Clinimise - Login] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failEquals(Assert.java:1417) at org.testng.Assert.assertNotEqualsImpl(Assert.java:156) at org.testng.Assert.assertNotEquals(Assert.java:2033) at org.testng.Assert.assertNotEquals(Assert.java:2055) at stepDefinitions.Login.user_logged_in_sucessfully(Login.java:57) at ?.user logged in sucessfully(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.103 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	2.169 s
	image		



#	Step / Hook Details	Status	Duration
			

### User should not be able to login into the application with invalid credentials

<div>PASSED</div>	<div>DURATION - 11.456 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:59:27.605 am // 11:59:39.061 am /</div>				
<div>validate the login functionality</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.474 s
2	When user enters invalid username akash@memorres.com and password Ak@sh123	PASSED	1.053 s
3	And clicks on login button	PASSED	0.304 s
4	Then user not able to login	PASSED	0.059 s

### User should not be able to login into the application with invalid credentials



<div>PASSED</div>	<div>DURATION - 11.707 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:59:39.101 am // 11:59:50.808 am /</div>				
<div>validate the login functionality</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.495 s
2	When user enters invalid username akash@memorres.com and password akash@memorres.com	PASSED	1.224 s





#	Step / Hook Details	Status	Duration
3	And clicks on login button	PASSED	0.203 s
4	Then user not able to login	PASSED	0.049 s

### User should not be able to login into the application with invalid credentials


PASSED		DURATION - 12.420 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0		
/ 11:59:50.850 am // 12:00:03.270 pm /							
validate the login functionality							

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.113 s
2	When user enters invalid username akash@@memorres.com and password Ak@sh1234	PASSED	1.187 s
3	And clicks on login button	PASSED	0.236 s
4	Then user not able to login	PASSED	0.048 s


### User should not be able to login into the application with invalid credentials

PASSED	DURATION - 12.201 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:00:03.303 pm // 12:00:15.504 pm /				
validate the login functionality				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.414 s
2	When user enters invalid username akash329**&\$% and password akash123	PASSED	1.083 s
3	And clicks on login button	PASSED	0.238 s
4	Then user not able to login	PASSED	0.055 s


**User should not be able to login into the application with invalid credentials**

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	10.103 s
2	When user enters invalid username akash@@abc.com and password Ak@sh1234	PASSED	0.996 s
3	And clicks on login button	PASSED	0.277 s
4	Then user not able to login	PASSED	0.050 s

**User should not be able to login into the application with invalid credentials**


#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.789 s
2	When user enters invalid username akash@memorres and password y4<Ep3>T	PASSED	1.113 s
3	And clicks on login button	PASSED	0.265 s
4	Then user not able to login	PASSED	0.049 s

**User should not be able to login into the application without any credentials**





#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.392 s
2	When user does not enter any username "" and password ""	PASSED	0.569 s
3	And clicks on login button	PASSED	0.234 s
4	Then user not able to login	PASSED	0.018 s

### User should not be able to login into the application with only username





#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.083 s
2	When user enters only username "akash@memorres.com" and does not enter any password ""	PASSED	0.951 s
3	And clicks on login button	PASSED	0.254 s
4	Then user not able to login	PASSED	0.049 s

### User should not be able to login into the application with only password

<div>PASSED</div> <div>DURATION - 11.901 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:01:03.171 pm // 12:01:15.072 pm /				
validate the login functionality				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.276 s
2	When user does not enter any username "" and enters only password "Ak@sh1234"	PASSED	0.804 s
3	And clicks on login button	PASSED	0.255 s
4	Then user not able to login	PASSED	0.057 s

**verify if error messages are shown when user try login without any credentials**

<div>PASSED</div>	<div>DURATION - 10.936 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:01:15.120 pm // 12:01:26.056 pm /				
validate the login functionality				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.236 s
2	When user does not enter any username "" and password ""	PASSED	0.547 s
3	And clicks on login button	PASSED	0.289 s
4	Then error messages are displayed for email and password fields	PASSED	0.436 s

**Verify error message for invalid username**

<div>PASSED</div> <div>DURATION - 11.202 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:01:26.091 pm // 12:01:37.293 pm /				
validate the login functionality				



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.177 s
2	When user enters invalid username "akash@memorres"	PASSED	0.307 s
3	And clicks on login button	PASSED	0.119 s
4	Then error message is displayed for email field	PASSED	0.047 s

### Verify error message for invalid username and invalid password

<b>PASSED</b>		<i>DURATION - 12.709 s</i>			<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0		
/ 12:01:37.318 pm // 12:01:50.027 pm /							
validate the login functionality							

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.613 s
2	When user enters invalid username ledeyi1355@adroh.com and password Ak@sh123	PASSED	1.291 s
3	And clicks on login button	PASSED	0.170 s
4	Then error message is shown for invalid credentials	PASSED	1.068 s

### Validate if user gets blocked after three unsuccessful login attempts and error message is displayed

FAILED	DURATION - 1 m 34.546 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:01:50.063 pm // 12:03:24.609 pm /				
validate the login functionality				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.216 s
2	When user enters valid username "akash@memorres.com" and invalid password "Ak@sh12345"	PASSED	0.970 s
3	And clicks on login button for four times	PASSED	0.653 s
4	Then user gets blocked and error message is correctly shown for blocked user  org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //div[text()='Too many login attempts, please try login into your account after an hour'] For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.3', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at pageObjects.Loginpage.errorMessageForBlockedUser(Loginpage.java:81) at stepDefinitions.Login.user_gets_blocked_and_error_message_is_correctly_shown_for_blocked_user(Login.java:142) at ?.user gets blocked and error message is correctly shown for blocked user(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:80) * Not displayable characters are replaced by '?'.	FAILED	1 m 22.387 s
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.88) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.3', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6ab7b1489b2981101776c0f3c2be5624, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\vasudha\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:56195}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56195/devtoo..., se:cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6ab7b1489b2981101776c0f3c2be5624 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.033 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331) at stepDefinitions.Hooks.AddScreenshot(Hooks.java:41)		