Cucumber Report

| Start : Nov 08, 3:53:19.158 pm	End : Nov 08, 3:56:38.803 pm	Duration : 3 m 19.645 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 4 SKIPPED - 0	PASSED - 44 FAILED - 4 SKIPPED - 0

1

12

48

40 50 60
30 Pass % 70
20 80
10 90
0 0 % 100

40 50 60
30 Pass % 70
20 80
10 90
0 66 % 100

40 50 60
30 Pass % 70
20 80
10 90
0 91 % 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
validate the login functionality	3 m 19.645 s	12	8	4	0	48	44	4	0

#	Feature Name	T	P	F	S	Duration
1	validate the login functionality	12	8	4	0	3 m 19.645 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	*validate the login functionality*	*User logins into the application with valid credentials*	4	4	0	0	24.123 s
2	*validate the login functionality*	*User should not be able to login into the application with invalid credentials*	4	4	0	0	13.023 s
3	*validate the login functionality*	*User should not be able to login into the application with invalid credentials*	4	4	0	0	9.898 s
4	*validate the login functionality*	*User should not be able to login into the application with invalid credentials*	4	4	0	0	9.907 s
5	*validate the login functionality*	*User should not be able to login into the application with invalid credentials*	4	4	0	0	8.827 s
6	*validate the login functionality*	*User should not be able to login into the application with invalid credentials*	4	4	0	0	8.419 s
7	*validate the login functionality*	*User should not be able to login into the application with invalid credentials*	4	4	0	0	9.059 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	validate the login functionality	User should not be able to login into the application without any credentials	4	4	0	0	7.167 s
9	validate the login functionality	User should not be able to login into the application with only username	4	3	1	0	8.861 s
10	validate the login functionality	User should not be able to login into the application with only password	4	3	1	0	9.303 s
11	validate the login functionality	Error messages are shown when user try login into appliation without any credentials	4	3	1	0	1 m 12.836 s
12	validate the login functionality	Verify error message for invalid username	4	3	1	0	17.797 s

DETAILED SECTION

validate the login functionality

FAILED	DURATION - 3 m 19.645 s	Scenarios		Steps	
/ 3:53:19.158 pm // 3:56:38.803 pm /		Total - 12		Total - 48	
		Pass - 8	12	Pass - 44	48
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 0	

User logins into the application with valid credentials

PASSED	DURATION - 24.123 s		Steps	
/ 3:53:19.335 pm // 3:53:43.458 pm /			Total - 4	
			Pass - 4	4
validate the login functionality			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	17.039 s
2	When user enters valid username akash@memorres.com and password Ak@sh1234	PASSED	0.538 s
3	And clicks on login button	PASSED	0.334 s
4	Then user logged in sucessfully	PASSED	3.418 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 13.023 s		Steps	
/ 3:53:43.478 pm // 3:53:56.501 pm /			Total - 4	
			Pass - 4	4
validate the login functionality			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	10.242 s
2	When user enters invalid username akash@memorres.com and password Ak@sh123	PASSED	0.324 s
3	And clicks on login button	PASSED	0.066 s
4	Then user not able to login	PASSED	0.095 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 9.898 s		Steps	
/ 3:53:56.513 pm // 3:54:06.411 pm /			Total - 4	
			Pass - 4	
validate the login functionality			Fail - 0	4
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.067 s
2	When user enters invalid username akash@memorres.com and password akash@memorres.com	PASSED	0.392 s
3	And clicks on login button	PASSED	0.075 s
4	Then user not able to login	PASSED	0.018 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 9.907 s		Steps	
/ 3:54:06.451 pm // 3:54:16.358 pm /			Total - 4	
			Pass - 4	
validate the login functionality			Fail - 0	4
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.174 s
2	When user enters invalid username akash@@memorres.com and password Ak@sh1234	PASSED	0.336 s

#	Step / Hook Details	Status	Duration
3	And clicks on login button	PASSED	0.060 s
4	Then user not able to login	PASSED	0.017 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 8.827 s	
/ 3:54:16.368 pm // 3:54:25.195 pm /		
validate the login functionality		

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.195 s
2	When user enters invalid username akash329**&$% and password akash123	PASSED	0.289 s
3	And clicks on login button	PASSED	0.067 s
4	Then user not able to login	PASSED	0.014 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 8.419 s	
/ 3:54:25.206 pm // 3:54:33.625 pm /		
validate the login functionality		

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

| #	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.705 s
2	When user enters invalid username akash@@abc.com and password Ak@sh1234	PASSED	0.308 s
3	And clicks on login button	PASSED	0.069 s
4	Then user not able to login	PASSED	0.015 s

User should not be able to login into the application with invalid credentials

PASSED	DURATION - 9.059 s
/ 3:54:33.642 pm // 3:54:42.701 pm /	
validate the login functionality	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.303 s
2	When user enters invalid username akash@memorres and password y4<Ep3>T	PASSED	0.303 s
3	And clicks on login button	PASSED	0.068 s
4	Then user not able to login	PASSED	0.014 s

### User should not be able to login into the application without any credentials

PASSED	DURATION - 7.167 s
/ 3:54:42.721 pm // 3:54:49.888 pm /	
validate the login functionality	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	4.599 s
2	When user does not enter any username "" and password ""	PASSED	0.156 s
3	And clicks on login button	PASSED	0.095 s
4	Then user not able to login	PASSED	0.016 s

User should not be able to login into the application with only username

FAILED	DURATION - 8.861 s

/ 3:54:49.923 pm // 3:54:58.784 pm /

validate the login functionality

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.436 s
2	When user enters only username "akash@memorres.com" and does not enter any password ""	PASSED	0.287 s
3	And clicks on login button	PASSED	0.072 s
4	Then user not able to login	FAILED	0.030 s

	java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In]
	   at org.testng.Assert.fail(Assert.java:110)
	   at org.testng.Assert.failNotEquals(Assert.java:1413)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:149)
	   at org.testng.Assert.assertEquals(Assert.java:131)
	   at org.testng.Assert.assertEquals(Assert.java:655)
	   at org.testng.Assert.assertEquals(Assert.java:665)
	   at stepDefinitions.Login.user_not_able_to_login(Login.java:72)
	   at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:42)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.706 s

User should not be able to login into the application with only password

FAILED	DURATION - 9.303 s
/ 3:54:58.823 pm // 3:55:08.126 pm /	
validate the login functionality	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

4

| #	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.027 s
2	When user does not enter any username "" and enters only password "Ak@sh1234"	PASSED	0.231 s
3	And clicks on login button	PASSED	0.081 s
4	Then user not able to login	FAILED	0.019 s

	java.lang.AssertionError: expected [Clinimise - Login] but found [Clinimise - Login In]
	    at org.testng.Assert.fail(Assert.java:110)
	    at org.testng.Assert.failNotEquals(Assert.java:1413)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:149)
	    at org.testng.Assert.assertEquals(Assert.java:131)
	    at org.testng.Assert.assertEquals(Assert.java:655)
	    at org.testng.Assert.assertEquals(Assert.java:665)
	    at stepDefinitions.Login.user_not_able_to_login(Login.java:72)
	    at ?.user not able to login(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:49)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.547 s

Error messages are shown when user try login into appliation without any credentials

FAILED	DURATION - 1 m 12.836 s
/ 3:55:08.163 pm // 3:56:20.999 pm /	
validate the login functionality	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	5.901 s
2	When user does not enter any username "" and password ""	PASSED	0.158 s
3	And clicks on login button	PASSED	0.076 s
4	Then error messages are displyed for email and password fields	FAILED	1 m 4.143 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //span[text()='Please enter an email address'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	    at pageObjects.Loginpage.errorMessageForEmptyFields(Loginpage.java:59)
	    at stepDefinitions.Login.error_messages_are_displyed_for_email_and_password_fields(Login.java:100)
	    at ?.error messages are displyed for email and password fields(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:56)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	0.228 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.88) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [5b04da778bd92d8dc9cfeb27cd6b28f2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\vasudha\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60546}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60546/devtoo..., se:cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5b04da778bd92d8dc9cfeb27cd6b28f2
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331) at stepDefinitions.Hooks.AddScreenshot(Hooks.java:41)		

Verify error message for invalid username

FAILED	DURATION - 17.797 s		Steps
/ 3:56:21.006 pm // 3:56:38.803 pm /			Total - 4
validate the login functionality			Pass - 3 Fail - 1 Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	8.706 s
2	When user enters invalid username "akash@memorres"	PASSED	0.188 s
3	And clicks on login button	PASSED	0.070 s
4	Then error message is displayed for email field	FAILED	6.660 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //span[text()='Please enter a valid email address'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at pageObjects.Loginpage.errorMessageForInvalidEmail(Loginpage.java:66) at stepDefinitions.Login.error_message_is_displayed_for_email_field(Login.java:115) at ?.error message is displayed for email field(file:///C:/Users/vasudha/Documents/Work/Memorres/clinimise/src/test/java/features/Login.feature:63) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	0.019 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.88) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-DTU3KAA', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [a7710f4d361c206bbeb5f5aa86cb99fd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\vasudha\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:60612}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60612/devtoo..., se:cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a7710f4d361c206bbeb5f5aa86cb99fd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331) at stepDefinitions.Hooks.AddScreenshot(Hooks.java:41)		