

a real proof released a payment that never happened

The proof is real. The payment is wrong.

The bench, the drop-in library, and the settlement rail that close the third check a valid Attestcoin proof leaves open.

01 A valid proof is not permission to pay

The BlockProver precompile at **0x0FD2** proves inclusion and continuity, then stops. Everything that decides whether money should move is left to the integrator. Miss one and a legitimate proof of the wrong thing releases funds.

01

Transaction status

02

Emitting contract

03

Event signature

04

Replay guard

05

Chain identity

06

Order and field binding

07

Block window

08

Log selection

02 Four moving parts, one guarantee

A falsifier

A bench that releases a real deployed escrow against a legitimate proof of the wrong thing, next to a hardened one that rejects. On-chain, side by side.

A drop-in library

ThirdCheckLib implements the correct path in two calls, `verifyReceipt` and `bindPayment`, so a consumer cannot reimplement the checks and get one wrong.


A settlement rail

SettlementHub runs the full third check by construction for every order, and VerifiedRegistry lets a verified operator settle at a lower fee.

A CI gate

A static analyzer that fails a build before mainnet if a consumer skips the third check, the way a linter or a test suite would.

03 One order, three parties, two chains



seller received

+0.0009975

protocol fee · 0.25% unverified

+0.00000025

distinct addresses

3

```
$ npm run judge:verify · no key, no funded account. tampered proof fails, real one reproduces 11/11
```

04 **Live contracts and where this goes**

CONTRACT	NETWORK	ADDRESS
SourceSettlement	Ethereum Sepolia	0xD8504B263104aa915974eCCE1002d7F7587e88cD
HardenedEscrow	Creditcoin CC3	0xeC82270dc356948FC2e5E969a887ce6bE27e375A
VerifiedRegistry	Creditcoin CC3	0xa2E744fEa8707aE124ee7d605D2fc1b58BF68752
SettlementHub	Creditcoin CC3	0x676a74fa6542BEd2dD4A16EF122f75968329B1B0

Next: the default pre-mainnet gate for every Attestcoin consumer. Continuous verification in CI, runtime monitoring of deployed consumers, audit-grade review as a service, while the gate and the library stay free and drive adoption.