

- System Prompt
- Query
- Model
- Temperature → Randomness
- Max tokens
- Tools
- Top-k/p → Sampling
- Evals
- Guardrails

Types of Evals:

1. Functional Correctness

2. Tool-Selection

3. Groundedness

4. Policy Guidedness

5. Regression Evals

↳ Every production bug should become the future eval case.

Keep a track of Tokens & Cost.

↳ Monitoring & alerts on tokens usage.

Cost Guardrails.

→ MAX-TOTAL-CALLS

→ MAX-AGENT-STEPS

→ MAX-INPUT-TOKENS

→ MAX-OUTPUT-TOKENS

Secret & Access Control.

PII

↳ Personally Identifiable Information.

Type of Guardrails.

→ Input Guardrails.

- Content Safety
- PII & Secret detection
- Domain & relevance checks
- Abusive Checks
- Anomaly detection

→ Prompt & Context Guardrails.

→ how system instructions, user input, memory, retrieved context & tool results are assembled.

- Context summary
- Structured context.
- Components of system instructions.

→ Retrieval & RAG based Guardrails.

→ Output Guardrails.

↳ Inspect model's final response before returning it to the user.

→ Tools and Action Guardrails.

→ Memory Guardrails.

→ Infrastructure & Cost Guardrails.

→ Human-in-the-loop Guardrails.