

OpenAI agent building landscape.


→ ChatGPT work.

→ Workspace Agents.

↳ Reusable agents for repeatable organisational workflow.

→ Agents SDK.

↳ Software development kit.




→ Guardrails & Observability surrounds the entire workflow.

Agent Builder Patterns.

→ Knowledge Assistant.

↳ Answer questions using approved internal information.



Guardrails:

- Only use internal knowledge base.
- Don't reveal any personal info.
- Read only knowledge base.
- Refuse out of context questions.
- Authentication.

→ Read-Reason-Write with Approval.

↳ Read informal, make a decision & update information in the DB.

→ Scheduled Reporting Agent.

↳ Generate a report at a fixed schedule.

→ Event or API triggered agent.

↳ Run the agent based on external event or API call.

Guardrails.

↳ Controls or Constraints placed around AI applications to ensure it operates within the defined:

→ System boundaries

→ Companies rules & regulations.

→ Legalties

→ User Expectations.

==
==
==

Guardrails.
↳ Input
↳ Output
↳ Tools & Actions.

→ ways to classify guardrails.

↳ By location.

↳ Input / Output guardrails
↳ Prompt or Context.
↳ Memory
↳ Infrastructure
↳ Tools or Actions

→ By Purpose.

→ By Implementation

→ By humans.

→ By Execution mode

