





⇒ Docker is used to solve the classic
"It works on my machine" problem.

⇒ Docker packages an application and all of its
underlying dependencies (database, python
version, libraries & frameworks etc) into a
lightweight & isolated Runtime Environment

⊙ Image that we can run on other m/c.







→ Multiple containers running on a server are completely isolated from each other.

Core Reasons to use Docker.

→ Environment Consistency.

→ Isolation & Security.

→ Portability.

→ Resource Efficiency.

DevOps (vs) MLOps (vs) LLMOps.

DevOps : Software Operations to automate & streamline the sw application delivery lifecycle.


DevOps Engineer @ Amazon


↳ For every deployment, create a new Image, and replace the existing image with the new image version in all the servers.

Doing this manually isn't feasible at all, this process needs to be streamlined & automated.

Monitoring

↳ Resource monitoring





MLOps.

↳ Extension of DevOps for Machine Learning model based applications.

LLM Ops. : Subset of DevOps & MLOps which mainly focuses on GenAI based applications involving LLMs.

Prompt Versioning

Prompt = " _____ "

V_1



V_2



V_3



V_4



V_{25}

Prompt- V_1 : _____


Prompt- V_2 : _____ ↙

Prompt- V_3 : _____

Prompt- V_4 : _____


⋮

VERSION_NUMBER = ~~40~~ 1



Evaluation SETS

↳ Test Cases



Regression Testing

