Request - Response Cycle



JSON : JavaScript Object Notation

```
{
    "title" : ______
    "desc" : ______
    "price" : ______
    "discount" : ______
}
```

```
[
    {
    },
    {
    },
    {
    },
]
```

Client - Server Architecture



Amazon's Codebase

- Order Service
- Transport Service
- Payment Service
- Tracking Service



- HTML → Structure of the Webpage
- CSS → Decoration of webage
- JS → functionalities.



Range

- ☐ 2 Days
- ☐ 1 Day



→ Domain
→ IP
→ DNS

IP Addresses

→ Every m/c connected to internet has a unique IP address.

IPV4.

A . B . C . D

A → 2^8

B → 2^8

C → [0-255] → 2^8

D → 2^8

No. of possible IPV4 addresses $= 2^{32}$

$= 2^2 \cdot 2^{30}$

$= 4 \times 2^{10} \times 2^{10} \times 2^{10}$

$= 4 \times 10^9$

$= 4B$

IPV6

↳ 128 bit numbers.

No. of possible IPV6 addresses = 2^{128}

amazon.in ⇒ 10.20.30.40

flipkart.com ⇒ 17.18.12.47

DNS ↓ Domain Name System.



ICANN

Public vs Private IP



IPV4

↓

4B







→ Single Source of truth

→ SPOF
↳ Single Point of failure.

DNS



⇒ HTML
⇒ CSS
⇒ JS.

del.icio.us → 2003

↳ Simple Bookmarking website.

MVP

↳ Minimal Viable Product.

→ SignUp
→ Login
→ Store Bookmarks.