

(D-3)

॥ जय श्री गिरिराज जी महाराज ॥

Topic

Date

Page (1)

## → ULTIMATE MATHEMATICS →

(BY: AJAY MITTAL: 9891067390)

(D-3) Determinants: Class No: 3

IMP Topic: Solving system of linear equations

4M/6M

(i) Given.  $a_1x + b_1y + c_1z = d_1$

$$a_2x + b_2y + c_2z = d_2$$

$$a_3x + b_3y + c_3z = d_3$$

✓ (ii) these equations can be written in the matrix form

$$\begin{bmatrix} a_1 & b_1 & c_1 \\ a_2 & b_2 & c_2 \\ a_3 & c_3 & c_3 \end{bmatrix}_{3 \times 3} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} d_1 \\ d_2 \\ d_3 \end{bmatrix}$$

$\downarrow$                        $\downarrow$                        $\downarrow$   
 A                      X                      B

⇒  $\boxed{AX = B}$

⇒  $A^{-1}AX = A^{-1}B$

⇒  $IX = A^{-1}B$

⇒  $\boxed{X = A^{-1}B}$

(Matrix Method)

(i)  $A^{-1} = \frac{1}{|A|} \text{Adj } A$

Topic

Date

## ← ULTIMATE MATHEMATICS →

(By: AJAY MITTAL: 9891067390)

(.) Conditions of Consistency:

(1) If  $|A| \neq 0$   
 ∴ System is consistent ✓  
 ∴ Unique solution

(2) If  $|A| = 0$  and  $(A \rightarrow A)B = 0$

(.) System: Consistent  
 ∴ Infinite Many solution

(3) If  $|A| = 0$  but  $(A \rightarrow A)B \neq 0$

(.) System: Inconsistent  
 ∴ No solution

Ques 1 → Solve the system of linear equations (By Matrix Method)

$$2x + y + z = 1; \quad x - 2y - z = 3/2; \quad 3y - 5z = 9$$

Sol: these equations can be written in the matrix form

$$\begin{bmatrix} 2 & 1 & 1 \\ 1 & -2 & -1 \\ 0 & 3 & -5 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 3/2 \\ 9 \end{bmatrix}$$

$\downarrow$   $\downarrow$   $\downarrow$   
 $A$   $X$   $B$

$$\Rightarrow AX = B$$

$$\Rightarrow A^{-1}AX = A^{-1}B$$

Topic

Date

## ← ULTIMATE MATHEMATICS →

(BY: AJAY MITTAL: 9891067390)

$$\Rightarrow IX = A^{-1}B$$

$$\Rightarrow \boxed{X = A^{-1}B} \checkmark$$

$$[A] = \begin{vmatrix} (+) & (-) & (+) \\ 2 & 1 & 1 \\ 1 & -2 & -1 \\ 0 & 3 & -5 \end{vmatrix}$$

$$|A| = 2(13) - 1(-5) + 1(3)$$

$$|A| = 26 + 5 + 3 = 34 \neq 0 \quad (\text{unique solution})$$

System:

(consistent).

$$C_{11} = 13$$

$$C_{12} = +5$$

$$C_{13} = 3$$

$$C_{21} = +8$$

$$C_{22} = -10$$

$$C_{23} = -6$$

$$C_{31} = 1$$

$$C_{32} = +3$$

$$C_{33} = -5$$

$$\text{Adj } A = \begin{bmatrix} 13 & 8 & 1 \\ 5 & -10 & 3 \\ 3 & -6 & -5 \end{bmatrix}$$

$$\text{Now } A^{-1} = \frac{1}{34} \begin{bmatrix} 13 & 8 & 1 \\ 5 & -10 & 3 \\ 3 & -6 & -5 \end{bmatrix}$$

$$X = A^{-1}B = \frac{1}{34} \begin{bmatrix} 13 & 8 & 1 \\ 5 & -10 & 3 \\ 3 & -6 & -5 \end{bmatrix} \begin{bmatrix} 1 \\ 3/2 \\ 9 \end{bmatrix}$$

Topic \_\_\_\_\_

Date \_\_\_\_\_

## ← ULTIMATE MATHEMATICS →

(BY: AJAY MITTAL : 9891067390)

$$X = \frac{1}{34} \begin{bmatrix} 34 \\ 17 \\ -51 \end{bmatrix}$$

$$\Rightarrow \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 1/2 \\ -3/2 \end{bmatrix}$$

$\Rightarrow \boxed{x=1, y=1/2, z=-3/2}$  is the required solution.

check

$$\begin{aligned} &= 2(1) + 1/2 - 3 \\ &= 2 + 1/2 - 3 \\ &= 5/2 - 3 \\ &= 1 \quad \text{--- } x \text{ ---} \end{aligned}$$

Special  
QNS II

$$A = \begin{bmatrix} 1 & -1 & 1 \\ 2 & 1 & -3 \\ 1 & 1 & 1 \end{bmatrix}$$

✓ By self  $A^{-1} = \frac{1}{|A|} \text{Adj } A = \frac{1}{\square} \begin{bmatrix} \end{bmatrix}$

Given Equations

$$x + 2y + z = 4 \quad ; \quad -x + y + z = 0, \quad x - y + z = 2$$

these equations can be written in the form

$$A'X = B$$

$$\boxed{X = (A')^{-1}B}$$

## → ULTIMATE MATHEMATICS →

(BY: AJAY MITTAL: 9891067390)

Ex. 1

$$\boxed{(A^{-1})^T = (A^T)^{-1}} \quad \checkmark$$

$$X = (A^{-1})^T B$$

$$X = \frac{1}{5} \begin{bmatrix} \cdot \\ \cdot \\ \cdot \end{bmatrix} \begin{bmatrix} \cdot \\ \cdot \\ \cdot \end{bmatrix}$$

$$X = \begin{bmatrix} \cdot \\ \cdot \\ \cdot \end{bmatrix}$$

$$\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} \cdot \\ \cdot \\ \cdot \end{bmatrix}$$

$$\boxed{x = \cdot, y = \cdot, z = \cdot} \quad \text{Solution.}$$

Special

Ques 1 Let  $A = \begin{bmatrix} 1 & -1 & 1 \\ 1 & -2 & -2 \\ 2 & 1 & 3 \end{bmatrix}$

$$C = \begin{bmatrix} -4 & 4 & 4 \\ -7 & 1 & 3 \\ 5 & -3 & -1 \end{bmatrix}$$

Now  $CA = \begin{bmatrix} -4 & 4 & 4 \\ -7 & 1 & 3 \\ 5 & -3 & -1 \end{bmatrix} \begin{bmatrix} 1 & -1 & 1 \\ 1 & -2 & -2 \\ 2 & 1 & 3 \end{bmatrix}$

$$CA = \begin{bmatrix} 8 & 0 & 0 \\ 0 & 8 & 0 \\ 0 & 0 & 8 \end{bmatrix}$$



## ← ULTIMATE MATHEMATICS →

(BY: AJAY MITTAL : 9891067390)

$$\Rightarrow CA = 8 \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

$$\Rightarrow \boxed{CA = 8I} \checkmark$$

$$CAA^{-1} = 8IA^{-1}$$

$$CI = 8A^{-1}$$

$$C = 8A^{-1}$$

$$\boxed{A^{-1} = \frac{1}{8}C} \checkmark$$

$$\checkmark A^{-1} = \frac{1}{8} \begin{bmatrix} -4 & 4 & 4 \\ -7 & 1 & 3 \\ 5 & -3 & -1 \end{bmatrix}$$

Given Equation

$$x - y + z = 4 ; x - 2y - 2z = 9 , 2x + y + 3z = 1$$

These equations can be written in the form

$$\underbrace{\begin{bmatrix} 1 & -1 & 1 \\ 1 & -2 & -2 \\ 2 & 1 & 3 \end{bmatrix}}_A \underbrace{\begin{bmatrix} x \\ y \\ z \end{bmatrix}}_X = \underbrace{\begin{bmatrix} 4 \\ 9 \\ 1 \end{bmatrix}}_B$$

$$AX = B$$

$$\Rightarrow X = A^{-1}B$$

$$\Rightarrow X = \frac{1}{8} \begin{bmatrix} -4 & 4 & 4 \\ -7 & 1 & 3 \\ 5 & -3 & -1 \end{bmatrix} \begin{bmatrix} 4 \\ 9 \\ 1 \end{bmatrix} = \begin{bmatrix} -1 \\ -2 \\ 1 \end{bmatrix}$$

 $x = -1, y = -2, z = 1$  is the required solution.

Q<sub>N</sub> 1 → Examine the consistency of system of equations:  
 $x + 3y = 5$  and  $2x + 6y = 8$

Q<sub>N</sub> 2 → Examine the consistency of system of equations:  
 $3x - y - 2z = 2$  ;  $2y - z = -1$  and  $3x - 5y = 3$

Q<sub>N</sub> 3 → Examine the consistency of system of equations:  
 $5x - y + 4z = 5$  ;  $2x + 3y + 5z = 2$  and  $5x - 2y + 6z = -1$

Q<sub>N</sub> 4 → Solve the system of linear equations using Matrix method  
 $4x - 3y = 3$  and  $3x - 5y = 7$

Q<sub>N</sub> 5 → Solve the system of linear equations:  
 $2x + y + z = 1$  ;  $x - 2y - z = \frac{3}{2}$  and  $3y - 5z = 9$

Q<sub>N</sub> 6 → Solve the system of linear equations  
 $x - y + 2z = 7$  ;  $4y + 3x = 5z - 5$  and  $2x + 3z = 12 + y$

Q<sub>N</sub> 7 → Solve the system of linear equations  
 $\frac{2}{x} + \frac{3}{y} + \frac{10}{z} = 4$  ;  $\frac{4}{x} - \frac{6}{y} + \frac{5}{z} = 1$  &  $\frac{6}{x} + \frac{9}{y} - \frac{20}{z} = 2$

Q<sub>N</sub> 8 → Solve the system of linear equations  
 $2yz - 3xz + 3xy = 10xyz$  ;  $yz + xz + xy = 10xyz$   
 and  $3yz - xz + 2xy = 13xyz$

Q<sub>N</sub> 9 → If  $A = \begin{bmatrix} 2 & -3 & 5 \\ 3 & 2 & -4 \\ 1 & 1 & -2 \end{bmatrix}$ , find  $A^{-1}$ . Using  $A^{-1}$  solve

the system of equations  $2x - 3y + 5z = 11$  ;  
 $3x + 2y - 4z = -5$  and  $x + y - 2z = -3$

Q<sub>N</sub> 10 → The sum of three numbers is 6. If we multiply third number by 3 and add

second number to it, we get 11. By adding first and third numbers, we get double of the second number. Represent it algebraically and find the numbers using matrix method.

Q.N. 11  $\rightarrow$  If  $A = \begin{bmatrix} 1 & -1 & 1 \\ 2 & 1 & -3 \\ 1 & 1 & 1 \end{bmatrix}$  find  $A^{-1}$  and hence solve the system of equations:  
 $x + 2y + z = 4$ ;  $-x + y + z = 0$ ,  $x - 3y + z = 2$

Q.N. 12  $\rightarrow$  The cost of 4 kg onion, 3 kg wheat and 2 kg rice is Rs 60. The cost of 2 kg onion, 4 kg wheat and 6 kg rice is Rs 90. The cost of 6 kg onion, 2 kg wheat and 3 kg rice is Rs 70. Find cost of each item per kg by matrix Method

Q.N. 13  $\rightarrow$  Use product  $\begin{bmatrix} 1 & -1 & 2 \\ 0 & 2 & -3 \\ 3 & -2 & 4 \end{bmatrix} \begin{bmatrix} -2 & 0 & 1 \\ 9 & 2 & -3 \\ 6 & 1 & -2 \end{bmatrix}$  to solve the system of equations  $x - y + 2z = 1$ ,  $2y - 3z = 1$  and  $3x - 2y + 4z = 2$

Q.N. 14  $\rightarrow$  Determine the product  $\begin{bmatrix} -4 & 4 & 4 \\ -7 & 1 & 3 \\ 5 & -3 & -1 \end{bmatrix} \begin{bmatrix} 1 & -1 & 1 \\ 1 & -2 & -2 \\ 2 & 1 & 3 \end{bmatrix}$  and hence solve the equations  
 $x - y + z = 4$ ;  $x - 2y - 2z = 9$  &  $2x + y + 3z = 1$

Q.N. 15  $\rightarrow$  If  $A = \begin{bmatrix} 7 & 2 & -6 \\ -2 & 1 & -3 \\ -4 & 2 & 5 \end{bmatrix}$  &  $B = \begin{bmatrix} 1 & -2 & 0 \\ 2 & 1 & 3 \\ 0 & -2 & 1 \end{bmatrix}$  find  $BA$  and

hence solve the equations  $x - 2y = 10$ ;  $2x + y + 3z = 8$  and  $-2y + z = 7$

### ANSWERS

1) Consistent	5). $x = \frac{-6}{11}$ , $y = \frac{-19}{11}$	7) $x = 2$ , $y = 3$ , $z = 5$	10). 1, 2, 3	13) 0, 5, 3
2) Inconsistent	6). $x = 1$ , $y = \frac{1}{2}$ , $z = -\frac{3}{2}$	8). $x = \frac{1}{2}$ , $y = \frac{1}{3}$ , $z = \frac{1}{5}$	11) $\frac{9}{5}$ , $\frac{2}{5}$ , $\frac{7}{5}$	14) 3, -2, -1
3) Consistent	9). $x = 2$ , $y = 1$ , $z = 3$	12) Rs 5, Rs 8, Rs 8	15) 4, -3, 1	