

Connection-specific DNS Suffix . :

Wireless LAN adapter Local Area Connection* 12:

Media State : Media disconnected

Connection-specific DNS Suffix . :

Ethernet adapter VMware Network Adapter VMnet1:

Connection-specific DNS Suffix . :

Link-local IPv6 Address : fe80::9a99:7081:e882:d7a1%22

IPv4 Address. : 192.168.199.1

Subnet Mask : 255.255.255.0

Default Gateway :

Ethernet adapter VMware Network Adapter VMnet8:

Connection-specific DNS Suffix . :

Link-local IPv6 Address : fe80::a839:8db4:8c6f:8721%21

IPv4 Address. : 192.168.226.1

Subnet Mask : 255.255.255.0

Default Gateway :

Wireless LAN adapter Wi-Fi 2:

Connection-specific DNS Suffix . :

IPv6 Address. : 2401:4900:1ce3:e99d:c265:7859:d594:8491

Temporary IPv6 Address. : 2401:4900:1ce3:e99d:484a:8369:1f78:6a9d

Link-local IPv6 Address : fe80::3d0f:db62:dec0:b8e4%18

IPv4 Address. : 192.168.1.5

Subnet Mask : 255.255.255.0

Default Gateway : fe80::32bd:13ff:fe36:dec0%18

192.168.1.1



FOLDERS

My Scans

All Scans

Trash

RESOURCES

Policies

Plugin Rules

Tenable News

SolarWinds Web Help
Desk
Unauthenticated File
Uplo...

[Read More](#)<https://localhost:8834/#/scans/reports/5/hosts>

Local PC Scan192

[← Back to My Scans](#)

Configure

Audit Trail

Launch ▼

Report

Export ▼

Hosts 1

Vulnerabilities 27

History 1

Filter ▼

Search Hosts



1 Host



Host

Auth

Vulnerabilities ▼



192.168.1.5

Fail

3

91



Scan Details

Policy: Basic Network Scan

Status: Completed

Severity Base: CVSS v3.0

Scanner: Local Scanner

Start: Today at 6:00 PM

End: Today at 6:08 PM

Elapsed: 7 minutes

Vulnerabilities



- Critical
- High
- Medium
- Low

FOLDERS

📁 My Scans

📁 All Scans

🗑️ Trash

RESOURCES

🌟 Policies

🔧 Plugin Rules

Tenable News

Gogs - Authentication
Bypass via
Unvalidated Rever...

[Read More](#)<https://localhost:8834/#/scans/reports/5/vulnerabilities>

Local PC Scan192

[← Back to My Scans](#)

Configure

Audit Trail

Launch ▾

Report

Export ▾

Hosts 1

Vulnerabilities 27

History 1

Filter ▾

Search Vulnerabilities



27 Vulnerabilities

☐	Sev ▾	CVSS ▾	VPR ▾	EPSS ▾	Family ▴	Count ▾		n Details	
☐	MIXED	...	...	...	General	10			cy:
☐	INFO	...	...	...	Windows	6			us:
☐	INFO	...	...	...	General	5			erity Base
☐	INFO	...	...	...	Web Servers	2			anner:
☐	INFO	...	...	...	Port scanners	34			t:
☐	INFO	...	...	...	Windows	8			:
☐	INFO	...	...	...	Service detection	6			osed:

Vulnerabilities



- Critical
- High
- Medium
- Low

FOLDERS

📁 My Scans

📁 All Scans

🗑️ Trash

RESOURCES

🌟 Policies

📖 Plugin Rules

Tenable News

How CISA BOD 26-04
redefines
vulnerability
managem...

[Read More](#)

Local PC Scan192 / 192.168.1.5 / SSL (Multiple Issues)

[← Back to Vulnerabilities](#)

Configure

Audit Trail

Launch ▾

Report

Export ▾

Vulnerabilities 27

Search Vulnerabilities



8 Vulnerabilities

☐	Sev ▾	CVSS ▾	VPR ▾	EPSS ▾	Name ▾	Family ▾	Count ▾	
☐	MEDIUM	6.5			SSL Certific...	General	1	
☐	MEDIUM	6.5			SSL Self-SI...	General	1	
☐	MEDIUM	5.3			SSL Certific...	General	1	
☐	INFO				SSL Cipher...	General	2	
☐	INFO				SSL Perfect...	General	2	
☐	INFO				SSL Certific...	General	1	
☐	INFO				SSL Certific...	General	1	
☐	INFO				SSL Cipher...	General	1	

Scan Details

Policy: Basic Network Scan

Status: Completed

Severity Base: CVSS v3.0

Scanner: Local Scanner

Start: Today at 6:00 PM

End: Today at 6:08 PM

Elapsed: 7 minutes

Vulnerabilities



● Critical
● High
● Medium
● Low
● Info

FOLDERS

📁 My Scans

📁 All Scans

🗑️ Trash

RESOURCES

★ Policies

📖 Plugin Rules

Tenable News

How CISA BOD 26-04
redefines
vulnerability
managem...

[Read More](#)

Local PC Scan192 / Plugin #51192

[← Back to Vulnerability Group](#)

Configure

Audit Trail

Launch ▾

Report

Export ▾

Vulnerabilities 27

MEDIUM

SSL Certificate Cannot Be Trusted

>

Plugin Details

✎

Description

The server's X.509 certificate cannot be trusted. This situation can occur in three different ways, in which the chain of trust can be broken, as stated below :

- First, the top of the certificate chain sent by the server might not be descended from a known public certificate authority. This can occur either when the top of the chain is an unrecognized, self-signed certificate, or when intermediate certificates are missing that would connect the top of the certificate chain to a known public certificate authority.

- Second, the certificate chain may contain a certificate that is not valid at the time of the scan. This can occur either when the scan occurs before one of the certificate's 'notBefore' dates, or after one of the certificate's 'notAfter' dates.

- Third, the certificate chain may contain a signature that either didn't match the certificate's information or could not be verified. Bad signatures can be fixed by getting the certificate with the bad signature to be re-signed by its issuer. Signatures that could not be verified are the result of the certificate's issuer using a signing algorithm that Nessus either does not support or does not recognize.

If the remote host is a public host in production, any break in the chain makes it more difficult for users to verify the authenticity and identity of the web server. This could make it easier to carry out man-in-the-middle attacks against the remote host.

Solution

Purchase or generate a proper SSL certificate for this service

Severity: Medium

ID: 51192

Version: 1.20

Type: remote

Family: General

Published: December 15, 2010

Modified: June 16, 2025

Risk Information

Risk Factor: Medium

CVSS v3.0 Base Score: 6.5

CVSS v3.0 Vector:

CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N

CVSS v2.0 Base Score: 6.4

CVSS v2.0 Vector:

CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:N

FOLDERS

📁 My Scans

📁 All Scans

🗑️ Trash

RESOURCES

📖 Policies

📖 Plugin Rules

Tenable News

How much cyber risk
does AI create for
organizatio...

[Read More](#)

Local PC Scan192 / Plugin #57582

[← Back to Vulnerability Group](#)

Configure

Audit Trail

Launch ▾

Report

Export ▾

Vulnerabilities 27

MEDIUM

SSL Self-Signed Certificate

< >

Plugin Details

✎

Description

The X.509 certificate chain for this service is not signed by a recognized certificate authority. If the remote host is a public host in production, this nullifies the use of SSL as anyone could establish a man-in-the-middle attack against the remote host.

Note that this plugin does not check for certificate chains that end in a certificate that is not self-signed, but is signed by an unrecognized certificate authority.

Solution

Purchase or generate a proper SSL certificate for this service.

Output

The following certificate was found at the top of the certificate chain sent by the remote host, but is self-signed and was not found in the list of known certificate authorities :

```
|-Subject : CN=AnyDesk Client
```

To see debug logs, please visit individual host

Port ▾

Hosts

Severity: Medium

ID: 57582

Version: 1.6

Type: remote

Family: General

Published: January 17, 2012

Modified: June 14, 2022

Risk Information

Risk Factor: Medium

CVSS v3.0 Base Score: 6.5

CVSS v3.0 Vector:

CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N

CVSS v2.0 Base Score: 6.4

CVSS v2.0 Vector:

CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:N

FOLDERS

📁 My Scans

📁 All Scans

🗑️ Trash

RESOURCES

🛡️ Polides

📖 Plugin Rules

Local PC Scan192 / Plugin #45411

[← Back to Vulnerability Group](#)

Configure

Audit Trail

Launch ▾

Report

Export ▾

Vulnerabilities 27

MEDIUM

SSL Certificate with Wrong Hostname

< >

Plugin Details

✎

Description

The 'commonName' (CN) attribute of the SSL certificate presented for this service is for a different machine.

Solution

Purchase or generate a proper SSL certificate for this service.

Output

The identities known by Nessus are :

```
desktop-rqn6c1q
192.168.1.5
```

The Common Name in the certificate is :

```
AnyDesk Client
```

To see debug logs, please visit individual host

Port ▲	Hosts
--------	-------

192.168.1.5	🔗
-------------	---

Severity:	Medium
ID:	45411
Version:	1.20
Type:	remote
Family:	General
Published:	April 3, 2010
Modified:	April 27, 2020

Risk Information

Risk Factor: Medium

CVSS v3.0 Base Score: 5.3

CVSS v3.0 Vector:

CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N

CVSS v2.0 Base Score: 5.0

CVSS v2.0 Vector:

CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N

Tenable News

How much cyber risk
does AI create for
organizatio...

[Read More](#)

FOLDERS

📁 My Scans

📁 All Scans

🗑️ Trash

RESOURCES

⭐ Policies

🛠️ Plugin Rules

Tenable News

Operationalize CISA
BOD 26-04 with
Tenable One

[Read More](#)

Local PC Scan192

[< Back to My Scans](#)

Configure

Audit Trail

Launch ▾

Report

Export ▾

Hosts 1

Vulnerabilities 27

History 1

Search History



1 History

☐	Start Time ▾	Last Scanned	Status
☐	Current Today at 6:...	Today at 6:08 PM	✓ Completed ✗

Scan Details

Policy: Basic Network Scan

Status: Completed

Severity Base: CVSS v3.0

Scanner: Local Scanner

Start: Today at 6:00 PM

End: Today at 6:08 PM

Elapsed: 7 minutes

Vulnerabilities



- Critical
- High
- Medium
- Low
- Info