



No.	Time	Source	Destination	Protocol	Length	Info
30	1.476367300	2401:4900:1ce2:c45c...	2a03:2880:f368:120:...	QUIC	1292	Initial, DCID=e4bca4a469c23f7a, PKN: 2, PING, CRYPTO, CRYPTO, CRYPTO, CRYPTO, CRYPTO, PING, ...
32	1.500966100	2a03:2880:f368:120:...	2401:4900:1ce2:c45c...	QUIC	1298	Initial, SCID=a800f5a403d26e4a, PKN: 4989889, CRYPTO, ACK, PADDING
68	6.366858600	2401:4900:1ce2:c45c...	2a03:2880:f335:120:...	TLSv1.2	144	Application Data
72	6.609067500	2a03:2880:f335:120:...	2401:4900:1ce2:c45c...	TLSv1.2	150	Application Data
91	14.840443800	2401:4900:1ce2:c45c...	2a03:2880:f335:120:...	TLSv1.2	156	Application Data
92	14.842349200	2401:4900:1ce2:c45c...	2a03:2880:f335:120:...	TLSv1.2	141	Application Data
144	15.353043100	2401:4900:1ce2:c45c...	2a03:2880:f335:120:...	TLSv1.2	158	Application Data
146	15.596751200	2a03:2880:f335:120:...	2401:4900:1ce2:c45c...	TLSv1.2	143	Application Data
176	18.323858100	2401:4900:1ce2:c45c...	2001:4860:482c:7700...	QUIC	1292	Initial, DCID=ebe80b07001bcdd9, PKN: 3, PING, PADDING, CRYPTO, PING, PING, CRYPTO, CRYPTO, ...
187	18.369709900	2001:4860:482c:7700...	2401:4900:1ce2:c45c...	QUIC	1296	Initial, SCID=ebe80b07001bcdd9, PKN: 5, CRYPTO, PADDING
320	19.463819900	2401:4900:1ce2:c45c...	2404:6800:4002:828:...	QUIC	1292	Initial, DCID=baa3034f280b1ce9, PKN: 3, PING, CRYPTO, PADDING, PING, PING, PADDING, PING, C...
335	19.531233300	2404:6800:4002:828:...	2401:4900:1ce2:c45c...	QUIC	1296	Initial, SCID=faa3034f280b1ce9, PKN: 5, CRYPTO, PADDING
377	20.467128600	2401:4900:1ce2:c45c...	2404:6800:4002:830:...	QUIC	1292	Initial, DCID=ee4906c3e55b847a, PKN: 1, PING, PING, PING, PADDING, PING, PADDING, CRYPTO, C...
378	20.467165800	2401:4900:1ce2:c45c...	2404:6800:4002:830:...	QUIC	1292	Initial, DCID=ee4906c3e55b847a, PKN: 2, PING, CRYPTO, PADDING, CRYPTO, CRYPTO, PING, PADDIN...

> Frame 30: Packet, 1292 bytes on wire (10336 bits), 1292 bytes captured (10336 bits) on
> Ethernet II, Src: Intel_46:41:05 (f4:4e:e3:46:41:05), Dst: ZyxelCommuni_36:de:c0 (30:b5:9c:90:93:e3)
> Internet Protocol Version 6, Src: 2401:4900:1ce2:c45c:e4db:b59c:9093:e3c2, Dst: 2a03:2880:f368:120:2401:4900:1ce2:c45c:e4db:b59c:9093:e3c2
> User Datagram Protocol, Src Port: 53759, Dst Port: 443
> QUIC IETF

```
0000 30 bd 13 36 de c0 f4 4e e3 46 41 05 86 dd 60 09 0..6...N..FA...
0010 13 ec 04 d6 11 40 24 01 49 00 1c e2 c4 5c e4 db .....@$.I...
0020 b5 9c 90 93 e3 c2 2a 03 28 80 f3 68 01 20 fa ce .....*..(..h...
0030 b0 0c 00 00 01 67 d1 ff 01 bb 04 d6 55 45 c2 00 .....g...UE...
0040 00 00 01 08 e4 bc a4 a4 69 c2 3f 7a 00 00 44 bc .....i?z..D...
0050 c4 f9 a9 e0 60 b8 74 7b d7 c2 34 44 ce 91 f2 f1 .....t{...4D...
0060 ae d8 3f 86 71 de 71 4c 82 cb c0 57 c4 f0 ef 9f ..?..q..L...W...
0070 41 55 79 43 78 b9 c1 34 59 29 bb 05 2e 64 da 9c AUyCx..4.Y)...d..
0080 88 83 16 7f 0f 6b d4 b8 24 e8 2b 84 c1 61 79 01 .....k...$+..ay...
0090 4b f7 d7 b8 be 99 97 de 86 34 e0 0d 02 12 ec a7 K.....4.....
00a0 f9 d6 f6 9b c3 f4 41 41 4c d4 8c fc 46 50 23 8e .....AA.L...FP#..
00b0 0c 54 3e 25 3f 66 9d ac 3f 7f 1a 34 4b 9f 81 5b ..T>%?f..?..4K...[
00c0 d2 05 98 e3 d1 9c dd f2 a6 24 f9 42 45 7e 33 52 .....$..BE~3R...
00d0 e5 c1 75 46 b0 d7 80 03 81 26 35 8e d3 73 ff 64 ...uF...&5...s.d
00e0 69 de dc 07 cc 5e 2e 9e b7 5c 00 46 0f 80 6a 31 i.....^...\\F...j1
00f0 db 0c ff 13 5a 05 f4 d0 cc f8 c1 e6 93 9e 9a 6e ....Z.....n
```

Packet (1292 bytes) Decrypted QUIC (1194 bytes) Reassembled QUIC CRYPTO (1963 bytes)

0000	30 bd 13 36 de c0 f4 4e e3 46 41 05 86 dd 60 0a	0-6-N-FA-..
0010	20 24 00 36 06 40 24 01 49 00 1c e2 c4 5c e4 db	\$-6-@\$.I-..
0020	b5 9c 00 93 e3 c2 24 01 49 00 50 00 00 09 00 0b	...\$.I-P..
0030	00 00 00 00 00 09 f7 f9 00 35 b9 9f 74 b6 65 a7	...I-t-e
0040	25 e0 50 18 ff ff ca ae 00 00 de d1 01 00 00 01	%-P-..
0050	00 00 00 00 00 00 03 77 65 62 08 77 68 61 74 73	...w eb-whats
0060	61 70 70 03 63 6f 60 00 00 01 00 01	app.com-..

Packets: 8792 · Displayed: 3227 (36.7%) · Dropped: 0 (0.0%) | Profile: Default

> Frame 13: Packet, 108 bytes on wire (864 bits), 108 bytes captured (864 bits) on interface 0	0000	30 bd 13 36 de c0 f4 4e e3 46 41 05 86 dd 60 0a	0.6...N.FA...
> Ethernet II, Src: Intel_46:41:05 (f4:4e:e3:46:41:05), Dst: ZyxelCommuni_36:de:c0 (30:b	0010	20 24 00 36 06 40 24 01 49 00 1c e2 c4 5c e4 db	\$ 6@\$ I... \.
> Internet Protocol Version 6, Src: 2401:4900:1ce2:c45c:e4db:b59c:9093:e3c2, Dst: 2401:4	0020	b5 9c 90 93 e3 c2 24 01 49 00 50 50 00 00 00 00	\$.I-P.
> Transmission Control Protocol, Src Port: 63481, Dst Port: 53, Seq: 3, Ack: 1, Len: 34	0030	00 00 00 00 00 09 f7 f9 00 35 b9 9f 74 b6 65 a7	S-t-e
> [2 Reassembled TCP Segments (36 bytes): #12(2), #13(34)]	0040	25 e0 50 18 ff ff ca ae 00 00 de d1 01 00 00 01	%P.....
> Domain Name System (query)	0050	00 00 00 00 00 00 03 77 65 62 08 77 68 61 74 73	w eb-whats
	0060	61 70 70 03 63 6f 6d 00 00 01 00 01	app.com...

Domain Name System: Protocol Packets: 8792 · Displayed: 298 (3.4%) · Dropped: 0 (0.0%) Profile: Default