

Error PHP 8.1.26 💖 9.52.16

## Call to a member function fullname() on null

```
Expand vendor frames
    App \ Http \ Controllers \ LeavesController: 606
    changeAction
    6 vendor frames ∨
    App \ Http \ Middleware \ FirstLoginChecker: 72
    handle
    39 vendor frames V
                                                                     app / Http / Controllers / LeavesController.php: 606
591
                    }
592
593
594
                    if($request->has('intials_date')){
595
                         $row->intials_date = $request->intials_date;
596
597
598
                    }
599
600
                    $row->save();
601
602
                    $date
                                                   = (!empty($row->start_date))?$row->start_date->format('1 d M y
                                                   = $row->user->fullname();
603
                    $hooksVars['NAME']
604
                    $hooksVars['DATE']
                                                   = $date;
                    $hooksVars['REASON']
605
                                                   = $row->reason;
606
                    $hooksVars['APPROVED_BY']
                                                   = $row->action_user->fullname()??'';
607
```

```
FLARE
≡ STACK

☐ CONTEXT

                           ₩ DEBUG

→ SHARE

                                                                                                 ₩ DOCS
                    11(pscacus -- 4/1
000
610
611
                        $payroll = config('get.payroll-email');
                        $payroll = explode(',',$payroll);
612
613
                        foreach ($payroll as $payr) {
614
                            $row->from_user_email = $payr; //$payr->email;
615
616
                            $row->fullname = $row->user->fullname();
617
                            try {
                                \Mail::to($payr)->send( new \App\Mail\SendLeaveApproval($row) );
618
619
                            }
620
                            catch(\Exception $e) {
```

## **REQUEST** Browser **REQUEST** https://uat.enable.am/change-action/leave-part-full-time/3/11011 POST Headers </>> Body curl "https://uat.enable.am/change-action/leave-part-full-time/3/11011" \ -X POST \ -H 'cookie: user\_login\_remember=eyJpdiI6IlBlRzgwSUM5Y1AxVm9IbmdhMjk3SUE9P APP -H 'accept-language: en-US,en;q=0.9' \ -H 'accept-encoding: gzip, deflate, br' \ **Routing** -H 'referer: https://uat.enable.am/leave-part-full-time' \ CONTEXT Browser = User Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Ge وړ Git Versions **Headers ₹** cookie user\_login\_remember=eyJpdiI6IlBlRzgwSUM5Y1AxVm9IbmdhMj accept-language en-US,en;q=0.9accept-encoding gzip, deflate, br referer https://uat.enable.am/leave-part-full-time sec-fetch-dest document sec-fetch-user ?1

navigate

sec-fetch-mode

**₩** DEBUG FLARE **DOCS ≡** STACK **CONTEXT** → SHARE accept text/html,application/xhtml+xml,application/xml;q=0.9, user-agent Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/ content-type application/x-www-form-urlencoded origin https://uat.enable.am upgrade-insecur... sec-ch-ua-platf... "Windows" sec-ch-ua-mobile ?0 sec-ch-ua "Not\_A Brand";v="8", "Chromium";v="120", "Google Chrom cache-control max-age=0 content-length 112 connection keep-alive host uat.enable.am Body </> { "\_token": "s2hnZ3t95QlS3BF572VW0SS87RzoCtMiN1985DP8", "manager\_note": "tstttttt", "intials\_date": "14/12/2023", "manager\_sign": null APP Routing 🔀 Controller App\Http\Controllers\LeavesController@changeAction Route name leaves.change.action Middleware web auth

```
FLARE
≡ STACK

→ SHARE

                                                                                            ₩ DOCS
       SELECT `roles`.*, `role_user`.`user_id` AS `pivot_user_id`, `role_user`.`role_id` AS `pivot_role_i
     > 1 QUERY PARAMETER
      8:31:43 AM | • 1.24MS | • MYSQL
       SELECT `roles`.*, `role_user`.`user_id` AS `pivot_user_id`, `role_user`.`role_id` AS `pivot_role_i
     > 1 QUERY PARAMETER
     8:31:43 AM | • 56.6MS | • MYSQL
       SELECT count(*) AS aggregate FROM `policies` WHERE EXISTS (SELECT * FROM `policy_roles` WHERE `pol
     > 4 OUERY PARAMETERS
     8:31:43 AM 0 0.4MS  MYSQL
       SELECT `roles`.*, `role_user`.`user_id` AS `pivot_user_id`, `role_user`.`role_id` AS `pivot_role_i
     > 1 QUERY PARAMETER
      8:31:43 AM | *\display 0.3MS | \equiv MYSQL
       SELECT `roles`.*, `role_user`.`user_id` AS `pivot_user_id`, `role_user`.`role_id` AS `pivot_role_i
     > 1 QUERY PARAMETER
      8:31:43 AM | ** 0.32MS | ** MYSQL
       SELECT * FROM `block_dates` WHERE `block_dates`.`id` = 11011 limit 1
     > 1 QUERY PARAMETER
      8:31:43 AM | • 0.29MS | • MYSQL
       SELECT * FROM `users` WHERE 0 = 1 AND `users`.`deleted_at` IS NULL
      8:31:43 AM | • 0.3MS | • MYSQL
       SELECT * FROM `users` WHERE `users`.`id` IN (230) AND `users`.`deleted_at` IS NULL
      8:31:43 AM | • 0.27MS | • MYSQL
       SELECT * FROM `users` WHERE `users`.`id` IN (2) AND `users`.`deleted_at` IS NULL
```



## Flare is your error page for production.

Start tracking errors in your application within minutes with Flare.

Flare provides exceptional error monitoring designed specifically for Laravel applications.

Learn more →

Use code IGNITION for 50% off your first month