

MyStore – Complete React Shopping Cart Code

This Word document contains the complete JavaScript (App.jsx) and CSS (App.css) code.

1. JavaScript Code – App.jsx

```
import React, { useState } from "react";
```

```
import "./App.css";
```

```
const products = [  
  {  
    id: 1,  
    name: "Wireless Headphones",  
    price: 1499,  
    image: "https://images.unsplash.com/photo-1505740420928-5e560c06d30e?w=500",  
  },  
  {  
    id: 2,  
    name: "Smart Watch",  
    price: 2499,  
    image: "https://images.unsplash.com/photo-1523275335684-37898b6baf30?w=500",  
  },  
  {  
    id: 3,  
    name: "Running Shoes",  
    price: 1999,  
    image: "https://images.unsplash.com/photo-1542291026-7eec264c27ff?w=500",  
  },  
  {
```

```

    id: 4,

    name: "Backpack",

    price: 999,

    image: "https://images.unsplash.com/photo-1553062407-98eeb64c6a62?w=500",
  },
  {
    id: 5,

    name: "Sunglasses",

    price: 799,

    image: "https://images.unsplash.com/photo-1511499767150-a48a237f0083?w=500",
  },
  {
    id: 6,

    name: "Smartphone",

    price: 14999,

    image: "https://images.unsplash.com/photo-1511707171634-5f897ff02aa9?w=500",
  },
];

```

```

function ProductCard({ product, addToCart }) {

  return (

    <div className="product-card">

      <img src={product.image} alt={product.name} />

      <h3>{product.name}</h3>

      <p className="price">₹{product.price}</p>

      <button onClick={() => addToCart(product)}>Add to Cart</button>

    </div>

  );

}

```

```

function ProductList({ addToCart }) {

  return (

    <div className="product-list">

      {products.map((product) => (

        <ProductCard key={product.id} product={product} addToCart={addToCart} />

      ))}

    </div>

  );

}

```

```

function Cart({ cart, removeFromCart }) {

  if (cart.length === 0) {

    return (

      <div className="cart">

        <h2>Shopping Cart</h2>

        <p>Your cart is empty.</p>

      </div>

    );

  }

```

```

    const grandTotal = cart.reduce(

      (total, item) => total + item.product.price * item.quantity,

      0

    );

```

```

    return (

      <div className="cart">

        <h2>Shopping Cart</h2>

        {cart.map((item) => {

```

```

    const subtotal = item.product.price * item.quantity;

    return (
      <div className="cart-item" key={item.product.id}>
        <div>
          <h3>{item.product.name}</h3>
          <p>₹{item.product.price} × {item.quantity}</p>
          <p>Subtotal: ₹{subtotal}</p>
        </div>

        <button
          className="remove-btn"
          onClick={() => removeFromCart(item.product.id)}
        >
          Remove
        </button>
      </div>
    );
  }
}

<h2 className="grand-total">Grand Total: ₹{grandTotal}</h2>
</div>

);
}

```

```

function CheckoutForm({ clearCart }) {
  const [name, setName] = useState("");
  const [email, setEmail] = useState("");
  const [phone, setPhone] = useState("");
  const [address, setAddress] = useState("");

```

```
const [payment, setPayment] = useState("Cash on Delivery");
```

```
const handleSubmit = (e) => {
```

```
  e.preventDefault();
```

```
  if (!name || !email || !phone || !address) {
```

```
    alert("Please fill all the fields.");
```

```
    return;
```

```
  }
```

```
  alert(`Order placed successfully!\n\nThank you ${name}!`);
```

```
  clearCart();
```

```
  setName("");
```

```
  setEmail("");
```

```
  setPhone("");
```

```
  setAddress("");
```

```
  setPayment("Cash on Delivery");
```

```
};
```

```
return (
```

```
  <div className="checkout">
```

```
    <h2>Checkout</h2>
```

```
    <form onSubmit={handleSubmit}>
```

```
      <input
```

```
        type="text"
```

```
        placeholder="Enter your name"
```

```
        value={name}
```

```
    onChange={(e) => setName(e.target.value)}  
  />
```

```
<input  
  type="email"  
  placeholder="Enter your email"  
  value={email}  
  onChange={(e) => setEmail(e.target.value)}  
/>
```

```
<input  
  type="tel"  
  placeholder="Enter your phone number"  
  value={phone}  
  onChange={(e) => setPhone(e.target.value)}  
/>
```

```
<textarea  
  placeholder="Enter your address"  
  value={address}  
  onChange={(e) => setAddress(e.target.value)}  
/>
```

```
<select value={payment} onChange={(e) => setPayment(e.target.value)}>  
  <option>Cash on Delivery</option>  
  <option>UPI</option>  
  <option>Credit Card</option>  
  <option>Debit Card</option>  
</select>
```

```

        <button type="submit">Place Order</button>

    </form>

</div>

);
}

function App() {

    const [cart, setCart] = useState([]);

    const [showCart, setShowCart] = useState(false);

    const addToCart = (product) => {

        setCart((currentCart) => {

            const existingProduct = currentCart.find(

                (item) => item.product.id === product.id

            );

            if (existingProduct) {

                return currentCart.map((item) =>

                    item.product.id === product.id

                        ? { ...item, quantity: item.quantity + 1 }

                        : item

                );

            }

            return [...currentCart, { product, quantity: 1 }];

        });

        alert(`${product.name} added to cart!`);

```

```
};
```

```
const removeFromCart = (productId) => {  
  setCart((currentCart) =>  
    currentCart.filter((item) => item.product.id !== productId)  
  );  
};
```

```
const clearCart = () => setCart([]);
```

```
const cartCount = cart.reduce(  
  (total, item) => total + item.quantity,  
  0  
);
```

```
return (  
  <div className="app">  
    <nav className="navbar">  
      <h1>MyStore</h1>  
  
      <button  
        className="cart-button"  
        onClick={() => setShowCart(!showCart)}  
      >  
         Cart <span>{cartCount}</span>  
      </button>  
    </nav>  
  
    <main>
```

```
<h2 className="title">Our Products</h2>

<ProductList addToCart={addToCart} />

{showCart && (
  <Cart cart={cart} removeFromCart={removeFromCart} />
)}

{cart.length > 0 && (
  <CheckoutForm clearCart={clearCart} />
)}
</main>

<footer>
  <p>© 2026 MyStore. All Rights Reserved.</p>
</footer>
</div>

);
}

export default App;
```

2. CSS Code – App.css

```
* {  
  
  margin: 0;  
  
  padding: 0;  
  
  box-sizing: border-box;  
  
}  
  
  
body {  
  
  font-family: Arial, sans-serif;  
  
  background: #f5f5f5;  
  
  color: #222;  
  
}  
  
  
.navbar {  
  
  background: #222;  
  
  color: white;  
  
  padding: 18px 50px;  
  
  display: flex;  
  
  justify-content: space-between;  
  
  align-items: center;  
  
}  
  
  
.navbar h1 {  
  
  font-size: 28px;  
  
}  
  
  
.cart-button {  
  
  background: white;  
  
  color: #222;  
  
  border: none;
```

```
padding: 10px 18px;

border-radius: 6px;

cursor: pointer;

font-size: 16px;
}
```

```
.cart-button:hover {

background: #ddd;
}
```

```
.cart-button span {

background: red;

color: white;

border-radius: 50%;

padding: 3px 8px;

margin-left: 8px;
}
```

```
main {

max-width: 1200px;

margin: auto;

padding: 30px 20px;
}
```

```
.title {

text-align: center;

margin-bottom: 30px;

font-size: 30px;
}
```

```
.product-list {  
  display: grid;  
  grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));  
  gap: 25px;  
}
```

```
.product-card {  
  background: white;  
  padding: 20px;  
  border-radius: 10px;  
  text-align: center;  
  box-shadow: 0 3px 10px rgba(0, 0, 0, 0.1);  
  transition: 0.3s;  
}
```

```
.product-card:hover {  
  transform: translateY(-5px);  
}
```

```
.product-card img {  
  width: 100%;  
  height: 200px;  
  object-fit: cover;  
  border-radius: 8px;  
}
```

```
.product-card h3 {  
  margin: 15px 0 8px;
```

```
}
```

```
.price {  
  font-size: 20px;  
  font-weight: bold;  
  margin-bottom: 15px;  
}
```

```
.product-card button,  
.checkout button {  
  background: #222;  
  color: white;  
  border: none;  
  padding: 11px 20px;  
  border-radius: 6px;  
  cursor: pointer;  
}
```

```
.product-card button:hover,  
.checkout button:hover {  
  background: #444;  
}
```

```
.cart {  
  background: white;  
  margin-top: 40px;  
  padding: 25px;  
  border-radius: 10px;  
  box-shadow: 0 3px 10px rgba(0, 0, 0, 0.1);  
}
```

```
.cart h2 {  
    margin-bottom: 20px;  
}
```

```
.cart-item {  
    display: flex;  
    justify-content: space-between;  
    align-items: center;  
    border-bottom: 1px solid #ddd;  
    padding: 15px 0;  
}
```

```
.cart-item h3 {  
    margin-bottom: 8px;  
}
```

```
.cart-item p {  
    margin: 5px 0;  
}
```

```
.remove-btn {  
    background: #d9534f;  
    color: white;  
    border: none;  
    padding: 8px 14px;  
    border-radius: 5px;  
    cursor: pointer;  
}
```

```
.remove-btn:hover {  
  background: #c9302c;  
}
```

```
.grand-total {  
  text-align: right;  
  margin-top: 20px;  
}
```

```
.checkout {  
  background: white;  
  margin-top: 40px;  
  padding: 30px;  
  border-radius: 10px;  
  box-shadow: 0 3px 10px rgba(0, 0, 0, 0.1);  
}
```

```
.checkout h2 {  
  margin-bottom: 20px;  
}
```

```
.checkout form {  
  display: flex;  
  flex-direction: column;  
  gap: 15px;  
}
```

```
.checkout input,
```

```
.checkout textarea,  
.checkout select {  
    width: 100%;  
    padding: 12px;  
    border: 1px solid #ccc;  
    border-radius: 6px;  
    font-size: 16px;  
}
```

```
.checkout input:focus,  
.checkout textarea:focus,  
.checkout select:focus {  
    outline: none;  
    border-color: #222;  
}
```

```
.checkout textarea {  
    height: 100px;  
    resize: none;  
}
```

```
.checkout button {  
    width: 150px;  
}
```

```
footer {  
    background: #222;  
    color: white;  
    text-align: center;  
    padding: 20px;
```

```
margin-top: 50px;  
}
```

```
@media (max-width: 600px) {  
  .navbar {  
    padding: 15px 20px;  
  }
```

```
  .navbar h1 {  
    font-size: 22px;  
  }
```

```
  .title {  
    font-size: 25px;  
  }
```

```
  .cart-item {  
    flex-direction: column;  
    align-items: flex-start;  
    gap: 15px;  
  }
```

```
  .remove-btn {  
    align-self: flex-end;  
  }  
}
```