

Define Express.Route() ?

Express.route() allows us to chain multiple route handlers for the same path, improving code readability and structure.


Without Express.Route()

```
app.get("/login", (req, res) => {  
  res.send(" ");  
});  
app.post("/login", (req, res) => {  
  res.send(" ");  
});  
app.put("/login", (req, res) => {  
  res.send(" ");  
});
```

With Express.Route()

```
app.route("/user").get((  
  req, res) => {  
    res.send("Get user");  
  })  
  .post((req, res) => {  
    res.send("Create user");  
  })  
  .put((req, res) => {  
    res.send("Update");  
  });
```

It is a technique in Express where multiple route handlers for the same path are combined using express.route() to improve code readability.



- order of middleware matters ✓
 - We can use multiple middleware in one route.
- Ex- `app.get("/route", m1, m2, handler);`

Define Express.Route() ?

Express.route() allows us to chain multiple route handlers for the same path, improving code readability and structure.


Without Express.Route()

```
app.get("/login", (req, res) => {  
  res.send(" ");  
});  
app.post("/login", (req, res) => {  
  res.send(" ");  
});  
app.put("/login", (req, res) => {  
  res.send(" ");  
});
```

With Express.Route()

```
app.route("/user").get((  
  req, res) => {  
  res.send("Get user");  
})  
  .post((req, res) => {  
    res.send("Create user");  
  })  
  .put((req, res) => {  
    res.send("update");  
  });
```

It is a technique in Express where multiple route handlers for the same path^{are} combined using express.route() to improve code readability.



- order of middleware matters ✓

- We can use multiple middleware in one route.

Ex- `app.get("/route", m1, m2, handler);`

Middleware in Express!

A middleware in Express.js is a function that handles HTTP requests, perform operations, and passes control to the next middleware.

How do you implement middleware?

```
const express = require("express");  
const app = express();  
const mymiddleware = (req, res, next) => {  
  res.send("-");  
  next();  
};
```

```
app.use(mymiddleware); // app.use() to mount mymiddleware globally,  
const port = 3000; // meaning it will be executed for every  
app.listen(port, () => { incoming req. to the application.  
});
```

Application middleware / Route level middleware

Application-level middleware applies globally to all incoming req. in the entire Express.js function application.

Route level applies only to specific routes, not for all incoming requests.

Routing - is the process of handling client req. based on URL and HTTP methods like GET/POST etc.