



PIZZA HUT_SALES PROJECT


HELLO!

In this project, I utilized SQL queries to solve problem statements related to pizza hut sales



PIZZA HUT_SALES PROJECT

RELATIONAL DATABASE SCHEMA





PIZZA HUT_SALES PROJECT

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE FOR EACH PIZZA CATEGORY.

```
select name, revenue
from
(select category, name, revenue,
rank() over(partition by category order by revenue desc) as rn
from
(select pizza_types.category, pizza_types.name,
sum((order_details.quantity) * pizzas.price) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category, pizza_types.name) as a) as b
where rn <= 3;
```



PIZZA HUT_SALES PROJECT

***ANALYZE THE CUMULATIVE
REVENUE GENERATED OVER
TIME.***

```
select order_date,  
sum(revenue) over(order by order_date) as cum_revenue  
from  
(select orders.order_date,  
sum(order_details.quantity * pizzas.price) as revenue  
from order_details join pizzas  
on order_details.pizza_id = pizzas.pizza_id  
join orders  
on orders.order_id = order_details.order_id  
group by orders.order_date) as sales;
```



PIZZA HUT_SALES PROJECT

**CALCULATE THE PERCENTAGE
CONTRIBUTION OF EACH PIZZA
TYPE TO TOTAL REVENUE.**

```
SELECT
    pizza_types.category,
    ROUND(SUM(order_details.quantity * pizzas.price) / (SELECT
        ROUND(SUM(order_details.quantity * pizzas.price),
        2) AS total_sales
    )
    FROM
        order_details
        JOIN
            pizzas ON pizzas.pizza_id = order_details.pizza_id) * 100,
    2) AS revenue
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
            order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```