



Tests you can trust

Name : Sumana Samyuktha K (22Y/F)

Date : 01 Mar 2025

Test Asked : Esr

Report Status: Complete Report



First National Diagnostic Chain to have
100% of its Labs with NABL Accreditation[#]



98% Reports
released within
06 Hours
of sample reaching the lab⁺



9 out of 10 Doctors Trust
that Thyrocare
reports are
Accurate & Reliable*



1200+
Tests & Profiles



Temperature-
Controlled
Sample Logistics



Unique Barcode
Tracking



Fully Automated
Machines Inspected
Daily



Abnormal Values
Re-Checked Twice



Reports Verified By Expert
MD Pathologists Stationed
at Every Lab



Your reports are digitally verifiable

Scan the QR code inside the report to check authenticity
of reported values

QR code will remain active for 30 days from report release date

Accredited by



NABL From 2005



ISO 9001: 2015 – From 2015



CAP From 2007

PROCESSED AT :
Thyrocare
H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



📍 Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 📞 9870666333 ✉ wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

NAME
REF. BY
TEST ASKED

: SUMANA SAMYUKTHA K (22Y/F)
: HCL
: ESR

SAMPLE COLLECTED AT :
, H. NO. 5-9-244/247, PLOT NO. 247SHAILI
GARDENS, YAPRAL, JAWAHAR NAGAR,
HYDERABAD, TELANGANA, INDIA,

Report Availability Summary

Note: Please refer to the table below for status of your tests.

✔ 1 Ready

👉 0 Ready with Cancellation

🔄 0 Processing

✖ 0 Cancelled in Lab

TEST DETAILS	REPORT STATUS
ERYTHROCYTE SEDIMENTATION RATE (ESR)	Ready ✔

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

NAME : SUMANA SAMYUKTHA K (22Y/F)
REF. BY : HCL
TEST ASKED : ESR

SAMPLE COLLECTED AT :
, H. NO. 5-9-244/247, PLOT NO. 247SHAILI
GARDENS, YAPRAL, JAWAHAR NAGAR, HYDERABAD,
TELANGANA, INDIA,

PATIENTID : SK25888292

MOBILE NO :

DOB :

PAN ID :

TEST NAME	TECHNOLOGY	VALUE	UNITS
ERYTHROCYTE SEDIMENTATION RATE (ESR)	MODIFIED WESTERGREN	12	mm / hr

Bio. Ref. Interval. :-

Male : 0-15 Female : 0-20

Clinical Significance:

- An erythrocyte sedimentation rate (ESR) is a blood test that can rise if you have inflammation in your body. Its also used as a marker to monitor prognosis of an existing inflammatory/infective condition.
- Inflammation is your immune systems response to injury, infection, and many types of conditions, including immune system disorders, certain cancers and blood disorders.
- A high ESR test result may be from a condition that causes inflammation, such as: Arteritis, Arthritis, Systemic vasculitis, Polymyalgia rheumatica, Inflammatory bowel disease, Kidney disease, Infections like Tuberculosis etc, Rheumatoid arthritis and other autoimmune diseases, Heart disease, Certain cancers and many other Conditions.
- A low ESR test result may be caused by conditions such as: A blood disorder, such as: Polycythemia, Sickle cell disease (SCD), Leukocytosis, Heart failure, Certain kidney and liver problems etc.
- Certain physiological conditions also affect ESR results, these include : Pregnancy, menstrual cycle, ageing, obesity, drinking alcohol regularly, and exercise, Certain medicines and supplements also can affect ESR results.
- Hence Its always suggested to interpret ESR results in conjunction with Clinical History and other findings.

References :

<https://medlineplus.gov/lab-tests/erythrocyte-sedimentation-rate-esr/>

Please correlate with clinical conditions.

Method:- MODIFIED WESTERGREN

~~ End of report ~~

Sample Collected on (SCT) : 01 Mar 2025 08:00

Sample Received on (SRT) : 02 Mar 2025 03:40

Report Released on (RRT) : 02 Mar 2025 06:42

Sample Type : EDTA Whole Blood

Labcode : 0103045547/HCL18 Dr Amulya MD (Path)

Barcode : DB584021



Amulya

Page : 1 of 2

Scan QR code to verify authenticity of reported results; active for 30 days from release time.

CONDITIONS OF REPORTING

- ❖ The reported results are for information and interpretation of the referring doctor only.
- ❖ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ❖ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ❖ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ❖ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ❖ This report is not valid for medico-legal purpose.
- ❖ Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.

EXPLANATIONS

- ❖ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ❖ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ❖ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ❖ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ❖ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ❖ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ❖ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ❖ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ❖ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ❖ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

+T&C Apply, #As on 5th December 2024, *As per a survey on doctors' perception of laboratory diagnostics (IJARIIT,2023)