

Project Title

Medical Diagnosis Center by Service Portal(ServiceNow)

Name : Agasanuri Kasiyamini

College : Chalapathi Institute of Engineering & Technology

Email : y23cse002@chalapathiengg.ac.in

Project overview - The **Medical Diagnosis Center by Service Portal (ServiceNow)** project focuses on developing a digital healthcare service portal to manage patient services, appointments, diagnostic requests, and medical records efficiently. The solution enables patients to submit service requests, track appointment status, access diagnostic information, and communicate with healthcare teams through a user-friendly ServiceNow Service Portal interface. It improves healthcare service delivery by automating workflows, managing requests, and providing better coordination between patients, doctors, and support staff.

Table of Contents

1. Introduction
2. Project Objectives
3. Key Features

4. ServiceNow Developer Setup
5. Project Implementation in ServiceNow
6. Screenshots of Output
7. Conclusion

Introduction

Modern healthcare organizations rely heavily on efficient and well-organized systems to manage patient information and diagnostic services. As the number of patients and diagnostic requests increases, managing test requests, patient details, and diagnostic records manually can lead to delays, errors, and limited visibility.

To address these challenges, the **Medical Diagnosis Center by Service Portal (ServiceNow)** project introduces a streamlined solution that leverages ServiceNow's **Service Portal, Service Catalog, Flow Designer, tables, and automation features**. By enabling users to submit diagnostic test requests through a self-service portal and automating record creation, request processing, notifications, and status updates, the system provides a more structured and transparent approach to managing diagnostic services.

This solution helps reduce repetitive manual tasks and improves the overall efficiency of diagnostic request management. It also provides healthcare staff with better visibility into submitted requests and their processing status, while giving users a simple and accessible platform for requesting medical diagnostic services.

Project Objective

This project aims to design and implement a streamlined and automated solution for managing **medical diagnostic test requests** within ServiceNow. It enables users to submit requests for diagnostic services through a user-friendly **Service Portal**.

The system leverages ServiceNow's **Service Catalog, Flow Designer, tables, and automation features** to ensure that diagnostic requests are properly captured, validated, and processed. Upon submission, the system automatically creates the required diagnostic records, updates request information, assigns tasks where required, and sends notifications to keep users and medical staff informed about the request status.

The objective is to reduce manual effort, minimize errors, improve request tracking, and provide a centralized and transparent platform for efficiently managing the **medical diagnostic request lifecycle** from submission to completion.

Key Features

Custom Service Catalog for submitting medical diagnostic test requests.

- **User-friendly Service Portal forms** to capture patient and diagnostic test details.
- **Automated request processing** using Flow Designer to create and update diagnostic records.
- **Dynamic request handling** based on the selected diagnostic test and submitted information.
- **Automated notifications** to keep users and medical staff informed about request status and updates.
- **Centralized diagnostic records** for maintaining and tracking submitted medical test requests.
- **Real-time status updates** to provide visibility into the progress of diagnostic requests.
- **Dashboard and reporting** to monitor diagnostic requests, request status, and overall service activity.

ServiceNow Developer Setup:

Create a Developer Account


1. Go to the **ServiceNow Developer Portal**.
2. Sign up for a free ServiceNow Developer account and provide the required details.
3. After registration, a verification email will be sent to the registered email address. Complete the verification process to access the ServiceNow Developer Portal.
4. From the Developer Portal, select **Start Building** to access the available development tools and request a **Personal Developer Instance (PDI)**.
5. Once the Personal Developer Instance is available, access the ServiceNow development environment and begin configuring the application.

Project Implementation in ServiceNow:

After the ServiceNow instance is ready, the project can be developed using **ServiceNow Studio** and **App Engine Studio**. These development environments provide tools for creating custom applications, tables, forms, service catalog items, and automated workflows.

For the **Medical Diagnosis Center**, the application is configured to manage diagnostic test requests. Custom tables are created to store patient and diagnostic information, while a **Service Catalog item** allows users to submit diagnostic test requests through the Service Portal.

The submitted information is processed using **Flow Designer**, where actions such as retrieving catalog variables, creating records, updating records, sending notifications, and managing the request lifecycle are configured. This creates a structured and automated process for handling medical diagnostic requests from submission through completion.




1. Configuration of scoped application


Navigate to Application navigator

- a. Log in to your ServiceNow developer instance.
 - a. Navigate to **All → System Applications → Studio**.
 - b. Click **Create Application**.
 - c. Enter the following details:
 - d. Application Name: Medical Diagnosis Center
 - e. Scope Name: x_1959076_medica_0 (auto-generated)

- f. Description: Application to manage diagnostic test booking, reports, payments, and workflow automation.
- g. Click Create.
- h. Wait until Studio loads the new scoped application.
- i. Default Roles will be created automatically
- j. Update the Application



Click on New



Create the application

New Custom Application
Custom Application

CREATE APP

Let's get started on your new app.

Add a name and description that define the purpose of your app. You can also add a thumbnail image.

Name *

Description

Scope *
☒ Scoped
☐ Global

Browse or drag to upload

BMP, GIF, ICO, JPEG, JPG, PNG, SVG


Cancel

Continue


2. Tables Configuration


Creation of Tables

- Navigate to:** System Definition > **Tables**.
- Click **New** to create a new table.
- Fill in **Table Information**:
- Label:** APPOINTMENT TABLE
- Name:** x_1959076_medica_0_appointment_table
- Application:** Medical Diagnostic Center(Check the application before save)
- Click **Submit** to create the table.



GO FURTHER
r your workflow applications





iii. Creation of fields

In ServiceNow, fields are created at the table level. To create a field, you first need to identify the table where the field will reside.

In the Application Navigator (left-side panel), type Tables in the search bar.

Under System Definition, click Tables. This will take you to a list of all tables in the system.

From the list of tables, search for and select the table you want to add a field to. For example, if you want to add a field to the Appointment Table table.

We have 3 methods to create a field in the table. I.e Form Builder, Form Design, Form Layout. We can follow any method as per your requirement.

Create the below mentioned fields to complete the requirement.

Fields Details:

Field Label	Field Name	Field Type	Reference Table	Choices
Appointment Number	appointment_number	String	—	—
Patient	patient	Reference	Patient Table	—
Status	status	Choice	—	Scheduled, Confirmed, Completed, InProgress, Cancelled
Approval Status	approval_status	Choice	—	Pending, Approved, Completed, Cancelled, Rejected
Email	email	Email	—	—
Approval Date	approval_date	Date/Time	—	—
Test	test	Reference	Diagnostic Test Table	—
Slot Time	slot_time	String	—	Configurable Time Slots
Total Amount	total_amount	Currency	—	—
Rejection Reason	rejection_reason	String (Multi-line Text)	—	—

Confirmation Sent	confirmation_sent	Boolean (True/False)	—	True, False
Created By	created_by	Reference	sys_user	—
Approved By	approved_by	Reference	sys_user	—
Notes	notes	String (Multi-line Text)	—	—
Payment Status	payment_status	Choice	—	Pending, Paid, Failed, Refunded
Scheduled Date	scheduled_date	Date/Time	—	—
Refund Amount	refund_amount	Currency		

Available

Approval Date
Approved By [+]
Confirmation Sent
Created
Created By [+]
Created by
Email
Notes
Patient [+]
Payment Status
Refund Amount
Rejection Reason
Scheduled Date
Slot Time
Test [+]

Selected

Appointment Number
Patient
Status
Approval Status

Cancel Save

Form view and section

View name Default view
Section APPPOINTMENT TABLE
New...

Create new field

Name
Type String
Field length Small (40)

Add

Related Links
[Show versions](#)

Task 2: Diagnostic Test Table

Activity 1: Creation of Table

- **Navigate to:** System Definition > Tables
- **Click:** New to create a new table.
- **Fill in Table Information:**
 - **Label:** DIAGNOSTIC TEST
 - **Name:** x_1959076_medica_0_diagnostic_test
 - **Application:** Medical Diagnostic Center *(Verify application scope before saving)*
- **Click:** Submit to create the table.

Table
DIAGNOSTIC TEST

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label:

* Name:

Application:

Remote Table:

Columns Controls Application Access

Table Columns: Search

1 to 13 of 13

New

Activity 2: Creation of Fields

1. In the Application Navigator (left-side panel), type **Tables** in the search bar.
2. Under **System Definition**, click **Tables**.
3. From the list of tables, search for and select **DIAGNOSTIC TEST**.
4. Open the form configuration tool (Form Builder, Form Design, or Form Layout).
5. Create the following fields:

Field Label	Field Name	Field Type	Reference Table	Choices (If Applicable)
Test Name	test_name	String	—	—

Field Label	Field Name	Field Type	Reference Table	Choices (If Applicable)
Test Code	test_code	String	—	—
Category	category	Choice	—	BloodTest, Radiology, Cardiology, Pathology, Ultrasound, MRI, CT Scan, Other
Test Duration	test_duration	Integer / String	—	Duration in Minutes (e.g., 15, 30, 60)
Price	price	Currency	—	—
Active	active	Boolean (True/False)	—	True, False
Description	description	String (Multi-line)	—	—

Column label	Type	Reference	Max length	Default value	Display
Test Code	String	(empty)	40		false
Updates	Integer	(empty)	40		false
Description	String (Full UTF-8)	(empty)	255		false
Updated by	String	(empty)	40		false
Price	Currency	(empty)	20		false
Updated	Date/Time	(empty)	40		false
Created by	String	(empty)	40		false
Sys ID	Sys ID (GUID)	(empty)	32		false
Category	Choice	(empty)	40		false
Active	True/False	(empty)	40		false
Test Duration	Integer	(empty)	40		false
Test Name	String	(empty)	40		false
Created	Date/Time	(empty)	40		false

Creation of Tables

Navigate to: System Definition > **Tables**.

Click **New** to create a new table.

Fill in Table Information:

Label: Patient

Name: x_1959076_medica_0_patient

Application: Medical Diagnostic Center(Check the application before save)

Click **Submit** to create the table.

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables

* Label Application

* Name Remote Table ☐

Columns Controls Application Access

ii. Creation of fields

- In ServiceNow, fields are created at the **table** level. To create a field, you first need to identify the table where the field will reside.
- In the **Application Navigator** (left-side panel), type **Tables** in the search bar.
- Under **System Definition**, click **Tables**. This will take you to a list of all tables in the system.

- From the list of tables, search for and select the **table** you want to add a field to. For example, if you want to add a field to the **Patient Table** table.
- We have 3 methods to create a field in the table. I.e Form Builder, Form Design, Form Layout. We can follow any method as per your requirement.
- Create the below mentioned fields to complete the requirement.

Fields Details:

Field Label	Field Name	Field Type	Reference Table	Choices (If Applicable)
Patient ID	patient_id	String	—	
First Name	first_name	String	—	—
Last Name	last_name	String	—	—
Phone Number	phone_number	String	—	—
Email	email	Email	—	—
Gender	gender	Choice	—	Male, Female, Other
Date Of Birth	date_of_birth	Date	—	—
Address	address	String(Multi-line)	—	—
User	user	Reference	sys_user	—

Table Patient

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label:

* Name:

Application:

Remote Table:

Columns Controls Application Access

Table Columns for text Search

Dictionary Entries

Column label	Type	Reference	Max length	Default value	Display
Updated	Date/Time	(empty)	40		false
Gender	Choice	(empty)	40	male	false
Class	System Class Name	(empty)	80	javascript:current.getTableNames();	false
Last Name	String	(empty)	40		false
User	Reference	User	32		false
Number	String	(empty)	40	javascript:global.getNextObjNumberPadded();	false
Created by	String	(empty)	40		false
Email	String	(empty)	40		false
Address	String (Full UTF-8)	(empty)	255		false
Sys ID	Sys ID (GUID)	(empty)	32		false
Created	Date/Time	(empty)	40		false
Phone Number	String	(empty)	40		false
Patient ID	String	(empty)	40		false
First Name	String	(empty)	40		false
Date of Birth	Date	(empty)	40		false

Creation of tables:

- **Navigate to:** System Definition > **Tables**.
- Click **New** to create a new table.
- **Fill in Table Information:**
- **Label:** REPORT TABLE
- **Name:** x_1959076_medica_0_report_table
- **Application:** Medical Diagnostic Center(Check the application before save)
- Click **Submit** to create the table.

Table REPORT TABLE

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label:

* Name:

Application:

Remote Table:

Columns Controls Application Access

Table Columns for text Search

Dictionary Entries

Creation of fields :

- In ServiceNow, fields are created at the **table** level. To create a field, you first need to identify the table where the field will reside.

- In the **Application Navigator** (left-side panel), type **Tables** in the search bar.
- Under **System Definition**, click **Tables**. This will take you to a list of all tables in the system.
- From the list of tables, search for and select the **table** you want to add a field to. For example, if you want to add a field to the **Report Table** table.
- We have 3 methods to create a field in the table. I.e Form Builder, Form Design, Form Layout. We can follow any method as per your requirement.
- Create the below mentioned fields to complete the requirement.

Columns Controls Application Access					
Table Columns for text Search 1 to 13 of 13 New					
Column label	Type	Reference	Max length	Default value	Display
Updated by	String	(empty)	40		false
Updates	Integer	(empty)	40		false
Updated	Date/Time	(empty)	40		false
Report File	File Attachment	(empty)	40		false
Appointment	Reference	APPOINTMENT TABLE	32		false
Verified By	Reference	User	32		false
Patient	Reference	Patient	32		false
Sys ID	Sys ID (GUID)	(empty)	32		false
Created by	String	(empty)	40		false
Report Number	String	(empty)	40		false
Created	Date/Time	(empty)	40		false
Report Date	Date/Time	(empty)	40		false
EMAIL	String (Full UTF-8)	Patient	255		false
Insert a new row...					
Delete Update Delete All Records					

Available

Appointment [+]
Created
Created by
Patient [+]
Updated
Updated by
Updates
Verified By [+]
|- begin_split -|
|- split -|
|- end_split -|
* Annotation
* Chart
Activities (filtered)
Contextual Search Results

Selected

Patient
Appointment
Report File
Report Number
Report Date
Verified By
EMAIL

Cancel
Save

Form view and section

View name
Default view

Section
REPORT TABLE
New...

Create new field

Name

Type
String

Field length
Small (40)

Add

Related Links

[Show versions](#)

d. Fields Details:


Field Label	Field Name	Field Type	Reference Table	Notes
Patient	patient	Reference	Patient Table	Links report to patient
Appointment	appointment	Reference	Appointment Table	Links report to appointment
Report File	report_file	Attachment	—	Stores uploaded PDF report
Report Number	report_number	String / Auto Number	—	Unique report ID
Report Date	report_date	Date/Time	—	Date report generated
Verified By	verified_by	Reference	sys_user	Lab doctor / technician
Findings	findings	HTML / Rich Text	—	Stores detailed test findings

Implemented Business Rules logics to store the 10% cancellation charges and revert the balance amount in the refund amount field

Navigation of Business Rules

- Navigate to All Menu
- Just type Business rules

- System definition >> Business Rules
- Click on New Button to Create a New Business Rules
- Name: Auto Populate Refund Amount on Cancellation
- Table: x_1959076_medica_0_appointment
- Advance: True
- Application: Medical Diagnosis Center
- When to Run: Before Insert & Update
- Copy the below script in the script executor
- Save the Business Rules



History Workspaces Admin Business Rules Search

le

s a server-side script that runs when a record is displayed, inserted, deleted, or when a table is queried. Use business rules to automatically change values in form fields when the specified conditions are met. [More Info](#)

Name	Auto Create Report on Appointment Comple	Application	Medical Diagnosis Center
Table	APPOINTMENT TABLE [x_1959076_medica...	Active	☒
		Advanced	☒

Actions Advanced

er the business rule should run on **Insert** or **Update**. Use **Filter Conditions** to specify under which conditions the business rule should run.

When ☐ Insert ☐

Business Rule
Auto Populate Refund Amount on Cancellat

A business rule is a server-side script that runs when a record is displayed, inserted, deleted, or when a table is queried. Use business rules to automatically change values in form fields when the specified conditions are met. [More Info](#)

Name: Auto Populate Refund Amount on Cancellat
Table: APPOINTMENT TABLE [x_1959076_medic...]

Application: Medical Diagnosis Center
Active: ☒
Advanced: ☒

When to run: Actions Advanced

Condition:

Script: ☐ Turn on ECMAScript 2021 (ES12) mode

```

1 ((function executeRule(current, previous /*null when async*/) {
2   // Only process if status is 'cancelled' and total_amount exists
3   if (current.status == 'cancelled') {
4     var totalAmount = parseFloat(current.total_amount.toString()) || 0;
5     // Calculate refund amount with 10% deduction
6     // 10% deduction means customer gets 90% back
7     var deductionAmount = totalAmount * 0.10;
8     var refundAmount = totalAmount - deductionAmount;
9     // Set the refund amount
10    current.refund_amount = refundAmount.toFixed(2);
11  }
12 })(current, previous);

```

Update Delete

Related Links
[Run Point Scan](#)

iiiScript:

```

(function executeRule(current, previous /*null when async*/) {
  // Only process if status is 'cancelled' and total_amount exists
  if (current.status == 'cancelled') {
    var totalAmount = parseFloat(current.total_amount.toString()) || 0;
    // Calculate refund amount with 10% deduction
    // 10% deduction means customer gets 90% back
    var deductionAmount = totalAmount * 0.10;
    var refundAmount = totalAmount - deductionAmount;
    // Set the refund amount
    current.refund_amount = refundAmount.toFixed(2);
  }
})(current, previous);

```

2. Implemented Business Rules logics to generate reports automatically when the particular conditions were met.

Activity 1. Navigation of Business Rules

Navigate to All Menu

Just type Business rules

System definition >> Business Rules

Click on New Button to Create a **New** Business Rules

Name: Auto Create Report on Appointment Complete

Table: x__medica_0_appointment



Advance: True

Application: Medical Diagnosis Center

When to Run: After Update

Copy the below script in the script executor

Save the Business Rules



ns

Advanced

Condition

Script

Turn on ECMAScript 2021 (ES12) mode

```

1  (function executeRule(current, previous /*null when async*/ ) {
2      // Only process if status is 'cancelled' and total_amount exists
3      if (current.status == 'cancelled') {
4          var totalAmount = parseFloat(current.total_amount.toString()) || 0;
5          // Calculate refund amount with 10% deduction
6          // 10% deduction means customer gets 90% back
7          var deductionAmount = totalAmount * 0.10;
8          var refundAmount = totalAmount - deductionAmount;
9          // Set the refund amount
10         current.refund_amount = refundAmount.toFixed(2);
11     }
12 }(current, previous);

```

3. Script:

Advanced

When to run

Actions

Advanced

Specify whether the business rule should run on Insert or Update. Use Filter Conditions to specify under which conditions the business rule should run.

When

before

Order

100

Filter Conditions

Add Filter Condition

Add OR Clause

-- choose field --

-- oper --

-- value --

Role conditions

Insert

Update

Delete

Query

```

(function executeRule(current, previous /*null when async*/) {
  try {
    // Only run when status just changed to 'completed'
    if (current.status != 'completed' || previous.status == 'completed') {
      return;
    }
    // Check if report already exists for this appointment
    var existingReport = new GlideRecord('x_1883080_medica_0_report_table');
    existingReport.addQuery('appointment', current.getUniqueValue());
    existingReport.setLimit(1);
    existingReport.query();
    if (existingReport.next()) {
      gs.info('Report already exists for appointment ' + current.appointment_number);
      return;
    }
    // Generate report number
    var reportNum = 'RPT-' + new Date().getFullYear() + '-' + current.appointment_number.replace('APPT-',
    '');
    // Get test details
    var testName = '';
    var testCategory = '';
    var testCode = '';
    if (current.test) {
      var testRef = current.test.getRefRecord();
      if (testRef) {
        testName = testRef.getValue('test_name') || '';
        testCategory = testRef.getValue('category') || '';
        testCode = testRef.getValue('test_code') || '';
      }
    }
    // GENERATE REALISTIC TEST RESULTS BASED ON TEST TYPE
    var findings = generateRealisticFindings(testName, testCategory, testCode);
    // Create report record
    var reportGr = new GlideRecord('x_1883080_medica_0_report_table');
    reportGr.initialize();
    reportGr.setValue('report_number', reportNum);
    reportGr.setValue('appointment', current.getUniqueValue());
    reportGr.setValue('patient', current.getValue('patient'));
    reportGr.setValue('report_date', new GlideDateTime());
    reportGr.setValue('verified_by', gs.getUserID());
    try { reportGr.setValue('status', 'ready'); } catch(e) {}
  }
}

```

```

reportGr.setValue('findings', findings);
var newReportId = reportGr.insert();
if (newReportId) {
    gs.info('AUTO-CREATED: Report ' + reportNum + ' for appointment ' + current.appointment_number);
}
} catch(e) {
gs.error('Auto Report Creation Error: ' + e.message);
}

// HELPER FUNCTION: Generate realistic findings based on test type
function generateRealisticFindings(testName, category, code) {
    var testLower = (testName || '').toLowerCase();
    var catLower = (category || '').toLowerCase();
    // BLOOD TESTS
    if (testLower.indexOf('blood') !== -1 || testLower.indexOf('cbc') !== -1 ||
        testLower.indexOf('complete blood count') !== -1 || catLower.indexOf('blood') !== -1) {
        return '<div style="font-family:Arial,sans-serif;">' +
            '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">Complete Blood Count (CBC) Report</h3>' +
            '<table style="width:100%;border-collapse:collapse;margin:16px 0;">' +
            '<tr style="background:#f9fafb;"><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Parameter</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Result</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Normal Range</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Status</th></tr>' +
            '<tr><td style="padding:10px;border:1px solid #e5e7eb;">Hemoglobin</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">14.2 g/dL</td><td style="padding:10px;border:1px solid #e5e7eb;">13.5-17.5 g/dL</td><td style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
            '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">WBC Count</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">7,800 /μL</td><td style="padding:10px;border:1px solid #e5e7eb;">4,000-11,000 /μL</td><td style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
            '<tr><td style="padding:10px;border:1px solid #e5e7eb;">RBC Count</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">4.8 M/μL</td><td style="padding:10px;border:1px solid #e5e7eb;">4.5-5.5 M/μL</td><td style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
            '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Platelet Count</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">245,000 /μL</td><td style="padding:10px;border:1px solid #e5e7eb;">150,000-400,000 /μL</td><td style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
            '<tr><td style="padding:10px;border:1px solid #e5e7eb;">Hematocrit</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">42.5%</td><td style="padding:10px;border:1px solid #e5e7eb;">38.0-50.0%</td><td style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +

```

```

'</table>' +
'<p style="color:#374151;line-height:1.6;"><strong>Interpretation:</strong> All blood parameters
are within normal reference ranges. No abnormalities detected. Patient shows healthy hematological
profile.</p>' +
'<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new
GlideDateTime().getDisplayValue() + '</em></p>' +
'</div>;
}
// URINE TESTS
else if (testLower.indexOf('urine') !== -1 || testLower.indexOf('urinalysis') !== -1 ||
catLower.indexOf('urine') !== -1) {
return '<div style="font-family:Arial,sans-serif;">' +
'<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">Urinalysis
Report</h3>' +
'<table style="width:100%;border-collapse:collapse;margin:16px 0;">' +
'<tr style="background:#f9fafb;"><th style="padding:10px;text-align:left;border:1px solid
#e5e7eb;">Parameter</th><th style="padding:10px;text-align:left;border:1px solid
#e5e7eb;">Result</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Normal
Range</th></tr>' +
'<tr><td style="padding:10px;border:1px solid #e5e7eb;">Color</td><td
style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Yellow</td><td
style="padding:10px;border:1px solid #e5e7eb;">Pale to dark yellow</td></tr>' +
'<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid
#e5e7eb;">Appearance</td><td style="padding:10px;border:1px solid #e5e7eb;font-
weight:600;">Clear</td><td style="padding:10px;border:1px solid #e5e7eb;">Clear</td></tr>' +
'<tr><td style="padding:10px;border:1px solid #e5e7eb;">pH</td><td
style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">6.2</td><td
style="padding:10px;border:1px solid #e5e7eb;">4.5-8.0</td></tr>' +
'<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Specific
Gravity</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">1.020</td><td
style="padding:10px;border:1px solid #e5e7eb;">1.005-1.030</td></tr>' +
'<tr><td style="padding:10px;border:1px solid #e5e7eb;">Protein</td><td
style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Negative</td><td
style="padding:10px;border:1px solid #e5e7eb;">Negative</td></tr>' +
'<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid
#e5e7eb;">Glucose</td><td style="padding:10px;border:1px solid #e5e7eb;font-
weight:600;">Negative</td><td style="padding:10px;border:1px solid #e5e7eb;">Negative</td></tr>' +
'<tr><td style="padding:10px;border:1px solid #e5e7eb;">Ketones</td><td
style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Negative</td><td
style="padding:10px;border:1px solid #e5e7eb;">Negative</td></tr>' +
'<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid
#e5e7eb;">WBC</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">0-2
/HPF</td><td style="padding:10px;border:1px solid #e5e7eb;">0-5 /HPF</td></tr>' +
'</table>' +

```

```

        '<p style="color:#374151;line-height:1.6;"><strong>Interpretation:</strong> Urinalysis results are
        within normal limits. No signs of infection, diabetes, or kidney dysfunction detected.</p>' +
        '<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new
        GlideDateTime().getDisplayValue() + '</em></p>' +
        '</div>';
    }
    // X-RAY / IMAGING TESTS
    else if (testLower.indexOf('x-ray') !== -1 || testLower.indexOf('xray') !== -1 ||
        testLower.indexOf('chest') !== -1 || catLower.indexOf('imaging') !== -1 ||
        catLower.indexOf('radiology') !== -1) {
        return '<div style="font-family:Arial,sans-serif;">' +
        '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">Chest X-Ray
        Report</h3>' +
        '<div style="background:#f9fafb;padding:16px;border-radius:8px;margin:16px 0;">' +
        '<p style="margin:8px 0;"><strong>Examination:</strong> Chest X-Ray (PA & Lateral View)</p>' +
        '<p style="margin:8px 0;"><strong>Technique:</strong> Digital radiography</p>' +
        '<p style="margin:8px 0;"><strong>Date Performed:</strong> ' + new
        GlideDateTime().getDisplayValue() + '</p>' +
        '</div>' +
        '<h4 style="color:#1f2937;margin-top:20px;">Findings:</h4>' +
        '<ul style="color:#374151;line-height:1.8;">' +
        '<li><strong>Heart:</strong> Normal in size and configuration. Cardiothoracic ratio within normal
        limits.</li>' +
        '<li><strong>Lungs:</strong> Both lung fields are clear. No evidence of infiltrates, consolidation, or
        pleural effusion.</li>' +
        '<li><strong>Mediastinum:</strong> Normal in width. No mediastinal mass or lymphadenopathy
        detected.</li>' +
        '<li><strong>Bones:</strong> No acute bony abnormality. Thoracic spine alignment is normal.</li>'
        +
        '<li><strong>Soft Tissues:</strong> Unremarkable.</li>' +
        '</ul>' +
        '<div style="background:#dcfce7;padding:16px;border-left:4px solid #10b981;margin:20px 0;">' +
        '<p style="margin:0;color:#065f46;font-weight:600;">✓ IMPRESSION: Normal chest radiograph. No
        acute cardiopulmonary disease.</p>' +
        '</div>' +
        '<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new
        GlideDateTime().getDisplayValue() + '</em></p>' +
        '</div>';
    }
    // COVID-19 / PCR TESTS
    else if (testLower.indexOf('covid') !== -1 || testLower.indexOf('pcr') !== -1 || testLower.indexOf('sars')
    !== -1) {

```

```

return '<div style="font-family:Arial,sans-serif;">' +
    '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">COVID-19 RT-PCR Test Report</h3>' +
    '<div style="background:#f9fafb;padding:16px;border-radius:8px;margin:16px 0;">' +
    '<p style="margin:8px 0;"><strong>Test Method:</strong> Real-Time Reverse Transcription Polymerase Chain Reaction (RT-PCR)</p>' +
    '<p style="margin:8px 0;"><strong>Sample Type:</strong> Nasopharyngeal Swab</p>' +
    '<p style="margin:8px 0;"><strong>Date Collected:</strong> ' + new
    GlideDateTime().getDisplayValue() + '</p>' +
    '</div>' +
    '<table style="width:100%;border-collapse:collapse;margin:16px 0;">' +
    '<tr style="background:#f9fafb;"><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Target Gene</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Result</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">CT Value</th></tr>' +
    '<tr><td style="padding:10px;border:1px solid #e5e7eb;">SARS-CoV-2 E Gene</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;color:#10b981;">Not Detected</td><td style="padding:10px;border:1px solid #e5e7eb;">--</td></tr>' +
    '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">SARS-CoV-2 N Gene</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;color:#10b981;">Not Detected</td><td style="padding:10px;border:1px solid #e5e7eb;">--</td></tr>' +
    '<tr><td style="padding:10px;border:1px solid #e5e7eb;">SARS-CoV-2 RdRp Gene</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;color:#10b981;">Not Detected</td><td style="padding:10px;border:1px solid #e5e7eb;">--</td></tr>' +
    '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Internal Control</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;color:#10b981;">Positive</td><td style="padding:10px;border:1px solid #e5e7eb;">28.5</td></tr>' +
    '</table>' +
    '<div style="background:#dcfce7;padding:20px;border-left:4px solid #10b981;margin:20px 0;border-radius:4px;">' +
    '<p style="margin:0 0 8px 0;font-size:18px;font-weight:700;color:#065f46;">✓ RESULT: NEGATIVE</p>' +
    '<p style="margin:0;color:#065f46;">SARS-CoV-2 RNA not detected. No evidence of current COVID-19 infection.</p>' +
    '</div>' +
    '<p style="color:#6b7280;font-size:12px;line-height:1.6;"><strong>Note:</strong> A negative result does not entirely rule out COVID-19. Results should be considered in the context of clinical symptoms and exposure history. If symptoms persist, consider retesting or consult a healthcare provider.</p>' +
    '<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new
    GlideDateTime().getDisplayValue() + '</em></p>' +
    '</div>;
    }

```

```
// THYROID TESTS
else if (testLower.indexOf('thyroid') !== -1 || testLower.indexOf('tsh') !== -1 || testLower.indexOf('t3')
!== -1 || testLower.indexOf('t4') !== -1) {
    return '<div style="font-family:Arial,sans-serif;">' +
        '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">Thyroid
Function Test Report</h3>' +
        '<table style="width:100%;border-collapse:collapse;margin:16px 0;">' +
        '<tr style="background:#f9fafb;"><th style="padding:10px;text-align:left;border:1px solid
#e5e7eb;">Parameter</th><th style="padding:10px;text-align:left;border:1px solid
#e5e7eb;">Result</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Normal
Range</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Status</th></tr> +
        '<tr><td style="padding:10px;border:1px solid #e5e7eb;">TSH</td><td
style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">2.5 µIU/mL</td><td
style="padding:10px;border:1px solid #e5e7eb;">0.4-4.0 µIU/mL</td><td
style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
        '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Free
T3</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">3.2 pg/mL</td><td
style="padding:10px;border:1px solid #e5e7eb;">2.3-4.2 pg/mL</td><td
style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
        '<tr><td style="padding:10px;border:1px solid #e5e7eb;">Free T4</td><td
style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">1.3 ng/dL</td><td
style="padding:10px;border:1px solid #e5e7eb;">0.8-1.8 ng/dL</td><td style="padding:10px;border:1px
solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
        '</table>' +
        '<p style="color:#374151;line-height:1.6;"><strong>Interpretation:</strong> Thyroid function tests
are within normal reference ranges. TSH, T3, and T4 levels indicate normal thyroid activity. No evidence
of hypothyroidism or hyperthyroidism.</p>' +
        '<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new
GlideDateTime().getDisplayValue() + '</em></p>' +
        '</div>';
    }
// DEFAULT / GENERIC TEST
else {
    return '<div style="font-family:Arial,sans-serif;">' +
        '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">' + testName + '
- Test Report</h3>' +
        '<div style="background:#f9fafb;padding:16px;border-radius:8px;margin:16px 0;">' +
        '<p style="margin:8px 0;"><strong>Test Performed:</strong> ' + testName + '</p>' +
        '<p style="margin:8px 0;"><strong>Test Code:</strong> ' + code + '</p>' +
        '<p style="margin:8px 0;"><strong>Report Date:</strong> ' + new
GlideDateTime().getDisplayValue() + '</p>' +
        '</div>' +
        '<h4 style="color:#1f2937;margin-top:20px;">Test Results:</h4>' +
```

```

'<table style="width:100%;border-collapse:collapse;margin:16px 0;">' +
'<tr style="background:#f9fafb;"><th style="padding:10px;text-align:left;border:1px solid
#e5e7eb;">Parameter</th><th style="padding:10px;text-align:left;border:1px solid
#e5e7eb;">Result</th><th style="padding:10px;text-align:left;border:1px solid
#e5e7eb;">Status</th></tr>' +
'<tr><td style="padding:10px;border:1px solid #e5e7eb;">Primary Analysis</td><td
style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Within Normal Range</td><td
style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
'<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Quality
Check</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Passed</td><td
style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ OK</td></tr>' +
'</table>' +
'<div style="background:#dcfce7;padding:16px;border-left:4px solid #10b981;margin:20px 0;">' +
'<p style="margin:0;color:#065f46;"><strong>Summary:</strong> Test completed successfully. All
measured parameters are within acceptable clinical ranges. No abnormalities detected.</p>' +
'</div>' +
'<p style="color:#374151;line-height:1.6;"><strong>Recommendation:</strong> Results indicate
normal findings. For detailed interpretation or if you have any concerns, please consult with your
healthcare provider.</p>' +
'<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new
GlideDateTime().getDisplayValue() + '</em></p>' +
'</div>';
}
}
})(current, previous);

```

3.Implemented Business Rules logics to populate rejection details when the admin rejected the slots

Activity 1. Navigation of Business Rules

Navigate to All Menu

Just type Business rules

System definition >> Business Rules

Click on New Button to Create a **New** Business Rules

Name: rejectionDetailsUpdation

Table: x_1959076_medica_0_appointment


Advance: True

Application: Medical Diagnosis Center

When to Run: Before Update

Copy the below script in the script executor

Save the Business Rules



History Workspaces Admin Business Rule - Auto Create Report on Appointment Comple ☆

omple

Business rule is a server-side script that runs when a record is displayed, inserted, deleted, or when a table is queried. Use business rules to automatically change values in form fields when the specified conditions are met.

Name	Auto Create Report on Appointment Comple	Application	Medical Diagnosis Center
Table	APPOINTMENT TABLE [x_1959076_medic...	Active	☒
		Advanced	☒

n Actions Advanced

Whether the business rule should run on Insert or Update. Use Filter Conditions to specify under which conditions the business rule should run.

When	before	Insert	☒
Order	100	Update	☒
		Delete	☐

side script that runs when a record is displayed, inserted, deleted, or when a table is queried. Use business rules to automatically change values in form fields when the specified conditions are met. [More Info](#)

Name Application

Table Active ☒

Advanced ☒

Advanced

Condition

Script ☐ Turn on ECMAScript 2021 (ES12) mode

```

1 (function executeRule(current, previous /*null when async*/ ) {
2   // Only process if status is 'cancelled' and total_amount exists
3   if (current.status == 'cancelled') {
4     var totalAmount = parseFloat(current.total_amount.toString()) || 0;
5     // Calculate refund amount with 10% deduction
6     // 10% deduction means customer gets 90% back
7     var deductionAmount = totalAmount * 0.10;
8     var refundAmount = totalAmount - deductionAmount;
9     // Set the refund amount
10    current.refund_amount = refundAmount.toFixed(2);
11  }
12 })(current, previous);

```

4. Script:

```

(function executeRule(current, previous /*null when async*/ ) {
  if (current.approval_status == "rejected") {
    current.rejection_reason = "Cancelled/Rejected by the user";
    current.notes = " ";
    current.setValue("approved_by", null);
  }
  if (current.approval_status == "approved") {
    current.notes = "Approved by the System Admin";
    current.approved_by = gs.getUserID();
    current.rejection_reason = " ";
  }
})(current, previous);

```

Implemented Background Scripts to create Test details by using script automatically

Activity 1. Navigation of Background Scripts

Navigate to All Menu


Search for Background Scripts

System definition >> Background Scripts

Open the Background Scripts page, Paste the below script

Click on Run Script

Test records will be created in the test table those will be displayed in the portal pages



Running freeform script can cause system disruption or loss of data.

Run script (JavaScript executed on server)

```

1 var tests = [
2 {
3   test_name: 'Complete Blood Count (CBC)',
4   test_code: 'CBC-001',
5   category: 'Blood Test',
6   description: 'Measures different components of blood including red cells, white cells, and platelets. Used to detect infections, anemia, and other blood disorders.',
7   price: 45.00,
8   test_duration: '30 minutes',
9   active: true
10 },
11 {
12   test_name: 'Lipid Profile',
13   test_code: 'LIP-002',
14   category: 'Blood Test',
15   description: 'Measures cholesterol levels (total, LDL, HDL) and triglycerides. Essential for cardiovascular risk assessment.',
16   price: 60.00,
17   test_duration: '30 minutes',
18   active: true
19 },
20 {
21   test_name: 'HbA1c (Diabetes)',
22   test_code: 'HBA-003',
23   category: 'Blood Test',
24   description: 'Measures average blood sugar levels over the past 2-3 months. Primary test for diabetes diagnosis and monitoring.',
25   price: 70.00,
26   test_duration: '30 minutes',
27   active: true
28 },
29 {
30   test_name: 'Thyroid Function Test (TFT)',
31   test_code: 'THY-004',
32   category: 'Blood Test',
33   description: 'Evaluates thyroid gland function by measuring TSH, T3, and T4 hormone levels. Detects hypothyroidism and hyperthyroidism.',
34   price: 95.00,
35   test_duration: '30 minutes',
36   active: true
37 }
38 ]

```

Run Script In scope: x_1959076_medica_0 Record for rollback? ☒ Execute in sandbox? ☐ Execute as scriptlet? ☐ Cancel after 4 hours ☒

5.

Script:

```

var tests = [
{
  test_name: 'Complete Blood Count (CBC)',
  test_code: 'CBC-001',
  category: 'Blood Test',
  description: 'Measures different components of blood including red cells,
white cells, and platelets. Used to detect infections, anemia, and other blood
disorders.',
  price: 45.00,
  test_duration: '30 minutes',
  active: true
},
{
  test_name: 'Lipid Profile',
  test_code: 'LIP-002',
  category: 'Blood Test',
  description: 'Measures cholesterol levels (total, LDL, HDL) and triglycerides.
Essential for cardiovascular risk assessment.',

```

```
    price:      60.00,
    test_duration: '30 minutes',
    active:      true
  },
  {
    test_name:   'HbA1c (Diabetes)',
    test_code:   'HBA-003',
    category:    'Blood Test',
    description: 'Measures average blood sugar levels over the past 2-3 months.
Primary test for diabetes diagnosis and monitoring.',
    price:      70.00,
    test_duration: '30 minutes',
    active:      true
  },
  {
    test_name:   'Thyroid Function Test (TFT)',
    test_code:   'THY-004',
    category:    'Blood Test',
    description: 'Evaluates thyroid gland function by measuring TSH, T3, and T4
hormone levels. Detects hypothyroidism and hyperthyroidism.',
    price:      95.00,
    test_duration: '30 minutes',
    active:      true
  },
  {
    test_name:   'Liver Function Test (LFT)',
    test_code:   'LFT-005',
    category:    'Blood Test',
    description: 'Assesses liver health by measuring enzymes, proteins, and
bilirubin. Detects liver disease, hepatitis, and cirrhosis.',
    price:      75.00,
    test_duration: '30 minutes',
    active:      true
  }
```

```
},
{
  test_name: 'Kidney Function Test (KFT)',
  test_code: 'KFT-006',
  category: 'Blood Test',
  description: 'Evaluates kidney health through creatinine, urea, and eGFR levels. Detects chronic kidney disease and renal failure.',
  price: 65.00,
  test_duration: '30 minutes',
  active: true
},
{
  test_name: 'Urine Routine & Microscopy',
  test_code: 'UR-007',
  category: 'Blood Test',
  description: 'Analyzes urine for infections, kidney disease, and metabolic conditions. Includes physical, chemical, and microscopic examination.',
  price: 25.00,
  test_duration: '20 minutes',
  active: true
},
{
  test_name: 'Chest X-Ray',
  test_code: 'XRY-008',
  category: 'Blood Test',
  description: 'Imaging of the chest to evaluate lungs, heart, and chest wall. Used for pneumonia, TB, heart enlargement, and fractures.',
  price: 80.00,
  test_duration: '15 minutes',
  active: true
},
{
  test_name: 'ECG (Electrocardiogram)',
```

```
test_code: 'ECG-009',
category: 'Blood Test',
description: 'Records electrical activity of the heart. Detects arrhythmias, heart
attacks, and other cardiac conditions.',
price: 55.00,
test_duration: '20 minutes',
active: true
},
{
test_name: 'COVID-19 PCR Test',
test_code: 'COV-010',
category: 'Blood Test',
description: 'Highly accurate molecular test for active COVID-19 infection.
Results available within 24 hours.',
price: 120.00,
test_duration: '45 minutes',
active: true
},
{
test_name: 'Vitamin D Test',
test_code: 'VIT-011',
category: 'Blood Test',
description: 'Measures Vitamin D levels (25-hydroxyvitamin D) in blood.
Deficiency linked to bone disease, immune issues, and fatigue.',
price: 55.00,
test_duration: '30 minutes',
active: true
},
{
test_name: 'Iron Studies',
test_code: 'IRN-012',
category: 'Blood Test',
```

```
        description: 'Evaluates iron levels including serum iron, ferritin, and TIBC.  
Diagnoses iron deficiency anemia and iron overload.',  
        price:      50.00,  
        test_duration: '30 minutes',  
        active:      true  
    }  
];
```

```
var created = 0;  
var skipped = 0;  
var errors = 0;
```

```
for (var i = 0; i < tests.length; i++) {  
    var t = tests[i];  
    try {  
        // Skip duplicates by test_code  
        var existing = new GlideRecord('x_1883080_medica_0_diagnostic_test');  
        existing.addQuery('test_code', t.test_code);  
        existing.setLimit(1);  
        existing.query();
```

```
        if (existing.next()) {  
            gs.info('MediCare SKIP: ' + t.test_name + ' already exists');  
            skipped++;  
            continue;  
        }
```

```
        var gr = new GlideRecord('x_1883080_medica_0_diagnostic_test');  
        gr.initialize();
```

```
gr.setValue('test_name', t.test_name);
gr.setValue('test_code', t.test_code);
gr.setValue('category', t.category);
gr.setValue('description', t.description);
gr.setValue('price', t.price);
gr.setValue('test_duration', t.test_duration);
gr.setValue('active', t.active);
```

```
var sysId = gr.insert();
```

```
if (sysId) {
  gs.info('MediCare CREATED: ' + t.test_name + ' (' + t.test_code + ')');
  created++;
} else {
  gs.info('MediCare FAILED: ' + t.test_name);
  errors++;
}
} catch(e) {
  gs.info('MediCare ERROR on ' + t.test_name + ': ' + e.message);
  errors++;
}
}
```

```
gs.info('MediCare Done — Created: ' + created + ' | Skipped: ' + skipped + ' |
Errors: ' + errors);
```

Note: Need to check field names properly before executing the script and the results will be displayed in the Diagnostic Test table and Portal.

Table Results:

DIAGNOSTIC TESTS

Active

Search

Actions on selected rows...

New

All

Active

Category

Description

Price

Test Code

Test Duration

Test Name

Search

Search

Search

Search

Search

Search

Search

true

Blood Test

Assesses liver health by measuring enzym...

\$75.00

LFT-005

30

Liver Function Test (LFT)

true

Blood Test

Records electrical activity of the heart...

\$55.00

ECG-009

20

ECG (Electrocardiogram)

true

Blood Test

Measures cholesterol levels (total, LDL....

\$60.00

LIP-002

30

Lipid Profile

true

Blood Test

Evaluates kidney health through creatini...

\$65.00

KFT-006

30

Kidney Function Test (KFT)

true

Blood Test

Highly accurate molecular test for activ...

\$120.00

COV-010

45

COVID-19 PCR Test

true

Blood Test

Measures different components of blood i...

\$45.00

CBC-001

30

Complete Blood Count (CBC)

true

Blood Test

Measures average blood sugar levels over...

\$70.00

HBA-003

30

HbA1c (Diabetes)

true

Blood Test

Measures Vitamin D levels (25-hydroxyvit...

\$55.00

VIT-011

30

Vitamin D Test

1 to 12 of 12

Portal Results:

MDC

MEDICAL DIAGNOSTIC CENTER

CARDIOLOGY AVAILABLE 12-Lead Electrocardiogram (ECG) Code : DT-CAR-001 Non-invasive recording of the heart electrical activity via 12 surface leads. Detects arrhythmias, m... 20 Cardiology PRICE \$500.00 Book Now	CT SCAN AVAILABLE Abdomen and Pelvis CT with Contrast Code : DT-CTS-003 Multi-phase contrast-enhanced CT of the abdomen and pelvis with oral and intravenous contrast. Evalu... 35 CT Scan PRICE \$3,200.00 Book Now	RADIOLOGY AVAILABLE Abdominal X-Ray Series Code : DT-RAD-002 Multi-view radiographic examination of the abdomen including supine and upright projections. Useful ... 20 Radiology PRICE \$425.00 Book Now
RADIOLOGY UNAVAILABLE Bone Density Scan (DEXA) Code : DT-RAD-003 Dual-energy X-ray absorptiometry scan measuring bone mineral density at the lumbar spine and hip. Go... 25 Radiology PRICE \$600.00 Not Available	MRI AVAILABLE Brain MRI with and without Contrast Code : DT-MRI-001 High-resolution magnetic resonance imaging of the brain using T1, T2, FLAIR, and diffusion-weighted ... 60 MRI PRICE \$4,500.00 Book Now	MRI AVAILABLE Cardiac MRI with Perfusion Study Code : DT-MRI-003 ECG-gated cardiac MRI with cine imaging, first-pass gadolinium perfusion, and delayed enhancement se... 90 MRI PRICE \$6,500.00 Book Now

6. Interface Design focuses on creating a user-friendly ServiceNow Service Portal interface for patients and healthcare staff. It includes designing portal pages, navigation, forms, and layouts to ensure easy access to medical services, appointment requests, and diagnostic information.

Creation of service portal:

Navigate to the **Application Navigator**

Click on **All**

Search for **Service Portal**

Under **Service Portal**, select **Portals**

Click on **New**

Fill in the portal details:


Title: Medical Diagnostic Center

URL Suffix: mdc

Home Page: Create a new homepage(Will create it in next steps)

Theme: Default theme → Stock(default)

Click on **Submit** or **Save**



servicenow

All

Favorites

History

Workspaces

Admin

Service Portals

Search

for text

Search

Actions on selected rows...

New

All				
	Title	URL suffix	Theme	Updated
	CAB Workbench	cab	CAB Workbench - Default	2026-04-30 01:05:03
	Mobile Employee Service Portal	mesp	Mobile Employee Next Experience Theme	2022-08-08 02:10:34
	Knowledge Portal	kb	Customer Experience Coral Theme	2025-02-27 23:20:17
	Medical Diagnostic Center	mdc	Stock	2026-08-12 09:24:09
	Benchmarks	benchmarks	Benchmarks - Theme	2026-04-30 01:05:03
	Employee Center	esc	Employee Center Coral Theme	2026-04-30 00:58:52
	Performance Analyzer	perf	jemphv	2026-04-30 01:05:03
	Service Portal	sp	Coral	2026-04-30 01:05:03
	SP Configuration	sp_config	La Jolla	2026-04-30 01:05:03
	Service Workspace Portal	swp	Workspace EC Theme	2022-09-14 00:45:58

```
50% { box-shadow: 0 0 18px rgba(0,180,216,0.8), 0 0 40px rgba(0,180,216,0.3); }
```

```

}

@keyframes heartbeat {

  0%,100% { transform: scaleX(1); }

  10%   { transform: scaleX(1.06); }

  20%   { transform: scaleX(1); }

  30%   { transform: scaleX(1.04); }

  40%   { transform: scaleX(1); }

}

@keyframes taglineSlide {

  from { opacity: 0; letter-spacing: 6px; }

  to   { opacity: 1; letter-spacing: 3px; }

}

@keyframes ecgMove {

  0%   { background-position: 0% 0%; }

  100% { background-position: 200% 0%; }

}

.navbar-brand,

.sp-nav .navbar-brand {

  position: relative !important;

  display: inline-flex !important;

  align-items: center !important;

  gap: 0 !important;

  padding: 7px 18px 7px 14px !important;

  border-radius: 12px !important;

  border: 1px solid rgba(0, 180, 216, 0.35) !important;

  background: linear-gradient(135deg,

    rgba(10, 36, 99, 0.6) 0%,

    rgba(0, 60, 100, 0.4) 100%

  ) !important;

  backdrop-filter: blur(8px) !important;

  animation: pulse 3s ease-in-out infinite !important;

```

```
text-decoration: none !important;

transition: all 0.3s ease !important;

/* ECG / heartbeat line as bottom border */

border-bottom: 2px solid transparent !important;

background-clip: padding-box !important;

}

/* — Glowing ECG line at the bottom of the brand box — */

.navbar-brand::after,

.sp-nav .navbar-brand::after {

  content: " !important;

  position: absolute !important;

  bottom: -2px !important;

  left: 0 !important;

  width: 100% !important;

  height: 2px !important;

  background: linear-gradient(

    90deg,

    transparent 0%,

    #e63946 15%,

    #e63946 20%,

    transparent 25%,

    #e63946 30%,

    transparent 32%,

    #e63946 36%,

    transparent 40%,

    #00b4d8 55%,

    #7dd3fc 70%,

    transparent 100%

  ) !important;

  background-size: 200% 100% !important;

  animation: ecgMove 2.5s linear infinite !important;
```

```
border-radius: 2px !important;
}

/* — MDC badge before the text — */
.navbar-brand::before,
.sp-nav .navbar-brand::before {
  content: 'MDC' !important;
  font-family: 'Segoe UI', 'Trebuchet MS', sans-serif !important;
  font-size: 13px !important;
  font-weight: 900 !important;
  letter-spacing: 1px !important;
  padding: 3px 8px !important;
  border-radius: 6px !important;
  margin-right: 10px !important;
  background: linear-gradient(135deg, #e63946 0%, #c1121f 100%) !important;
  color: #ffffff !important;
  -webkit-text-fill-color: #ffffff !important;
  box-shadow: 0 2px 8px rgba(230, 57, 70, 0.5) !important;
  flex-shrink: 0 !important;
  animation: heartbeat 2s ease-in-out infinite !important;
}

.navbar-brand,
.navbar-brand span,
.sp-nav .navbar-brand {
  font-family: 'Segoe UI', 'Trebuchet MS', sans-serif !important;
  font-size: 16px !important;
  font-weight: 900 !important;
  letter-spacing: 1.5px !important;
  text-transform: uppercase !important;
}

/* Animated shimmer gradient — white → cyan → white */
background: linear-gradient(
  90deg,
```

```

#ffffff 0%,
#bfefff 20%,
#00b4d8 35%,
#ffffff 50%,
#7dd3fc 65%,
#00b4d8 80%,
#ffffff 100%
) !important;

background-size: 300% auto !important;
-webkit-background-clip: text !important;
-webkit-text-fill-color: transparent !important;
background-clip: text !important;
animation: shimmer 4s linear infinite, pulse 3s ease-in-out infinite !important;
text-shadow: none !important;
text-decoration: none !important;
}

/* — Hover — shimmer speeds up, glow intensifies — */

.navbar-brand:hover,
.sp-nav .navbar-brand:hover {
border-color: rgba(0, 180, 216, 0.7) !important;
background: linear-gradient(135deg,
    rgba(10, 36, 99, 0.8) 0%,
    rgba(0, 80, 130, 0.6) 100%
) !important;
animation: shimmer 1.5s linear infinite, pulse 1s ease-in-out infinite !important;
text-decoration: none !important;
transform: translateY(-1px) !important;
}

/* — Responsive — */

@media (max-width: 768px) {
    .navbar-brand,

```

```

.navbar-brand span,

.sp-nav .navbar-brand {

    font-size: 12px !important;

    letter-spacing: 0.8px !important;

    padding: 5px 10px 5px 8px !important;
}

.navbar-brand::before,

.sp-nav .navbar-brand::before {

    font-size: 10px !important;

    padding: 2px 6px !important;

    margin-right: 7px !important;
}
}

```



Create Widgets :

Navigate to the Application Navigator

Click on All

Search for Service Portal

Under Service Portal, select Widgets

Click on New

Fill in the widget details:


Name: Medical Test Catalog

ID: medical_test_catalog

Make Widget as Public to easily accessible to every user

Description: Widget to display and manage functionalities

Click on Submit or Save



Name	ID	Data table	Updated	Package
Appointment Booking	appointment_booking	Instance [so_instance]	2026-09-11 02:02:17	Medical Diagnosis Center
My Appointments	my_appointments	Instance [so_instance]	2026-08-27 01:46:43	Medical Diagnosis Center
Lab Reports	lab_reports	Instance [so_instance]	2026-08-14 01:30:15	Medical Diagnosis Center
Medical Test Catalog	medical_test_catalog	Instance [so_instance]	2026-08-14 01:22:36	Medical Diagnosis Center
Faceted Search	faceted_search	Instance with Search [so_instance_all]	2026-06-03 13:13:32	Service Portal - Core
Homepage Search		Instance with Search [so_instance_all]	2026-06-03 12:53:04	Service Portal - Core
Typeahead Search	typeahead-search	Instance with Search [so_instance_all]	2026-06-03 12:49:22	Service Portal - Core
SC Catalog Item	widget-sc-cat-item-v2	Instance [so_instance]	2026-05-06 06:50:28	Service Portal - Service Catalog (do not...
SC Shopping Cart Deprecated	sc-shopping-cart	Instance [so_instance]	2026-04-30 02:30:29	Service Portal - Service Catalog (do not...
Knowledge Article Comments	knowledge-comments	Instance [so_instance]	2026-04-06 23:22:54	Knowledge Management - Service Portal

Medical Test Catalog

Secure public widgets using widget access controls. This widget is public and queries data from tables. [Learn more.](#)

Name: Medical Test Catalog

ID: medical_test_catalog


Description: Widget to display and manage functionalities

Application: Medical Diagnosis Center

Public: ☒

Body HTML template

```
<div class="med-catalog">
  <!-- HERO -->
  <div class="hero-banner">
    <div class="hero-content">
      <div class="hero-badge"><span class="pulse-dot"></span>Trusted Diagnostics</div>
      <div class="hero-title">Medical Diagnostics</div>
    </div>
  </div>
</div>
```



HTML CODE

```
<div class="med-catalog">

<!-- HERO -->

<div class="hero-banner">

  <div class="hero-content">

    <div class="hero-badge"><span class="pulse-dot"></span>Trusted Diagnostics</div>

    <h1 class="hero-title">Medical Diagnostic<br><span class="accent-text">Test
Center</span></h1>

    <p class="hero-sub">Advanced lab tests. Fast results. Transparent pricing.</p>

    <div class="search-wrap">

      <i class="fa fa-search search-icon"></i>

      <input class="search-input" type="text" placeholder="Search tests, categories..."
        ng-model="c.searchQuery" ng-change="c.filterTests()" />

      <button class="search-clear" ng-if="c.searchQuery" ng-click="c.clearSearch()">

        <i class="fa fa-times"></i>

      </button>

    </div>

  </div>

</div>

<div class="hero-visual">

  <div class="dna-icon">🧬 </div>

  <div class="float-stat stat-1">

    <span class="stat-num">{{c.data.totalTests}}</span>

    <span class="stat-lbl">Tests Available</span>

  </div>

</div>
```

```
<div class="float-stat stat-2">

  <span class="stat-num">24h</span>

  <span class="stat-lbl">Avg Report Time</span>

</div>

</div>

</div>

<!-- QUICK ACTION CARDS -->

<div class="quick-actions-bar">

  <div class="quick-action-card" ng-click="c.goToMyBookings()">

    <div class="qa-icon"> 📅 </div>

    <div class="qa-info">

      <span class="qa-title">My Bookings</span>

      <span class="qa-sub">View your appointment history</span>

    </div>

    <i class="fa fa-chevron-right qa-arrow"></i>

  </div>

  <div class="quick-action-card" ng-click="c.goToMyReports()">

    <div class="qa-icon"> 📄 </div>

    <div class="qa-info">

      <span class="qa-title">My Reports</span>

      <span class="qa-sub">Access your lab test results</span>

    </div>

    <i class="fa fa-chevron-right qa-arrow"></i>

  </div>

</div>

<!-- CATEGORY TABS -->
```

```
<div class="category-bar">

  <button class="cat-tab" ng-class="{ 'active': c.activeCategory === 'all' }" ng-
click="c.setCategory('all')">

    <i class="fa fa-th"></i> All Tests

  </button>

  <button class="cat-tab" ng-repeat="cat in c.data.categories"

    ng-class="{ 'active': c.activeCategory === cat }" ng-click="c.setCategory(cat)">

      {{cat}}

    </button>

</div>
```

```
<!-- RESULTS BAR -->

<div class="results-bar">

  <span class="results-count">

    Showing <strong>{{c.filteredTests.length}}</strong> test{{c.filteredTests.length !== 1 ? 's' : ''}}

    <span ng-if="c.searchQuery"> for "<em>{{c.searchQuery}}</em>"</span>

    <span ng-if="c.activeCategory !== 'all'"> in <em>{{c.activeCategory}}</em></span>

  </span>

  <div class="sort-wrap">

    <label>Sort by:</label>

    <select ng-model="c.sortBy" ng-change="c.sortTests()" class="sort-select">

      <option value="name">Name</option>

      <option value="price_asc">Price: Low to High</option>

      <option value="price_desc">Price: High to Low</option>

      <option value="duration">Duration</option>

    </select>

  </div>

</div>
```

```
<!-- EMPTY STATE -->
```

```
<div class="empty-state" ng-if="c.filteredTests.length === 0">
```

```
  <div class="empty-icon">  </div>
```

```
  <h3 ng-if="(c.data.tests || []).length === 0">No diagnostic tests found in the database.</h3>
```

```
  <h3 ng-if="(c.data.tests || []).length > 0">No tests match your search.</h3>
```

```
  <p ng-if="(c.data.tests || []).length === 0">
```

```
    Add records to <strong>x_1883080_medica_0_diagnostic_test</strong> and set <strong>Active = true</strong>.
```

```
  </p>
```

```
  <button class="btn-reset" ng-if="(c.data.tests || []).length > 0" ng-click="c.resetFilters()">
```

```
    Clear Filters
```

```
  </button>
```

```
</div>
```

```
<!-- TEST CARDS -->
```

```
<div class="tests-grid" ng-if="c.filteredTests.length > 0">
```

```
  <div class="test-card" ng-repeat="test in c.filteredTests">
```

```
    <div class="card-header">
```

```
      <div class="test-icon-wrap">
```

```
        <span class="test-icon">{{c.getCategoryIcon(test.category)}}</span>
```

```
      </div>
```

```
    <div class="card-badges">
```

```
      <span class="badge badge-cat">{{test.category || 'General'}}</span>
```

```
      <span class="badge badge-active" ng-if="test.active">Available</span>
```

```
      <span class="badge badge-inactive" ng-if="!test.active">Unavailable</span>
```

```
    </div>
```

```
  </div>
```

```
<div class="card-body">

  <h3 class="test-name">{{test.test_name}}</h3>

  <p class="test-code">Code: <strong>{{test.test_code}}</strong></p>

  <p class="test-desc">{{c.truncate(test.description, 100)}}</p>

  <div class="test-meta">

    <div class="meta-item" ng-if="test.test_duration">

      <i class="fa fa-clock-o"></i><span>{{test.test_duration}}</span>

    </div>

    <div class="meta-item">

      <i class="fa fa-flask"></i><span>{{test.category || 'General'}}</span>

    </div>

  </div>

</div>

<div class="card-footer">

  <div class="price-block">

    <span class="price-label">Price</span>

    <span class="price-value">${{test.price | number:2}}</span>

  </div>

  <button class="btn-book" ng-if="test.active" ng-click="c.bookTest(test)">

    <i class="fa fa-calendar-plus-o"></i> Book Now

  </button>

  <button class="btn-book btn-disabled" ng-if="!test.active" disabled>

    Not Available

  </button>

</div>

</div>

</div>
```

</div>

CSS CODE:

```
.med-catalog {  
  
  --primary: #0a2463;  
  
  --primary-light: #1e3a8a;  
  
  --accent: #00b4d8;  
  
  --accent-dark: #0096c7;  
  
  --success: #10b981;  
  
  --danger: #ef4444;  
  
  --gray-50: #f8fafc;  
  
  --gray-100: #f1f5f9;  
  
  --gray-200: #e2e8f0;  
  
  --gray-400: #94a3b8;  
  
  --gray-600: #475569;  
  
  --gray-800: #1e293b;  
  
  --white: #ffffff;  
  
  --shadow-sm: 0 1px 3px rgba(0,0,0,0.08);  
  
  --shadow-md: 0 4px 16px rgba(0,0,0,0.10);  
  
  --shadow-lg: 0 8px 32px rgba(0,0,0,0.14);  
  
  --radius: 16px;  
  
  font-family: 'Segoe UI', system-ui, sans-serif;  
  
  background: var(--gray-50);  
  
  min-height: 100vh;  
  
  padding-bottom: 60px;  
  
}  
  
/* HERO */  
  
.hero-banner {
```

```
background: linear-gradient(135deg, #0a2463 0%, #1e3a8a 60%, #0369a1 100%);
padding: 60px 40px 70px;
display: flex;
align-items: center;
justify-content: space-between;
position: relative;
overflow: hidden;
border-radius: 0 0 40px 40px;
}
```

```
.hero-banner::before {
  content: "";
  position: absolute;
  top: -60px; right: -60px;
  width: 340px; height: 340px;
  background: rgba(255,255,255,0.04);
  border-radius: 50%;
}
```

```
.hero-content { flex: 1; position: relative; z-index: 1; }
```

```
.hero-badge {
  display: inline-flex;
  align-items: center;
  gap: 8px;
  background: rgba(255,255,255,0.12);
  border: 1px solid rgba(255,255,255,0.20);
  color: #bfdbfe;
  font-size: 12px;
  font-weight: 600;
  letter-spacing: 0.5px;
```

```
text-transform: uppercase;

padding: 6px 14px;

border-radius: 20px;

margin-bottom: 20px;
}

.pulse-dot {

width: 8px; height: 8px;

background: #10b981;

border-radius: 50%;

display: inline-block;

animation: pulse 2s infinite;
}

@keyframes pulse {

0%,100% { opacity: 1; transform: scale(1); }

50%    { opacity: 0.5; transform: scale(1.4); }

}

.hero-title {

font-size: 46px;

font-weight: 800;

color: #ffffff;

line-height: 1.1;

margin: 0 0 16px;

letter-spacing: -1px;
}

.accent-text { color: #00b4d8; }

.hero-sub { color: #bfdbfe; font-size: 16px; margin: 0 0 32px; }


/* SEARCH */
```

```
.search-wrap { position: relative; max-width: 520px; }

.search-icon {
  position: absolute; left: 16px; top: 50%;
  transform: translateY(-50%);
  color: #94a3b8; font-size: 16px;
}

.search-input {
  width: 100%;
  padding: 16px 48px 16px 46px;
  border: 2px solid transparent;
  border-radius: 14px;
  font-size: 15px;
  background: rgba(255,255,255,0.95);
  color: #1e293b;
  outline: none;
  transition: all 0.2s;
  box-sizing: border-box;
  box-shadow: 0 4px 20px rgba(0,0,0,0.15);
}

.search-input:focus { border-color: #00b4d8; box-shadow: 0 4px 20px rgba(0,180,216,0.25); }

.search-clear {
  position: absolute; right: 14px; top: 50%;
  transform: translateY(-50%);
  background: none; border: none; color: #94a3b8; cursor: pointer; font-size: 15px;
}

/* HERO VISUAL */

.hero-visual { position: relative; z-index: 1; margin-left: 60px; }
```

```
.dna-icon {
  font-size: 100px;
  animation: float 4s ease-in-out infinite;
  filter: drop-shadow(0 8px 24px rgba(0,180,216,0.3));
}

@keyframes float {
  0%,100% { transform: translateY(0); }
  50%    { transform: translateY(-12px); }
}

.float-stat {
  position: absolute;
  background: rgba(255,255,255,0.12);
  backdrop-filter: blur(12px);
  border: 1px solid rgba(255,255,255,0.20);
  border-radius: 12px;
  padding: 10px 16px;
  display: flex;
  flex-direction: column;
  align-items: center;
}

.stat-1 { top: -10px; right: -40px; }
.stat-2 { bottom: -10px; right: -20px; }
.stat-num { font-size: 22px; font-weight: 800; color: #ffffff; line-height: 1; }
.stat-lbl { font-size: 11px; color: #bfdbfe; margin-top: 2px; white-space: nowrap; }

/* CATEGORY BAR */
.category-bar {
  display: flex;
```

```
    align-items: center;
    gap: 10px;
    padding: 28px 40px 0;
    flex-wrap: wrap;
}

.cat-tab {
    padding: 9px 20px;
    border-radius: 24px;
    border: 2px solid #e2e8f0;
    background: #ffffff;
    color: #475569;
    font-size: 14px;
    font-weight: 600;
    cursor: pointer;
    transition: all 0.2s;
    white-space: nowrap;
}

.cat-tab:hover { border-color: #00b4d8; color: #0096c7; }
.cat-tab.active {
    background: #0a2463;
    border-color: #0a2463;
    color: #ffffff;
    box-shadow: 0 4px 12px rgba(10,36,99,0.25);
}

/* RESULTS BAR */
.results-bar {
    display: flex;
```

```
align-items: center;
justify-content: space-between;
padding: 20px 40px 12px;
flex-wrap: wrap;
gap: 12px;
}

.results-count { color: #475569; font-size: 14px; }
.results-count strong { color: #0a2463; }
.results-count em { font-style: italic; color: #0096c7; }
.sort-wrap { display: flex; align-items: center; gap: 8px; font-size: 14px; color: #475569; }
.sort-select {
padding: 6px 12px;
border: 2px solid #e2e8f0;
border-radius: 8px;
font-size: 14px;
background: #ffffff;
color: #1e293b;
cursor: pointer;
outline: none;
}
.sort-select:focus { border-color: #00b4d8; }

/* EMPTY STATE */
.empty-state { text-align: center; padding: 80px 40px; }
.empty-icon { font-size: 64px; margin-bottom: 16px; }
.empty-state h3 { font-size: 22px; color: #1e293b; margin: 0 0 8px; }
.empty-state p { color: #475569; margin: 0 0 24px; }
.btn-reset {
```

```
padding: 10px 24px;
background: #0a2463;
color: #ffffff;
border: none;
border-radius: 8px;
cursor: pointer;
font-weight: 600;
transition: background 0.2s;
}
.btn-reset:hover { background: #1e3a8a; }
```

```
/* GRID */
.tests-grid {
display: grid;
grid-template-columns: repeat(auto-fill, minmax(300px, 1fr));
gap: 24px;
padding: 24px 40px;
}
```

```
/* CARD */
.test-card {
background: #ffffff;
border-radius: 16px;
border: 1px solid #e2e8f0;
overflow: hidden;
display: flex;
flex-direction: column;
transition: transform 0.25s, box-shadow 0.25s, border-color 0.25s;
```

```
    box-shadow: 0 1px 3px rgba(0,0,0,0.08);
}

.test-card:hover {
    transform: translateY(-5px);
    box-shadow: 0 8px 32px rgba(0,0,0,0.14);
    border-color: #00b4d8;
}
```

```
/* CARD HEADER */

.card-header {
    background: linear-gradient(135deg, #f0f9ff 0%, #e0f2fe 100%);
    padding: 20px 20px 16px;
    display: flex;
    align-items: flex-start;
    justify-content: space-between;
    border-bottom: 1px solid #f1f5f9;
}

.test-icon-wrap {
    width: 52px; height: 52px;
    background: #ffffff;
    border-radius: 14px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 26px;
    box-shadow: 0 1px 3px rgba(0,0,0,0.08);
    flex-shrink: 0;
}
```

```
.card-badges { display: flex; flex-direction: column; gap: 6px; align-items: flex-end; }

.badge { padding: 3px 10px; border-radius: 20px; font-size: 11px; font-weight: 700; letter-spacing: 0.3px; text-transform: uppercase; }

.badge-cat { background: #dbeafe; color: #1d4ed8; }

.badge-active { background: #dcfce7; color: #15803d; }

.badge-inactive { background: #fee2e2; color: #b91c1c; }

/* CARD BODY */

.card-body { padding: 20px; flex: 1; }

.test-name { font-size: 17px; font-weight: 700; color: #1e293b; margin: 0 0 6px; line-height: 1.3; }

.test-code { font-size: 12px; color: #94a3b8; margin: 0 0 10px; font-family: 'Courier New', monospace; }

.test-code strong { color: #0a2463; }

.test-desc { font-size: 13px; color: #475569; line-height: 1.6; margin: 0 0 16px; }

.test-meta { display: flex; gap: 16px; }

.meta-item { display: flex; align-items: center; gap: 6px; font-size: 12px; color: #475569; }

.meta-item .fa { color: #00b4d8; font-size: 13px; }

/* CARD FOOTER */

.card-footer {
  padding: 16px 20px;
  border-top: 1px solid #f1f5f9;
  display: flex;
  align-items: center;
  justify-content: space-between;
  background: #f8fafc;
}

.price-block { display: flex; flex-direction: column; }
```

```
.price-label { font-size: 11px; color: #94a3b8; text-transform: uppercase; letter-spacing: 0.5px; }
.price-value { font-size: 24px; font-weight: 800; color: #0a2463; line-height: 1.1; }
.btn-book {
  display: flex;
  align-items: center;
  gap: 8px;
  padding: 11px 22px;
  background: linear-gradient(135deg, #00b4d8 0%, #0096c7 100%);
  color: #ffffff;
  border: none;
  border-radius: 10px;
  font-size: 14px;
  font-weight: 700;
  cursor: pointer;
  transition: all 0.2s;
  box-shadow: 0 4px 12px rgba(0,150,199,0.30);
}
.btn-book:hover { transform: translateY(-1px); box-shadow: 0 6px 18px rgba(0,150,199,0.40); }
.btn-book.btn-disabled {
  background: #e2e8f0;
  color: #94a3b8;
  cursor: not-allowed;
  box-shadow: none;
}

/* RESPONSIVE */
@media (max-width: 768px) {
  .hero-banner { flex-direction: column; padding: 40px 24px 50px; }
```

```
.hero-visual { display: none; }  
.hero-title { font-size: 32px; }  
.tests-grid { grid-template-columns: 1fr; padding: 16px 20px; }  
.category-bar { padding: 20px 20px 0; }  
.results-bar { padding: 16px 20px 8px; }  
}
```

```
/* QUICK ACTION CARDS */
```

```
.quick-actions-bar {  
  display: flex;  
  gap: 16px;  
  padding: 28px 40px 0;  
  flex-wrap: wrap;  
}
```

```
.quick-action-card {  
  flex: 1;  
  min-width: 240px;  
  display: flex;  
  align-items: center;  
  gap: 16px;  
  background: #ffffff;  
  border: 2px solid #e2e8f0;  
  border-radius: 16px;  
  padding: 18px 20px;  
  cursor: pointer;  
  transition: all 0.25s;  
  box-shadow: 0 1px 3px rgba(0,0,0,0.08);
```

```
}
```

```
.quick-action-card:hover {  
  border-color: #00b4d8;  
  box-shadow: 0 8px 24px rgba(0,180,216,0.15);  
  transform: translateY(-3px);  
}
```

```
.qa-icon {  
  font-size: 36px;  
  flex-shrink: 0;  
}
```

```
.qa-info {  
  flex: 1;  
  display: flex;  
  flex-direction: column;  
  gap: 3px;  
}
```

```
.qa-title {  
  font-size: 16px;  
  font-weight: 700;  
  color: #0a2463;  
}
```

```
.qa-sub {  
  font-size: 12px;
```

```
color: #94a3b8;
}
```

```
.qa-arrow {
  color: #00b4d8;
  font-size: 14px;
}
```

```
@media (max-width: 768px) {
  .quick-actions-bar {
    padding: 20px 20px 0;
    flex-direction: column;
  }
}
```

CLIENT CODE:

```
function() {
  var c = this;
  c.searchQuery = "";
  c.activeCategory = 'all';
  c.sortBy = 'name';
  c.filteredTests = [];
  var ICONS = {
    'blood': '💧', 'blood test': '💧', 'urine': '🩺',
    'imaging': '🦴', 'radiology': '🦴', 'cardiology': '❤️',
    'neurology': '🧠', 'pathology': '🧬', 'microbiology': '🦠',
    'biochemistry': '🧪', 'genetics': '🧬', 'allergy': '🌿',
    'covid': '😷', 'diabetes': '📝', 'thyroid': '🦋',
```

```

'liver': '🍷', 'kidney': '🔪', 'vitamin': '💊',
'iron': '🔩', 'ecg': '❤️', 'x-ray': '💀', 'xray': '💀'
};

c.getCategoryIcon = function(category) {
  if (!category) return '🔍';
  var key = category.toLowerCase();
  for (var k in ICONS) {
    if (key.indexOf(k) !== -1) return ICONS[k];
  }
  return '🔍';
};

c.truncate = function(text, length) {
  if (!text) return 'No description available.';
  return text.length > length ? text.substring(0, length) + '...' : text;
};

c.filterTests = function() {
  var all = c.data.tests || [];
  var q = (c.searchQuery || '').toLowerCase().trim();
  var cat = c.activeCategory;
  c.filteredTests = all.filter(function(t) {
    var matchSearch = !q ||
      (t.test_name && t.test_name.toLowerCase().indexOf(q) !== -1) ||
      (t.description && t.description.toLowerCase().indexOf(q) !== -1) ||
      (t.test_code && t.test_code.toLowerCase().indexOf(q) !== -1) ||
      (t.category && t.category.toLowerCase().indexOf(q) !== -1);
    var matchCat = (cat === 'all') || (t.category === cat);
    return matchSearch && matchCat;
  });
};

```

```
});  
  
c.sortTests();  
  
};  
  
c.sortTests = function() {  
    var t = c.filteredTests;  
    if (c.sortBy === 'name') {  
        t.sort(function(a, b) { return (a.test_name || '').localeCompare(b.test_name || ''); });  
    } else if (c.sortBy === 'price_asc') {  
        t.sort(function(a, b) { return (a.price || 0) - (b.price || 0); });  
    } else if (c.sortBy === 'price_desc') {  
        t.sort(function(a, b) { return (b.price || 0) - (a.price || 0); });  
    } else if (c.sortBy === 'duration') {  
        t.sort(function(a, b) { return (a.test_duration || '').localeCompare(b.test_duration || ''); });  
    }  
};  
  
c.setCategory = function(cat) {  
    c.activeCategory = cat;  
    c.filterTests();  
};  
  
c.clearSearch = function() {  
    c.searchQuery = "";  
    c.filterTests();  
};  
  
c.resetFilters = function() {  
    c.searchQuery = "";  
    c.activeCategory = 'all';  
    c.sortBy = 'name';  
    c.filterTests();  
};
```

```

};

var _getPortal = function() {
    return window.location.pathname.split('/')[1] || 'sp';
};

c.bookTest = function(test) {
    sessionStorage.setItem('selected_test_sys_id', test.sys_id);
    sessionStorage.setItem('selected_test_name', test.test_name || '');
    sessionStorage.setItem('selected_test_price', test.price || 0);
    sessionStorage.setItem('selected_test_code', test.test_code || '');
    sessionStorage.setItem('selected_test_category', test.category || '');
    sessionStorage.setItem('selected_test_duration', test.test_duration || '');
    window.location.href = '/' + _getPortal() + '?id=appointment_booking';
};

c.goToMyBookings = function() {
    window.location.href = '/' + _getPortal() + '?id=my_appointments';
};

c.goToMyReports = function() {
    window.location.href = '/' + _getPortal() + '?id=lab_reports';
};

// INIT

c.filteredTests = angular.copy(c.data.tests || []);
c.data.totalTests = c.filteredTests.length;
c.sortTests();
}

```

SERVER CODE:

```

(function() {
    data.tests = [];
    data.categories = [];

```

```

data.totalTests = 0;

try {

    var testGr = new GlideRecord('x_1883080_medica_0_diagnostic_test');

    testGr.orderBy('test_name');

    testGr.query();

    var categorySet = {};

    var categoryList = [];

    while (testGr.next()) {

        var categoryDisplay = testGr.getDisplayValue('category') || testGr.getValue('category') ||
'General';

        var activeVal = testGr.getValue('active');

        var isActive = (activeVal === '1' || activeVal === 'true' || activeVal === true);

        data.tests.push({

            sys_id:    testGr.getUniqueValue(),

            test_name: testGr.getValue('test_name') || "",

            test_code: testGr.getValue('test_code') || "",

            category:  categoryDisplay,

            description: testGr.getValue('description') || "",

            price:     parseFloat(testGr.getValue('price')) || 0,

            test_duration: testGr.getValue('test_duration') || "",

            active:    isActive

        });

        if (categoryDisplay && !categorySet[categoryDisplay]) {

            categorySet[categoryDisplay] = true;

            categoryList.push(categoryDisplay);

        }

    }

    categoryList.sort();

```

```
data.categories = categoryList;

data.totalTests = data.tests.length;

} catch(e) {

data.error = e.message;

gs.error('MediCare Catalog Error: ' + e.message);

}

})();
```

Note: you need to modify the script as per your requirements to get appropriate results

Creation of widgets(My appointments):

Navigate to the Application Navigator

Click on All

Search for Service Portal

Under Service Portal, select Widgets

Click on New

Fill in the widget details:


Name: My Appointments

ID: my_appointments


Make Widget as Public to easily accessible to every user

Description: Widget to display and manage functionalities

Click on Submit or Save



Po



HTML CODE:

```
<div class="my-appts">
```

```
<!-- HEADER -->
```

```
<div class="appts-header">
```

```
<div class="header-left">
```

```
<h1 class="header-title"> 📅 My Appointments</h1>
```

```
<p class="header-sub">Track all your booked diagnostic tests in one place.</p>
```

```
</div>
```

```
<div class="header-right">
```

```
<button class="btn-book-new" ng-click="c.bookNew()">
```

```
        <i class="fa fa-plus"></i> Book New Test

    </button>

</div>

</div>
```

```
<!-- STATS BAR -->

<div class="stats-bar">

    <div class="stat-card" ng-repeat="stat in c.stats">

        <span class="stat-icon">{{stat.icon}}</span>

        <div class="stat-info">

            <span class="stat-val">{{stat.count}}</span>

            <span class="stat-name">{{stat.label}}</span>

        </div>

    </div>

</div>

</div>
```

```
<!-- FILTER TABS -->

<div class="filter-tabs">

    <button

        class="filter-tab"

        ng-repeat="tab in c.tabs"

        ng-class="{active': c.activeTab === tab.key}"

        ng-click="c.setTab(tab.key)"

    >

        {{tab.label}}

        <span class="tab-count" ng-if="tab.count > 0">{{tab.count}}</span>

    </button>

</div>
```

```
<!-- SEARCH + SORT -->

<div class="list-controls">
```

```

<div class="search-mini-wrap">

  <i class="fa fa-search"></i>

  <input

    type="text"

    placeholder="Search appointments..."

    ng-model="c.searchQuery"

    ng-change="c.filterAppointments()"

    class="search-mini"

  />

</div>

<select ng-model="c.sortBy" ng-change="c.sortAppointments()" class="sort-mini">

  <option value="date_desc">Newest First</option>

  <option value="date_asc">Oldest First</option>

  <option value="status">By Status</option>

</select>

</div>

<!-- LOADING -->

<div class="loading-center" ng-if="c.loading">

  <div class="spinner-ring"></div>

  <p>Loading your appointments...</p>

</div>

<!-- EMPTY STATE -->

<div class="empty-appts" ng-if="!c.loading && c.filteredAppointments.length === 0">

  <div class="empty-emoji">🕒 </div>

  <h3>No appointments found</h3>

  <p ng-if="c.activeTab !== 'all'">No {{c.activeTab}} appointments yet.</p>

  <p ng-if="c.activeTab === 'all'">You haven't booked any tests yet.</p>

  <button class="btn-book-first" ng-click="c.bookNew()">Book Your First Test</button>

</div>

```

```
<!-- APPOINTMENTS LIST -->
```

```
<div class="appts-list" ng-if="!c.loading && c.filteredAppointments.length > 0">
```

```
<div
```

```
  class="appt-card"
```

```
  ng-repeat="appt in c.filteredAppointments"
```

```
  ng-class="'appt-' + appt.status"
```

```
>
```

```
<!-- LEFT ACCENT BAR -->
```

```
<div class="appt-accent-bar" ng-style="{background: c.getStatusColor(appt.status)}"></div>
```

```
<!-- CARD CONTENT -->
```

```
<div class="appt-content">
```

```
<!-- TOP ROW -->
```

```
<div class="appt-top">
```

```
  <div class="appt-title-group">
```

```
    <span class="appt-icon">{{c.getCategoryIcon(appt.test_category)}}</span>
```

```
  <div>
```

```
    <h3 class="appt-test-name">{{appt.test_name}}</h3>
```

```
    <span class="appt-number">{{appt.appointment_number}}</span>
```

```
  </div>
```

```
</div>
```

```
<div class="appt-status-wrap">
```

```
  <span
```

```
    class="status-pill"
```

```
    ng-style="{background: c.getStatusBg(appt.status), 'color': c.getStatusColor(appt.status)}"
```

```
>
```

```
    {{c.getStatusIcon(appt.status)}} {{c.getStatusLabel(appt.status)}}
```

```
</span>
```

```
<span
  class="approval-pill"
  ng-if="appt.approval_status"
  ng-class="'approval-' + appt.approval_status"
>
  {{c.getApprovalLabel(appt.approval_status)}}
</span>
</div>
</div>
```

```
<!-- META ROW -->
<div class="appt-meta">
  <div class="meta-chip">
    <i class="fa fa-calendar"></i>
    <span>{{appt.scheduled_date_display}}</span>
  </div>
  <div class="meta-chip">
    <i class="fa fa-clock-o"></i>
    <span>{{appt.slot_time || 'N/A'}}</span>
  </div>
  <div class="meta-chip">
    <i class="fa fa-tag"></i>
    <span>{{appt.test_category || 'General'}}</span>
  </div>
  <div class="meta-chip" ng-if="appt.total_amount">
    <i class="fa fa-dollar"></i>
    <span>${{appt.total_amount | number:2}}</span>
  </div>
</div>
```

```
<!-- PAYMENT + APPROVAL STATUS -->
```

```
<div class="appt-info-row">

  <div class="info-badge" ng-class="'pay-' + appt.payment_status">

    <i class="fa fa-credit-card"></i>

    Payment: <strong>{{c.getPaymentLabel(appt.payment_status)}}</strong>

  </div>

  <div class="info-badge approval-info" ng-if="appt.approved_by_name">

    <i class="fa fa-user-check"></i>

    Approved by: <strong>{{appt.approved_by_name}}</strong>

  </div>

  <div class="info-badge conf-badge" ng-if="appt.confirmation_sent">

    <i class="fa fa-envelope-o"></i> Confirmation Sent

  </div>

</div>
```

```
<!-- NOTES -->

<div class="appt-notes" ng-if="appt.notes">

  <i class="fa fa-sticky-note-o"></i> <em>{{appt.notes}}</em>

</div>
```

```
<!-- REJECTION REASON -->

<div class="rejection-banner" ng-if="appt.rejection_reason">

  <i class="fa fa-exclamation-circle"></i>

  <div>

    <strong>Rejection Reason:</strong>

    <span>{{appt.rejection_reason}}</span>

  </div>

</div>
```

```
<!-- ACTIONS -->

<div class="appt-actions">

  <button
```

```

        class="appt-action-btn btn-view"

        ng-click="c.viewDetails(appt)"
    >

        <i class="fa fa-eye"></i> View Details
    </button>

    <button

        class="appt-action-btn btn-cancel"

        ng-if="c.canCancel(appt)"

        ng-click="c.cancelAppointment(appt)"
    >

        <i class="fa fa-times"></i> Cancel
    </button>

    <button

        class="appt-action-btn btn-report"

        ng-if="appt.has_report"

        ng-click="c.viewReport(appt)"
    >

        <i class="fa fa-file-text"></i> View Report
    </button>

    <span class="date-chip">

        Booked: {{appt.created_on_display}}

    </span>

</div>

</div>

</div>

</div>

<!-- DETAIL MODAL -->

<div class="modal-overlay" ng-if="c.showModal" ng-click="c.closeModal()">

    <div class="modal-box" ng-click="$event.stopPropagation()">

```

```
<div class="modal-header">

  <h3>Appointment Details</h3>

  <button class="modal-close" ng-click="c.closeModal()">X</button>

</div>

<div class="modal-body" ng-if="c.selectedAppt">

  <div class="detail-grid">

    <div class="detail-item">

      <span class="detail-key">Appointment #</span>

      <span class="detail-val mono">{{c.selectedAppt.appointment_number}}</span>

    </div>

    <div class="detail-item">

      <span class="detail-key">Status</span>

      <span class="detail-val">

        <span class="status-pill" ng-style="{ 'background': c.getStatusBg(c.selectedAppt.status), 'color':
c.getStatusColor(c.selectedAppt.status)}">

          {{c.getStatusLabel(c.selectedAppt.status)}}

        </span>

      </span>

    </div>

    <div class="detail-item">

      <span class="detail-key">Test</span>

      <span class="detail-val">{{c.selectedAppt.test_name}}</span>

    </div>

    <div class="detail-item">

      <span class="detail-key">Category</span>

      <span class="detail-val">{{c.selectedAppt.test_category}}</span>

    </div>

    <div class="detail-item">

      <span class="detail-key">Scheduled Date</span>

      <span class="detail-val">{{c.selectedAppt.scheduled_date_display}}</span>

    </div>

    <div class="detail-item">
```

```

        <span class="detail-key">Time Slot</span>

        <span class="detail-val">{{c.selectedAppt.slot_time}}</span>
    </div>

    <div class="detail-item">

        <span class="detail-key">Total Amount</span>

        <span class="detail-val paid-green">${{c.selectedAppt.total_amount | number:2}}</span>
    </div>

    <div class="detail-item">

        <span class="detail-key">Payment Status</span>

        <span class="detail-val">{{c.getPaymentLabel(c.selectedAppt.payment_status)}}</span>
    </div>

    <div class="detail-item">

        <span class="detail-key">Approval Status</span>

        <span class="detail-val">{{c.getApprovalLabel(c.selectedAppt.approval_status)}}</span>
    </div>

    <div class="detail-item full">

        <span class="detail-key">Notes</span>

        <span class="detail-val">{{c.selectedAppt.notes || 'None'}}</span>
    </div>
</div>

</div>

</div>

<div class="modal-footer">

    <button class="btn-close-modal" ng-click="c.closeModal()">Close</button>
</div>
</div>
</div>
</div>

```

CSS Code:

```

.my-appts {

    --primary: #0a2463;

    --accent: #00b4d8;
}

```

```
--success: #10b981;

--warning: #f59e0b;

--danger: #ef4444;

--info: #3b82f6;

--gray-50: #f8fafc;

--gray-100: #f1f5f9;

--gray-200: #e2e8f0;

--gray-400: #94a3b8;

--gray-600: #475569;

--gray-800: #1e293b;

--white: #ffffff;

--shadow-sm: 0 1px 4px rgba(0,0,0,0.07);

--shadow-md: 0 4px 14px rgba(0,0,0,0.09);

--radius: 14px;

font-family: 'Segoe UI', system-ui, sans-serif;

background: var(--gray-50);

min-height: 100vh;

padding: 0 0 60px;

}

/* ----- HEADER ----- */

.appts-header {

  background: linear-gradient(135deg, var(--primary) 0%, #1e3a8a 100%);

  padding: 40px 40px 50px;

  display: flex;

  align-items: flex-start;

  justify-content: space-between;

  border-radius: 0 0 32px 32px;

  flex-wrap: wrap;

  gap: 20px;

}
```

```
.header-title {  
  
  font-size: 32px;  
  
  font-weight: 800;  
  
  color: var(--white);  
  
  margin: 0 0 8px;  
  
}
```

```
.header-sub { color: #bfdbfe; margin: 0; font-size: 15px; }
```

```
.btn-book-new {  
  
  display: inline-flex;  
  
  align-items: center;  
  
  gap: 8px;  
  
  padding: 12px 24px;  
  
  background: var(--accent);  
  
  color: var(--white);  
  
  border: none;  
  
  border-radius: 10px;  
  
  font-size: 15px;  
  
  font-weight: 700;  
  
  cursor: pointer;  
  
  transition: all 0.2s;  
  
  box-shadow: 0 4px 14px rgba(0,180,216,0.35);  
  
  white-space: nowrap;  
  
}
```

```
.btn-book-new:hover { transform: translateY(-2px); box-shadow: 0 6px 20px rgba(0,180,216,0.45); }
```

```
/* ----- STATS BAR ----- */
```

```
.stats-bar {
```

```
display: flex;

gap: 16px;

padding: 24px 40px 0;

flex-wrap: wrap;

}
```

```
.stat-card {

flex: 1;

min-width: 120px;

background: var(--white);

border-radius: var(--radius);

border: 1px solid var(--gray-200);

padding: 16px 20px;

display: flex;

align-items: center;

gap: 14px;

box-shadow: var(--shadow-sm);

transition: box-shadow 0.2s;

}
```

```
.stat-card:hover { box-shadow: var(--shadow-md); }
```

```
.stat-icon { font-size: 28px; }

.stat-info { display: flex; flex-direction: column; }

.stat-val { font-size: 22px; font-weight: 800; color: var(--primary); line-height: 1; }

.stat-name { font-size: 12px; color: var(--gray-600); font-weight: 500; margin-top: 2px; }
```

```
/* ----- FILTER TABS ----- */
```

```
.filter-tabs {

display: flex;

gap: 8px;
```

```
padding: 24px 40px 0;  
flex-wrap: wrap;  
}
```

```
.filter-tab {  
  display: inline-flex;  
  align-items: center;  
  gap: 6px;  
  padding: 8px 18px;  
  border-radius: 24px;  
  border: 2px solid var(--gray-200);  
  background: var(--white);  
  color: var(--gray-600);  
  font-size: 14px;  
  font-weight: 600;  
  cursor: pointer;  
  transition: all 0.2s;  
}
```

```
.filter-tab:hover { border-color: var(--accent); color: var(--accent); }
```

```
.filter-tab.active {  
  background: var(--primary);  
  border-color: var(--primary);  
  color: var(--white);  
  box-shadow: 0 4px 12px rgba(10,36,99,0.25);  
}
```

```
.tab-count {  
  background: rgba(255,255,255,0.25);  
  border-radius: 12px;
```

```
padding: 1px 7px;

font-size: 11px;

font-weight: 700;
}
```

```
.filter-tab:not(.active) .tab-count {

background: var(--gray-100);

color: var(--gray-600);
}
```

```
/* ----- LIST CONTROLS ----- */
```

```
.list-controls {

display: flex;

align-items: center;

gap: 12px;

padding: 16px 40px;

flex-wrap: wrap;
}
```

```
.search-mini-wrap {

position: relative;

flex: 1;

max-width: 320px;
}
```

```
.search-mini-wrap .fa {

position: absolute;

left: 12px;

top: 50%;

transform: translateY(-50%);

color: var(--gray-400);
}
```

```
}
```

```
.search-mini {  
  padding: 9px 14px 9px 36px;  
  border: 2px solid var(--gray-200);  
  border-radius: 8px;  
  font-size: 14px;  
  width: 100%;  
  outline: none;  
  transition: border-color 0.2s;  
  box-sizing: border-box;  
}
```

```
.search-mini:focus { border-color: var(--accent); }
```

```
.sort-mini {  
  padding: 9px 14px;  
  border: 2px solid var(--gray-200);  
  border-radius: 8px;  
  font-size: 14px;  
  background: var(--white);  
  cursor: pointer;  
  outline: none;  
}
```

```
.sort-mini:focus { border-color: var(--accent); }
```

```
/* ----- LOADING ----- */
```

```
.loading-center { text-align: center; padding: 60px; color: var(--gray-600); }
```

```
.spinner-ring {  
  display: inline-block;
```

```

width: 44px; height: 44px;

border: 4px solid var(--gray-200);

border-top-color: var(--accent);

border-radius: 50%;

animation: spin 0.8s linear infinite;

margin-bottom: 14px;

}

@keyframes spin { to { transform: rotate(360deg); } }

/* ----- EMPTY STATE ----- */

.empty-appts { text-align: center; padding: 60px 40px; }

.empty-emoji { font-size: 56px; margin-bottom: 16px; }

.empty-appts h3 { font-size: 20px; color: var(--gray-800); margin: 0 0 8px; }

.empty-appts p { color: var(--gray-600); margin: 0 0 20px; }


.btn-book-first {

padding: 12px 28px;

background: var(--primary);

color: var(--white);

border: none;

border-radius: 10px;

font-size: 15px;

font-weight: 700;

cursor: pointer;

transition: background 0.2s;

}

.btn-book-first:hover { background: #1e3a8a; }


/* ----- APPOINTMENTS LIST ----- */

.appts-list {

```

```
padding: 8px 40px;

display: flex;

flex-direction: column;

gap: 16px;
}

/* ----- APPOINTMENT CARD ----- */

.appt-card {

background: var(--white);

border-radius: var(--radius);

border: 1px solid var(--gray-200);

display: flex;

overflow: hidden;

box-shadow: var(--shadow-sm);

transition: box-shadow 0.2s, transform 0.2s;

}

.appt-card:hover {

box-shadow: var(--shadow-md);

transform: translateY(-2px);

}

.appt-accent-bar { width: 5px; flex-shrink: 0; }

.appt-content { flex: 1; padding: 20px 24px; }

/* TOP ROW */

.appt-top {

display: flex;

align-items: flex-start;

justify-content: space-between;
```

```
margin-bottom: 14px;

gap: 12px;

flex-wrap: wrap;
}
```

```
.appt-title-group { display: flex; align-items: center; gap: 14px; }

.appt-icon { font-size: 32px; }
```

```
.appt-test-name {

font-size: 17px;

font-weight: 700;

color: var(--gray-800);

margin: 0 0 4px;

}
```

```
.appt-number { font-size: 12px; color: var(--gray-400); font-family: 'Courier New', monospace; }
```

```
.appt-status-wrap { display: flex; flex-wrap: wrap; gap: 8px; align-items: center; }
```

```
/* STATUS PILLS */
```

```
.status-pill {

display: inline-flex;

align-items: center;

gap: 5px;

padding: 5px 14px;

border-radius: 20px;

font-size: 12px;

font-weight: 700;

text-transform: capitalize;

}
```

```
.approval-pill {  
  padding: 4px 12px;  
  border-radius: 20px;  
  font-size: 11px;  
  font-weight: 700;  
  text-transform: capitalize;  
}
```

```
.approval-requested { background: #fef3c7; color: #92400e; }  
.approval-approved { background: #dcfce7; color: #166534; }  
.approval-rejected { background: #fee2e2; color: #991b1b; }
```

```
/* META ROW */
```

```
.appt-meta {  
  display: flex;  
  flex-wrap: wrap;  
  gap: 10px;  
  margin-bottom: 12px;  
}
```

```
.meta-chip {  
  display: inline-flex;  
  align-items: center;  
  gap: 5px;  
  font-size: 13px;  
  color: var(--gray-600);  
  background: var(--gray-100);  
  padding: 4px 10px;  
  border-radius: 6px;  
}
```

```
.meta-chip .fa { color: var(--accent); font-size: 12px; }
```

```
/* INFO ROW */
```

```
.appt-info-row {  
  display: flex;  
  flex-wrap: wrap;  
  gap: 8px;  
  margin-bottom: 10px;  
}
```

```
.info-badge {  
  display: inline-flex;  
  align-items: center;  
  gap: 5px;  
  font-size: 12px;  
  padding: 4px 10px;  
  border-radius: 6px;  
  font-weight: 500;  
}
```

```
.pay-paid { background: #dcfce7; color: #166534; }
```

```
.pay-pending { background: #fef3c7; color: #92400e; }
```

```
.pay-unpaid { background: #fee2e2; color: #991b1b; }
```

```
.approval-info { background: #d1ecf1; color: #1d4ed8; }
```

```
.conf-badge { background: #f0fdf4; color: #166534; }
```

```
/* NOTES */
```

```
.appt-notes {  
  font-size: 13px;  
  color: var(--gray-600);  
  background: var(--gray-50);
```

```
border-left: 3px solid var(--gray-200);

padding: 6px 12px;

margin-bottom: 12px;

border-radius: 0 6px 6px 0;

font-style: italic;

}
```

```
/* REJECTION BANNER */

.rejection-banner {

  display: flex;

  align-items: flex-start;

  gap: 10px;

  background: #fef2f2;

  border: 1px solid #fecaca;

  border-radius: 8px;

  padding: 10px 14px;

  margin-bottom: 12px;

  font-size: 13px;

  color: #991b1b;

}
```

```
/* ACTIONS */

.appt-actions {

  display: flex;

  align-items: center;

  gap: 10px;

  flex-wrap: wrap;

}
```

```
.appt-action-btn {

  display: inline-flex;
```

```
align-items: center;

gap: 6px;

padding: 7px 16px;

border-radius: 8px;

font-size: 13px;

font-weight: 600;

cursor: pointer;

border: none;

transition: all 0.2s;
}

.btn-view { background: #dbeafe; color: #1d4ed8; }
.btn-view:hover { background: #bdfbfe; }

.btn-cancel { background: #fee2e2; color: #b91c1c; }
.btn-cancel:hover { background: #fecaca; }

.btn-report { background: #dcfce7; color: #166534; }
.btn-report:hover { background: #bbf7d0; }

.date-chip {
margin-left: auto;

font-size: 11px;

color: var(--gray-400);

white-space: nowrap;
}

/* ----- MODAL ----- */

.modal-overlay {

position: fixed;

inset: 0;
```

```
background: rgba(0,0,0,0.5);  
  
z-index: 9999;  
  
display: flex;  
  
align-items: center;  
  
justify-content: center;  
  
padding: 20px;  
  
}
```

```
.modal-box {  
  
background: var(--white);  
  
border-radius: 20px;  
  
max-width: 560px;  
  
width: 100%;  
  
overflow: hidden;  
  
box-shadow: 0 20px 60px rgba(0,0,0,0.25);  
  
animation: slideUp 0.3s ease;  
  
}
```

```
@keyframes slideUp {  
  
from { opacity: 0; transform: translateY(20px); }  
  
to { opacity: 1; transform: translateY(0); }  
  
}
```

```
.modal-header {  
  
display: flex;  
  
align-items: center;  
  
justify-content: space-between;  
  
padding: 20px 24px;  
  
background: var(--primary);  
  
color: var(--white);  
  
}
```

```
.modal-header h3 { margin: 0; font-size: 18px; }
```

```
.modal-close {  
  background: none;  
  border: none;  
  color: var(--white);  
  font-size: 20px;  
  cursor: pointer;  
  line-height: 1;  
  opacity: 0.8;  
  transition: opacity 0.2s;  
}
```

```
.modal-close:hover { opacity: 1; }
```

```
.modal-body { padding: 24px; }
```

```
.detail-grid {  
  display: grid;  
  grid-template-columns: 1fr 1fr;  
  gap: 14px;  
}
```

```
.detail-item {  
  display: flex;  
  flex-direction: column;  
  gap: 4px;  
}
```

```
.detail-item.full { grid-column: 1 / -1; }
```

```
.detail-key { font-size: 11px; font-weight: 700; text-transform: uppercase; color: var(--gray-400); letter-spacing: 0.4px; }  
.detail-val { font-size: 14px; font-weight: 600; color: var(--gray-800); }  
.detail-val.mono { font-family: 'Courier New', monospace; color: var(--primary); }  
.detail-val.paid-green { color: var(--success); font-size: 16px; }
```

```
.modal-footer {  
  padding: 16px 24px;  
  border-top: 1px solid var(--gray-100);  
  display: flex;  
  justify-content: flex-end;  
}
```

```
.btn-close-modal {  
  padding: 10px 24px;  
  background: var(--primary);  
  color: var(--white);  
  border: none;  
  border-radius: 8px;  
  font-weight: 700;  
  cursor: pointer;  
  transition: background 0.2s;  
}
```

```
.btn-close-modal:hover { background: #1e3a8a; }
```

```
/* ----- RESPONSIVE ----- */
```

```
@media (max-width: 768px) {  
  .appts-header, .stats-bar, .filter-tabs, .list-controls, .appts-list {  
    padding-left: 16px; padding-right: 16px;  
  }  
}
```

```
.stats-bar { gap: 10px; }

.stat-card { min-width: 100px; }

.appt-top { flex-direction: column; }

.date-chip { margin-left: 0; }

.detail-grid { grid-template-columns: 1fr; }

}
```

Client Code :

```
function() {

  var c = this;


  // — PAGE IDs (confirmed from your ServiceNow Pages list) —

  var PAGE_IDS = {

    home: 'test_catalog', // ← CORRECT page ID from your screenshot

    labReports: 'lab_reports'

  };


  c.loading = true;

  c.activeTab = 'all';

  c.searchQuery = '';

  c.sortBy = 'date_desc';

  c.filteredAppointments = [];

  c.showModal = false;

  c.selectedAppt = null;


  c.tabs = [

    { key: 'all',    label: 'All',    count: 0 },

    { key: 'pending', label: 'Pending', count: 0 },

    { key: 'confirmed', label: 'Confirmed', count: 0 },

    { key: 'completed', label: 'Completed', count: 0 },

    { key: 'cancelled', label: 'Cancelled', count: 0 }

  ];

}
```

```
c.stats = [
  { icon: '📅', label: 'Total', count: 0 },
  { icon: '☑️', label: 'Confirmed', count: 0 },
  { icon: '⌚', label: 'Pending', count: 0 },
  { icon: '✔️', label: 'Completed', count: 0 }
];
```

```
// — NAVIGATION —————
var _nav = function(pageld) {
  var portalId = window.location.pathname.split('/')[1] || 'sp';
  window.location.href = '/' + portalId + '?id=' + pageld;
};
```

```
// — INIT —————
// KEY FIX: ServiceNow populates c.data synchronously BEFORE this runs.
// $watch('data') never fires. Just read data directly in $onInit.
c.$onInit = function() {
  c.loading = false;
  c.buildStats();
  c.filterAppointments();
};
```

```
c.buildStats = function() {
  var appts = c.data.appointments || [];
  c.stats[0].count = appts.length;
  c.stats[1].count = appts.filter(function(a) { return a.status === 'confirmed'; }).length;
  c.stats[2].count = appts.filter(function(a) { return a.status === 'pending'; }).length;
  c.stats[3].count = appts.filter(function(a) { return a.status === 'completed'; }).length;
  c.tabs.forEach(function(tab) {
    tab.count = (tab.key === 'all')
```

```

        ? appts.length

        : appts.filter(function(a) { return a.status === tab.key; }).length;
    });
};

c.setTab = function(key) { c.activeTab = key; c.filterAppointments(); };

c.filterAppointments = function() {
    var appts = angular.copy(c.data.appointments || []);
    var q = (c.searchQuery || '').toLowerCase();
    var tab = c.activeTab;
    c.filteredAppointments = appts.filter(function(a) {
        var matchTab = (tab === 'all') || (a.status === tab);
        var matchSearch = !q ||
            (a.test_name && a.test_name.toLowerCase().indexOf(q) !== -1) ||
            (a.appointment_number && a.appointment_number.toLowerCase().indexOf(q) !== -1) ||
            (a.test_category && a.test_category.toLowerCase().indexOf(q) !== -1);
        return matchTab && matchSearch;
    });
    c.sortAppointments();
};

c.sortAppointments = function() {
    c.filteredAppointments.sort(function(a, b) {
        if (c.sortBy === 'date_asc') return (a.scheduled_date || '').localeCompare(b.scheduled_date || '');
        if (c.sortBy === 'date_desc') return (b.scheduled_date || '').localeCompare(a.scheduled_date || '');
        if (c.sortBy === 'status') return (a.status || '').localeCompare(b.status || '');
        return 0;
    });
};

```

```
// — STATUS HELPERS —————

var STATUS_MAP = {

  'pending': { color:'#f59e0b', bg:'#fef3c7', icon:'⌚', label:'Pending' },

  'confirmed': { color:'#3b82f6', bg:'#dbeafe', icon:'☑', label:'Confirmed' },

  'completed': { color:'#10b981', bg:'#dcfce7', icon:'✔', label:'Completed' },

  'cancelled': { color:'#6b7280', bg:'#f1f5f9', icon:'⊘', label:'Cancelled' },

  'rejected': { color:'#ef4444', bg:'#fee2e2', icon:'✖', label:'Rejected' }

};

var _statusProp = function(s, prop, fallback) {

  return (STATUS_MAP[s] && STATUS_MAP[s][prop]) ? STATUS_MAP[s][prop] : fallback;

};

c.getStatusColor = function(s) { return _statusProp(s, 'color', '#94a3b8'); };

c.getStatusBg = function(s) { return _statusProp(s, 'bg', '#f1f5f9'); };

c.getStatusIcon = function(s) { return _statusProp(s, 'icon', '•'); };

c.getStatusLabel = function(s) { return _statusProp(s, 'label', s); };

c.getApprovalLabel = function(s) {

  var m = { 'requested':'Approval Requested','approved':'☑ Approved','rejected':'✖ Rejected' };

  return m[s] || s;

};

c.getPaymentLabel = function(s) {

  var m = { 'paid':'✓ Paid','pending':'Payment Pending','unpaid':'Unpaid','refunded':'Refunded' };

  return m[s] || (s || 'N/A');

};

c.getCategoryIcon = function(cat) {

  var icons = { 'blood':'🩸','urine':'💧','imaging':'🏠','cardiology':'❤️',

    'neurology':'🧠','genetics':'🧬','pathology':'🔬' };

  if (!cat) return '🏠';

  var k = cat.toLowerCase();

  for (var key in icons) { if (k.indexOf(key) !== -1) return icons[key]; }

  return '🏠';
}
```

```
};
```

```
c.canCancel = function(appt) {  
    return appt.status === 'pending' || appt.status === 'confirmed';  
};
```

```
// CANCEL
```

```
c.cancelAppointment = function(appt) {  
    if (!confirm('Are you sure you want to cancel appointment ' + appt.appointment_number + '?')) return;  
    c.server.get({ action: 'cancel_appointment', appointment_sys_id: appt.sys_id })  
        .then(function(response) {  
            if (response.data.success) {  
                appt.status = 'cancelled';  
                c.buildStats();  
                c.filterAppointments();  
                alert('Appointment cancelled successfully.');            } else {  
                alert('Error: ' + (response.data.error || 'Failed to cancel.');            }  
        });  
};
```

```
// — MODAL —————
```

```
c.viewDetails = function(appt) { c.selectedAppt = appt; c.showModal = true; };  
c.closeModal = function() { c.showModal = false; c.selectedAppt = null; };
```

```
// — NAVIGATION —————
```

```
// KEY FIX: "Book New Test" now goes to correct page ID "test_catalog"
```

```
c.bookNew = function() { _nav(PAGE_IDS.home); };  
c.viewReport = function(appt) { _nav(PAGE_IDS.labReports); };  
}
```

Server Code:

```
(function() {  
  
    data.appointments = [];  
  
    try {  
  
        var currentUser = gs.getUser();  
        var userID      = gs.getUserID();  
        var userEmail   = currentUser.getEmail() || "";  
        var userName    = gs.getUserName() || "";  
  
        // — APPROACH 1: Find patient records linked to this sys_user —  
  
        var patientSysIds = [];  
        var patientMap    = {}; // sys_id → true (dedup)  
  
        // By user reference field  
        var patGr = new GlideRecord('x_1883080_medica_0_patient');  
        patGr.addQuery('user', userID);  
        patGr.query();  
        while (patGr.next()) {  
            var pid = patGr.getUniqueValue();  
            if (!patientMap[pid]) { patientMap[pid] = true; patientSysIds.push(pid); }  
        }  
  
        // By email (catches cases where email in form ≠ ServiceNow user email)  
        if (userEmail) {  
            var patEmailGr = new GlideRecord('x_1883080_medica_0_patient');  
            patEmailGr.addQuery('email', userEmail);  
            patEmailGr.query();  
            while (patEmailGr.next()) {  
                var eid = patEmailGr.getUniqueValue();  
                if (!patientMap[eid]) { patientMap[eid] = true; patientSysIds.push(eid); }  
            }  
        }  
    }  
}
```

```
}  
}
```

```
// — APPROACH 2: Find appointments created_by this user —————
```

```
// KEY FIX: catches bookings where patient email ≠ logged-in user email
```

```
var apptSysIds = [];
```

```
var apptMap = {}; // dedup
```

```
var apptDataMap = {}; // sys_id → raw appointment GlideRecord data
```

```
var createdByGr = new GlideRecord('x_1883080_medica_0_appointment_table');
```

```
createdByGr.addQuery('created_by', userID);
```

```
createdByGr.orderByDesc('sys_created_on');
```

```
createdByGr.query();
```

```
while (createdByGr.next()) {
```

```
    var aid = createdByGr.getUniqueValue();
```

```
    if (!apptMap[aid]) {
```

```
        apptMap[aid] = true;
```

```
        apptSysIds.push(aid);
```

```
    // Also collect patient IDs from these appointments
```

```
    var pRef = createdByGr.getValue('patient');
```

```
    if (pRef && !patientMap[pRef]) {
```

```
        patientMap[pRef] = true;
```

```
        patientSysIds.push(pRef);
```

```
    }
```

```
}
```

```
}
```

```
// — APPROACH 3: Appointments linked to any patient record found ———
```

```
if (patientSysIds.length > 0) {
```

```
    var apptPatGr = new GlideRecord('x_1883080_medica_0_appointment_table');
```

```

apptPatGr.addQuery('patient', 'IN', patientSysIds.join(','));

apptPatGr.orderByDesc('sys_created_on');

apptPatGr.query();

while (apptPatGr.next()) {

    var apid = apptPatGr.getUniqueValue();

    if (!apptMap[apid]) {

        apptMap[apid] = true;

        apptSysIds.push(apid);

    }

}

}

if (apptSysIds.length === 0) {

    data.appointments = [];

    return;

}

// — FETCH FULL APPOINTMENT DATA —————

var finalGr = new GlideRecord('x_1883080_medica_0_appointment_table');

finalGr.addQuery('sys_id', 'IN', apptSysIds.join(','));

finalGr.orderByDesc('sys_created_on');

finalGr.query();

while (finalGr.next()) {

    // Get test details

    var testName    = "";

    var testCategory = "";

    var testRef     = finalGr.getValue('test');

    if (testRef) {

        var testGr = new GlideRecord('x_1883080_medica_0_diagnostic_test');

```

```
if (testGr.get(testRef)) {  
    testName = testGr.getValue('test_name') || "";  
    testCategory = testGr.getDisplayValue('category') || testGr.getValue('category') || "";  
}  
}
```

```
// Check if report exists  
  
var hasReport = false;  
  
var reportGr = new GlideRecord('x_1883080_medica_0_report_table');  
reportGr.addQuery('appointment', finalGr.getUniqueValue());  
reportGr.setLimit(1);  
reportGr.query();  
if (reportGr.next()) { hasReport = true; }
```

```
// Approved by name  
  
var approvedByName = "";  
var approvedByRef = finalGr.getValue('approved_by');  
if (approvedByRef) {  
    var approverGr = new GlideRecord('sys_user');  
    if (approverGr.get(approvedByRef)) {  
        approvedByName = approverGr.getDisplayValue('name') || "";  
    }  
}
```

```
// Format dates safely  
  
var scheduledRaw = finalGr.getValue('scheduled_date') || "";  
var scheduledDisplay = "";  
if (scheduledRaw) {  
    try {  
        var gdt = new GlideDateTime(scheduledRaw);  
        scheduledDisplay = gdt.getLocalDate().getLocalDate();  
    }  
}
```

```

    } catch(dateErr) {

        scheduledDisplay = scheduledRaw.split(' ')[0] || scheduledRaw;

    }
}

var createdOn = finalGr.getDisplayValue('sys_created_on') || '';

data.appointments.push({

    sys_id:      finalGr.getUniqueValue(),
    appointment_number: finalGr.getValue('appointment_number') || '',
    status:      finalGr.getValue('status') || 'pending',
    approval_status: finalGr.getValue('approval_status') || '',
    payment_status: finalGr.getValue('payment_status') || '',
    scheduled_date: scheduledRaw,
    scheduled_date_display: scheduledDisplay,
    slot_time:     finalGr.getValue('slot_time') || '',
    total_amount:  parseFloat(finalGr.getValue('total_amount')) || 0,
    notes:         finalGr.getValue('notes') || '',
    rejection_reason: finalGr.getValue('rejection_reason') || '',
    confirmation_sent: finalGr.getValue('confirmation_sent') === '1' || finalGr.getValue('confirmation_sent') === true,
    test_name:     testName,
    test_category: testCategory,
    approved_by_name: approvedByName,
    has_report:     hasReport,
    created_on_display: createdOn

});
}

// — HANDLE CANCEL ACTION —————

if (input && input.action === 'cancel_appointment') {

    var cancelGr = new GlideRecord('x_1883080_medica_0_appointment_table');

```

```

if (cancelGr.get(input.appointment_sys_id)) {

    // Verify ownership: created_by OR patient belongs to this user
    var isOwner = false;

    if (cancelGr.getValue('created_by') === userID) {
        isOwner = true;
    } else {
        var cancelPatId = cancelGr.getValue('patient');
        if (cancelPatId && patientSysIds.indexOf(cancelPatId) !== -1) {
            isOwner = true;
        }
    }
}

if (isOwner) {
    cancelGr.setValue('status', 'cancelled');
    cancelGr.update();
    data.success = true;

    // Send cancellation email
    try {
        var patEmail2 = "";
        var patGr2 = new GlideRecord('x_1883080_medica_0_patient');
        if (patGr2.get(cancelGr.getValue('patient'))) {
            patEmail2 = patGr2.getValue('email') || "";
        }
        if (patEmail2) {
            var emailer = new GlideEmailOutbound();
            emailer.setTo(patEmail2);
            emailer.setSubject('Appointment Cancelled: ' + cancelGr.getValue('appointment_number'));
            emailer.setBody('<p>Your appointment <strong>' +
                cancelGr.getValue('appointment_number') +

```

```

        '</strong> has been cancelled. If this was a mistake, please book again.</p>');

        emailer.save();
    }
} catch(emailErr) {
    gs.warn('Cancel email error: ' + emailErr.message);
}

} else {
    data.error = 'Unauthorized';
}
} else {
    data.error = 'Appointment not found';
}
}

} catch(e) {
    gs.error('My Appointments Widget Error: ' + e.message);
    data.error = 'Failed to load appointments: ' + e.message;
    data.appointments = [];
}
})();

```

Note: you need to modify the script as per your requirements to get appropriate results

Creation of widget(Appointment Booking):

Navigate to the **Application Navigator**

Click on **All**

Search for **Service Portal**

Under **Service Portal**, select **Widgets**

Click on **New**

Fill in the widget details:




Name: Appointment Booking

ID: appointment_booking

Make Widget as **Public** to easily accessible to every user

Description: Widget to display and manage functionalities

Click on **Submit** or **Save**



HTML:

```
<div class="appt-booking">

  <!-- PROGRESS STEPS -->

  <div class="progress-wrap">

    <div class="progress-step" ng-class="{active': c.step >= 1, 'done': c.step > 1}">

      <div class="step-circle"><i class="fa fa-check" ng-if="c.step > 1"></i><span ng-if="c.step <= 1">1</span></div>

      <span class="step-label">Details</span>

    </div>

    <div class="step-line" ng-class="{filled': c.step > 1}"></div>

    <div class="progress-step" ng-class="{active': c.step >= 2, 'done': c.step > 2}">

      <div class="step-circle"><i class="fa fa-check" ng-if="c.step > 2"></i><span ng-if="c.step <= 2">2</span></div>

      <span class="step-label">Schedule</span>

    </div>

    <div class="step-line" ng-class="{filled': c.step > 2}"></div>

    <div class="progress-step" ng-class="{active': c.step >= 3, 'done': c.step > 3}">

      <div class="step-circle"><i class="fa fa-check" ng-if="c.step > 3"></i><span ng-if="c.step <= 3">3</span></div>

      <span class="step-label">Payment</span>

    </div>

    <div class="step-line" ng-class="{filled': c.step > 3}"></div>

    <div class="progress-step" ng-class="{active': c.step >= 4}">

      <div class="step-circle"><span>4</span></div>

      <span class="step-label">Done</span>

    </div>

  </div>

  <!-- TEST BANNER — ng-bind used instead of {{}} for price -->
```

```

<div class="test-banner" ng-if="c.selectedTest">
  <div class="test-banner-icon" ng-bind="c.getCategoryIcon(c.selectedTest.category)"></div>
  <div class="test-banner-info">
    <span class="test-banner-name" ng-bind="c.selectedTest.test_name"></span>
    <span class="test-banner-meta">
      <span ng-bind="c.selectedTest.category"></span> &middot;
      Code: <span ng-bind="c.selectedTest.test_code"></span> &middot;
      Duration: <span ng-bind="c.selectedTest.test_duration"></span>
    </span>
  </div>
  <div class="test-banner-price">
    <span class="price-tag">$<span ng-bind="c.testPrice"></span></span>
    <button class="btn-change-test" ng-click="c.changeTest()">Change Test</button>
  </div>
</div>

```

```

<div class="no-test-warn" ng-if="!c.selectedTest">
  <i class="fa fa-exclamation-triangle"></i>
  No test selected. <a ng-click="c.changeTest()">Back to catalog</a>
</div>

```

```

<!-- ===== STEP 1: PATIENT DETAILS ===== -->
<div class="booking-step" ng-show="c.step === 1">
  <div class="step-header">
    <h2>&#128100; Patient Information</h2>
    <p>Fill in your personal details to proceed.</p>
  </div>

```

```
<div class="form-card">

  <div class="form-grid">

    <div class="form-group" ng-class="{ 'has-error': c.errors.first_name}">
      <label class="form-label req">First Name</label>
      <input class="form-input" type="text" placeholder="First name"
        ng-model="c.form.first_name" ng-change="c.clearError('first_name')" />
      <span class="err-msg" ng-if="c.errors.first_name" ng-bind="c.errors.first_name"></span>
    </div>

    <div class="form-group" ng-class="{ 'has-error': c.errors.last_name}">
      <label class="form-label req">Last Name</label>
      <input class="form-input" type="text" placeholder="Last name"
        ng-model="c.form.last_name" ng-change="c.clearError('last_name')" />
      <span class="err-msg" ng-if="c.errors.last_name" ng-bind="c.errors.last_name"></span>
    </div>

    <div class="form-group" ng-class="{ 'has-error': c.errors.email}">
      <label class="form-label req">Email Address</label>
      <input class="form-input" type="email" placeholder="you@example.com"
        ng-model="c.form.email" ng-change="c.clearError('email')" />
      <span class="err-msg" ng-if="c.errors.email" ng-bind="c.errors.email"></span>
    </div>

    <div class="form-group" ng-class="{ 'has-error': c.errors.phone_number}">
      <label class="form-label req">Phone Number</label>
      <input class="form-input" type="tel" placeholder="+1 555 000 0000"
        ng-model="c.form.phone_number" ng-change="c.clearError('phone_number')" />
    </div>
  </div>
</div>
```

```
<span class="err-msg" ng-if="c.errors.phone_number" ng-  
bind="c.errors.phone_number"></span>
```

```
</div>
```

```
<div class="form-group" ng-class="{has-error': c.errors.date_of_birth}">
```

```
<label class="form-label req">Date of Birth</label>
```

```
<input class="form-input" type="date"
```

```
ng-model="c.form.date_of_birth" ng-change="c.clearError('date_of_birth')" />
```

```
<span class="err-msg" ng-if="c.errors.date_of_birth" ng-  
bind="c.errors.date_of_birth"></span>
```

```
</div>
```

```
<!-- GENDER custom dropdown -->
```

```
<div class="form-group" ng-class="{has-error': c.errors.gender}">
```

```
<label class="form-label req">Gender</label>
```

```
<div class="cust-select" ng-class="{open': c.genderOpen}">
```

```
<div class="cust-sel-trigger" ng-click="c.genderOpen = !c.genderOpen; c.bankOpen = false;">
```

```
<span class="cust-sel-val" ng-if="!c.form.gender" style="color:#94a3b8;">-- Select Gender --  
</span>
```

```
<span class="cust-sel-val" ng-if="c.form.gender" ng-  
bind="c.getGenderLabel(c.form.gender)"></span>
```

```
<i class="fa" ng-class="c.genderOpen ? 'fa-chevron-up' : 'fa-chevron-down'"  
style="color:#94a3b8;font-size:12px;"></i>
```

```
</div>
```

```
<div class="cust-sel-menu" ng-if="c.genderOpen">
```

```
<div class="cust-sel-item" ng-repeat="opt in c.genderOptions"
```

```
ng-click="c.selectGender(opt.value)"
```

```
ng-class="{selected': c.form.gender === opt.value}"
```

```
ng-bind="opt.label">
```

```

        </div>
    </div>
</div>
<span class="err-msg" ng-if="c.errors.gender" ng-bind="c.errors.gender"></span>
</div>

<div class="form-group form-full">
    <label class="form-label">Address</label>
    <textarea class="form-input" rows="2" placeholder="Your full address"
        ng-model="c.form.address"></textarea>
</div>

</div>
</div>

<div class="step-actions">
    <button class="btn-back" ng-click="c.changeTest()"><i class="fa fa-arrow-left"></i> Back to
Catalog</button>
    <button class="btn-next" ng-click="c.validateStep1()">Continue <i class="fa fa-arrow-
right"></i></button>
</div>
</div>
<!-- Validation message -->
<div ng-if="c.validationMsg" style="background:#fef2f2;border:2px solid #fca5a5;border-
radius:10px;padding:12px 16px;margin-bottom:16px;color:#b91c1c;font-size:13px;font-
weight:600;display:flex;align-items:center;gap:8px;">
    <i class="fa fa-exclamation-circle"></i>
    <span>{{c.validationMsg}}</span>
</div>

```

```
<!-- ===== STEP 2: SCHEDULE ===== -->
```

```
<div class="booking-step" ng-show="c.step === 2">
```

```
  <div class="step-header">
```

```
    <h2>📅; Schedule Appointment</h2>
```

```
    <p>Choose your preferred date and time slot.</p>
```

```
  </div>
```

```
<div class="form-card">
```

```
  <div class="form-group" ng-class="{ 'has-error': c.errors.scheduled_date}">
```

```
    <label class="form-label req">Preferred Date</label>
```

```
    <input class="form-input" type="date" ng-model="c.form.scheduled_date"
```

```
      ng-attr-min="{{c.minDate}}" ng-change="c.onDateChange()" />
```

```
    <span class="err-msg" ng-if="c.errors.scheduled_date" ng-  
bind="c.errors.scheduled_date"></span>
```

```
  </div>
```

```
<div class="slots-section" ng-if="c.form.scheduled_date">
```

```
  <label class="form-label req" style="display:block;margin-bottom:10px;">Available Time  
Slots</label>
```

```
  <div class="slots-grid">
```

```
    <button class="slot-btn" ng-repeat="slot in c.timeSlots"
```

```
      ng-class="{ 'selected': c.form.slot_time === slot}"
```

```
      ng-click="c.selectSlot(slot)"
```

```
      ng-bind="slot">
```

```
    </button>
```

```
  </div>
```

```
<span class="err-msg" ng-if="c.errors.slot_time" ng-bind="c.errors.slot_time"></span>
```

```
</div>
```

```
<div class="form-group" style="margin-top:20px;">
```

```
<label class="form-label">Notes (optional)</label>
```

```
<textarea class="form-input" rows="3" placeholder="Any special instructions..."
```

```
ng-model="c.form.notes"></textarea>
```

```
</div>
```

```
</div>
```

```
<!-- Booking Summary — FIX: use ng-bind for all dynamic values -->
```

```
<div class="booking-summary">
```

```
<h4>&#128203; Booking Summary</h4>
```

```
<div class="sum-row">
```

```
<span>Test</span>
```

```
<strong ng-bind="c.selectedTest.test_name"></strong>
```

```
</div>
```

```
<div class="sum-row">
```

```
<span>Patient</span>
```

```
<strong><span ng-bind="c.form.first_name"></span> <span ng-  
bind="c.form.last_name"></span></strong>
```

```
</div>
```

```
<div class="sum-row" ng-if="c.form.scheduled_date">
```

```
<span>Date</span>
```

```
<strong ng-bind="c.formatDateDisplay(c.form.scheduled_date)"></strong>
```

```
</div>
```

```
<div class="sum-row" ng-if="c.form.slot_time">
```

```
<span>Time</span>
```

```
<strong ng-bind="c.form.slot_time"></strong>
```

```
</div>
```

```
<div class="sum-row">
```

```
<span>Amount</span>
```

```
<strong style="color:#0a2463;">$<span ng-bind="c.testPrice"></span></strong>
```

```
</div>
```

```
</div>
```

```
<div class="step-actions">
```

```
<button class="btn-back" ng-click="c.prevStep()"><i class="fa fa-arrow-left"></i> Back</button>
```

```
<button class="btn-next" ng-click="c.validateStep2()">Continue to Payment <i class="fa fa-arrow-right"></i></button>
```

```
</div>
```

```
</div>
```

```
<!-- Validation message -->
```

```
<div ng-if="c.validationMsg" style="background:#fef2f2;border:2px solid #fca5a5;border-radius:10px;padding:12px 16px;margin-bottom:16px;color:#b91c1c;font-size:13px;font-weight:600;display:flex;align-items:center;gap:8px;">
```

```
<i class="fa fa-exclamation-circle"></i>
```

```
<span>{{c.validationMsg}}</span>
```

```
</div>
```

```
<!-- ===== STEP 3: PAYMENT ===== -->
```

```
<div class="booking-step" ng-show="c.step === 3">
```

```
<div class="step-header">
```

```
<h2>₹128179; Payment</h2>
```

```
<p>Select a payment method and confirm your booking.</p>
```

```
</div>
```

```
<!-- Order Summary — all using ng-bind -->
```

```

<div class="order-card">

  <div class="order-hdr">Order Summary</div>

  <div class="order-row">

    <span ng-bind="c.selectedTest.test_name"></span>

    <span>$<span ng-bind="c.testPrice"></span></span>

  </div>

  <div class="order-row">

    <span>Date & Time</span>

    <span><span ng-bind="c.formatDateDisplay(c.form.scheduled_date)"></span> &middot; <span
ng-bind="c.form.slot_time"></span></span>

  </div>

  <div class="order-row"><span>Service Fee</span><span>$0.00</span></div>

  <div class="order-divider"></div>

  <div class="order-total">

    <span>Total</span>

    <span class="order-total-price">$<span ng-bind="c.testPrice"></span></span>

  </div>

</div>

<!-- Payment methods -->

<label class="form-label" style="display:block;margin-bottom:12px;">Select Payment
Method</label>

<div class="pay-methods">

  <div class="pay-method" ng-class="{active': c.payment.method === 'card'}" ng-
click="c.setPaymentMethod('card')">

    <span class="pay-icon">&#128179;</span><span class="pay-lbl">Card</span>

    <span class="pay-tick" ng-if="c.payment.method === 'card'">&#10003;</span>

  </div>

```

```

<div class="pay-method" ng-class="{active': c.payment.method === 'upi'}" ng-
click="c.setPaymentMethod('upi')">

    <span class="pay-icon">&#128241;</span><span class="pay-lbl">UPI</span>

    <span class="pay-tick" ng-if="c.payment.method === 'upi'">&#10003;</span>

</div>

<div class="pay-method" ng-class="{active': c.payment.method === 'netbanking'}" ng-
click="c.setPaymentMethod('netbanking')">

    <span class="pay-icon">&#127974;</span><span class="pay-lbl">Net Banking</span>

    <span class="pay-tick" ng-if="c.payment.method === 'netbanking'">&#10003;</span>

</div>

<div class="pay-method" ng-class="{active': c.payment.method === 'insurance'}" ng-
click="c.setPaymentMethod('insurance')">

    <span class="pay-icon">&#127973;</span><span class="pay-lbl">Insurance</span>

    <span class="pay-tick" ng-if="c.payment.method === 'insurance'">&#10003;</span>

</div>

<div class="pay-method" ng-class="{active': c.payment.method === 'cash'}" ng-
click="c.setPaymentMethod('cash')">

    <span class="pay-icon">&#128181;</span><span class="pay-lbl">Pay on Arrival</span>

    <span class="pay-tick" ng-if="c.payment.method === 'cash'">&#10003;</span>

</div>

</div>

<!-- Card -->

<div class="form-card" ng-if="c.payment.method === 'card'">

    <div class="secure-tag"><i class="fa fa-lock"></i> Secure Demo Payment</div>

    <div class="form-grid">

        <div class="form-group form-full">

            <label class="form-label">Cardholder Name</label>

```

```
        <input class="form-input" type="text" placeholder="Name on card" ng-
model="c.payment.card_name" />

    </div>

    <div class="form-group form-full">

        <label class="form-label">Card Number</label>

        <input class="form-input" type="text" placeholder="4242 4242 4242 4242" maxlength="19"
ng-model="c.payment.card_number" />

    </div>

    <div class="form-group">

        <label class="form-label">Expiry</label>

        <input class="form-input" type="text" placeholder="MM/YY" maxlength="5" ng-
model="c.payment.expiry" />

    </div>

    <div class="form-group">

        <label class="form-label">CVV</label>

        <input class="form-input" type="password" placeholder="****" maxlength="4" ng-
model="c.payment.cvv" />

    </div>

</div>

</div>

</div>

<!-- UPI -->

<div class="form-card" ng-if="c.payment.method === 'upi'">

    <div class="secure-tag"><i class="fa fa-lock"></i> UPI Demo Payment</div>

    <div class="form-group" style="margin-bottom:16px;">

        <label class="form-label">UPI ID</label>

        <input class="form-input" type="text" placeholder="yourname@upi" ng-
model="c.payment.upi_id" />

    </div>

</div>
```

```
<label class="form-label" style="display:block;margin-bottom:10px;">Or choose app</label>

<div class="upi-apps">

  <div class="upi-app-tile" ng-class="{ 'upi-active': c.payment.upi_app === 'gpay'}" ng-
click="c.selectUpiApp('gpay')">

    <div class="upi-app-logo" style="background:linear-
gradient(135deg,#4285f4,#34a853);">G</div>

    <span>GPay</span>

  </div>

  <div class="upi-app-tile" ng-class="{ 'upi-active': c.payment.upi_app === 'phonepe'}" ng-
click="c.selectUpiApp('phonepe')">

    <div class="upi-app-logo" style="background:#5f259f;">P</div>

    <span>PhonePe</span>

  </div>

  <div class="upi-app-tile" ng-class="{ 'upi-active': c.payment.upi_app === 'paytm'}" ng-
click="c.selectUpiApp('paytm')">

    <div class="upi-app-logo" style="background:#00b9f5;color:#002970;">P</div>

    <span>Paytm</span>

  </div>

  <div class="upi-app-tile" ng-class="{ 'upi-active': c.payment.upi_app === 'bhim'}" ng-
click="c.selectUpiApp('bhim')">

    <div class="upi-app-logo" style="background:#ff6600;">B</div>

    <span>BHIM</span>

  </div>

  <div class="upi-app-tile" ng-class="{ 'upi-active': c.payment.upi_app === 'amazonpay'}" ng-
click="c.selectUpiApp('amazonpay')">

    <div class="upi-app-logo" style="background:#ff9900;color:#232f3e;">A</div>

    <span>Amazon</span>

  </div>

</div>
```

```

<!-- Net Banking -->

<div class="form-card" ng-if="c.payment.method === 'netbanking'">

  <div class="secure-tag"><i class="fa fa-lock"></i> Net Banking Demo</div>

  <div class="form-group">

    <label class="form-label">Select Your Bank</label>

    <div class="cust-select" ng-class="{ 'open': c.bankOpen }">

      <div class="cust-sel-trigger" ng-click="c.bankOpen = !c.bankOpen; c.genderOpen = false;">

        <span class="cust-sel-val" ng-if="!c.payment.bank" style="color:#94a3b8;">-- Select Bank --
</span>

        <span class="cust-sel-val" ng-if="c.payment.bank" ng-
bind="c.getBankLabel(c.payment.bank)"></span>

        <i class="fa" ng-class="c.bankOpen ? 'fa-chevron-up' : 'fa-chevron-down'"
style="color:#94a3b8;font-size:12px;"></i>

      </div>

      <div class="cust-sel-menu" ng-if="c.bankOpen">

        <div class="cust-sel-item" ng-repeat="b in c.bankOptions"

          ng-click="c.selectBank(b.value)"

          ng-class="{ 'selected': c.payment.bank === b.value }"

          ng-bind="b.label">

        </div>

      </div>

    </div>

  </div>

</div>

<!-- Insurance -->

<div class="form-card" ng-if="c.payment.method === 'insurance'">

  <div class="secure-tag">&#127973; Insurance Payment</div>

```

```

<div class="form-grid">

  <div class="form-group">

    <label class="form-label">Provider</label>

    <input class="form-input" type="text" placeholder="e.g. BlueCross, Aetna" ng-
model="c.payment.insurance_provider" />

  </div>

  <div class="form-group">

    <label class="form-label">Policy Number</label>

    <input class="form-input" type="text" placeholder="Policy / Member ID" ng-
model="c.payment.policy_number" />

  </div>

</div>

</div>

</div>

<!-- Cash -->

<div class="form-card cash-card" ng-if="c.payment.method === 'cash'">

  <div class="cash-emoji">&#128181;</div>

  <h4>Pay on Arrival</h4>

  <p>Pay <strong>$<span ng-bind="c.testPrice"></span></strong> at the center when you
arrive.</p>

  <p class="cash-note">Carry a valid ID. Please arrive 15 minutes early.</p>

</div>

<div class="step-actions">

  <button class="btn-back" ng-click="c.prevStep()"><i class="fa fa-arrow-left"></i> Back</button>

  <button class="btn-pay" ng-click="c.processPayment()" ng-disabled="c.processing">

    <span ng-if="!c.processing">

      <i class="fa fa-lock"></i> Confirm & Pay $<span ng-bind="c.testPrice"></span>

    </span>

  </button>

</div>

```

```
<span ng-if="c.processing"><i class="fa fa-spinner fa-spin"></i> Processing...</span>
</button>
</div>
</div>
```

```
<!-- ===== STEP 4: SUCCESS ===== -->
```

```
<div class="booking-step success-wrap" ng-show="c.step === 4">
```

```
<div class="success-circle"><i class="fa fa-check"></i></div>
```

```
<h2 class="success-title">Appointment Confirmed! &#127881;</h2>
```

```
<p class="success-sub">Pending admin approval. Confirmation sent to <strong ng-
bind="c.form.email"></strong></p>
```

```
<div class="conf-card">
```

```
<div class="conf-row"><span>Appointment #</span><strong class="appt-code" ng-
bind="c.data.appointmentNumber"></strong></div>
```

```
<div class="conf-row"><span>Patient</span><strong><span ng-
bind="c.form.first_name"></span> <span ng-bind="c.form.last_name"></span></strong></div>
```

```
<div class="conf-row"><span>Test</span><strong ng-
bind="c.selectedTest.test_name"></strong></div>
```

```
<div class="conf-row"><span>Date & Time</span><strong><span ng-
bind="c.formatDateDisplay(c.form.scheduled_date)"></span> &middot; <span ng-
bind="c.form.slot_time"></span></strong></div>
```

```
<div class="conf-row"><span>Amount Paid</span><strong class="paid-green">$<span ng-
bind="c.testPrice"></span> &#10003;</strong></div>
```

```
<div class="conf-row"><span>Payment Via</span><strong ng-
bind="c.getPaymentLabel(c.payment.method)"></strong></div>
```

```
<div class="conf-row"><span>Status</span><strong class="status-warn">&#9203; Pending
Approval</strong></div>
```

```
</div>
```

```
<div class="next-steps-wrap">
```

<h4>What happens next?</h4>

<div class="next-step-row">📧<div>Confirmation EmailCheck your inbox for booking details</div></div>

<div class="next-step-row">✅<div>Admin ApprovalReviewed within 24 hours</div></div>

<div class="next-step-row">🔔<div>ReminderYou will get an alert 24h before your test</div></div>

</div>

<div class="success-btns">

<button class="btn-next" ng-click="c.viewMyAppointments()"><i class="fa fa-list"></i> View My Bookings</button>

<button class="btn-back" ng-click="c.bookAnother()">Book Another Test</button>

</div>

</div>

</div>

CSS :

.appt-booking {

--blue:#0a2463; --blue2:#1e3a8a; --cyan:#00b4d8; --cyan2:#0096c7;

--green:#10b981; --amber:#f59e0b; --red:#ef4444;

--g50:#f8fafc; --g100:#f1f5f9; --g200:#e2e8f0;

--g400:#94a3b8; --g600:#475569; --g800:#1e293b; --wht:#ffffff;

--r:14px; --sh:0 1px 4px rgba(0,0,0,.07);

font-family:'Segoe UI',system-ui,sans-serif;

max-width:800px; margin:0 auto;

padding:28px 20px 60px; background:var(--g50); min-height:100vh;

}

```

/* — PROGRESS ————— */

.progress-wrap { display:flex; align-items:center; justify-content:center; margin-bottom:32px; gap:0;
}

.progress-step { display:flex; flex-direction:column; align-items:center; gap:6px; }

.step-circle {

width:42px; height:42px; border-radius:50%; border:3px solid var(--g200);

background:var(--g200); color:var(--g400);

display:flex; align-items:center; justify-content:center;

font-size:15px; font-weight:700; transition:all .3s;

}

.progress-step.active .step-circle { background:var(--blue); border-color:var(--blue); color:#fff; box-
shadow:0 4px 12px rgba(10,36,99,.25); }

.progress-step.done .step-circle { background:var(--green); border-color:var(--green); color:#fff; }

.step-label { font-size:11px; font-weight:600; color:var(--g400); white-space:nowrap; }

.progress-step.active .step-label,

.progress-step.done .step-label { color:var(--blue); }

.step-line { flex:1; min-width:40px; max-width:90px; height:3px; background:var(--g200); margin-
top:-22px; transition:background .3s; }

.step-line.filled { background:var(--green); }

/* — TEST BANNER ————— */

.test-banner {

display:flex; align-items:center; gap:14px; flex-wrap:wrap;

background:linear-gradient(135deg,#eff6ff,#dbeafe);

border:1px solid #bfdbfe; border-radius:var(--r);

padding:14px 18px; margin-bottom:24px;

}

.test-banner-icon { font-size:34px; flex-shrink:0; }

```

```
.test-banner-info { flex:1; }

.test-banner-name { display:block; font-size:16px; font-weight:700; color:var(--blue); }

.test-banner-meta { display:block; font-size:12px; color:var(--g600); margin-top:2px; }

.test-banner-price { display:flex; flex-direction:column; align-items:flex-end; gap:6px; }

.price-tag { font-size:26px; font-weight:800; color:var(--blue); }

.btn-change-test {

  background:none; border:1px solid var(--cyan); color:var(--cyan2);

  padding:4px 12px; border-radius:20px; font-size:12px; font-weight:600; cursor:pointer;

}

.btn-change-test:hover { background:var(--cyan); color:#fff; }

.no-test-warn {

  background:#fef3c7; border:1px solid #fcd34d; border-radius:10px;

  padding:12px 16px; color:#92400e; font-size:14px; margin-bottom:20px;

}

.no-test-warn a { color:var(--cyan2); cursor:pointer; text-decoration:underline; }


/* — STEP HEADER ————— */

.step-header { margin-bottom:20px; }

.step-header h2 { font-size:21px; font-weight:800; color:var(--g800); margin:0 0 4px; }

.step-header p { color:var(--g600); font-size:13px; margin:0; }


/* — FORM CARD ————— */

.form-card {

  background:var(--wht); border-radius:var(--r); border:1px solid var(--g200);

  padding:24px; box-shadow:var(--sh); margin-bottom:20px;

}

.form-grid { display:grid; grid-template-columns:1fr 1fr; gap:16px; }

.form-group { display:flex; flex-direction:column; gap:5px; }
```

```
.form-full { grid-column:1 / -1; }

.form-label { font-size:11px; font-weight:700; color:var(--g800); text-transform:uppercase; letter-spacing:.4px; }

.form-label.req::after { content:' *'; color:var(--red); }


/* — INPUTS ————— */

.form-input {

  padding:11px 14px; border:2px solid var(--g200); border-radius:10px;

  font-size:14px; color:var(--g800); background:var(--wht);

  outline:none; transition:border .2s; width:100%; box-sizing:border-box;

  font-family:inherit;

}

.form-input:focus { border-color:var(--cyan); }

.has-error .form-input { border-color:var(--red); }

textarea.form-input { resize:vertical; min-height:72px; }

.err-msg { font-size:12px; color:var(--red); font-weight:500; }


/* — CUSTOM SELECT (fixes broken <select> in Service Portal) — */

.cust-select { position:relative; }

.cust-sel-trigger {

  display:flex; align-items:center; justify-content:space-between;

  padding:11px 14px; border:2px solid var(--g200); border-radius:10px;

  background:var(--wht); cursor:pointer; transition:border .2s;

  font-size:14px; color:var(--g800); user-select:none;

}

.cust-sel-trigger:hover,

.cust-select.open .cust-sel-trigger { border-color:var(--cyan); }

.cust-sel-val { flex:1; }
```

```

.cust-sel-menu {
  position:absolute; top:calc(100% + 4px); left:0; right:0; z-index:999;
  background:var(--wht); border:2px solid var(--cyan); border-radius:10px;
  box-shadow:0 8px 24px rgba(0,0,0,.12); overflow:hidden;
}

.cust-sel-item {
  padding:11px 16px; font-size:14px; color:var(--g800);
  cursor:pointer; transition:background .12s; border-bottom:1px solid var(--g100);
}

.cust-sel-item:last-child { border-bottom:none; }

.cust-sel-item:hover { background:#f0f9ff; }

.cust-sel-item.selected { background:#dbeafe; color:var(--blue); font-weight:600; }

.has-error .cust-sel-trigger { border-color:var(--red); }

/* — TIME SLOTS ————— */

.slots-section { margin-top:16px; }

.slots-grid { display:grid; grid-template-columns:repeat(auto-fill,minmax(88px,1fr)); gap:7px; margin-top:8px; }

.slot-btn {
  padding:8px 4px; border:2px solid var(--g200); border-radius:8px;
  background:var(--wht); color:var(--g800); font-size:12px; font-weight:600;
  cursor:pointer; transition:all .15s; text-align:center;
}

.slot-btn:hover { border-color:var(--cyan); color:var(--cyan2); background:#f0f9ff; }

.slot-btn.selected { background:var(--blue); border-color:var(--blue); color:#fff; }

/* — BOOKING SUMMARY ————— */

.booking-summary {

```

```

background:#f0fdf4; border:1px solid #bbf7d0; border-radius:var(--r);
padding:16px 20px; margin-bottom:20px;
}

.booking-summary h4 { font-size:13px; font-weight:700; color:#166534; margin:0 0 10px; }

.sum-row { display:flex; justify-content:space-between; font-size:13px; padding:5px 0; border-
bottom:1px solid #dcfce7; }

.sum-row:last-child { border-bottom:none; }

.sum-row span { color:var(--g600); }

.sum-row strong { color:var(--g800); }


/* — ORDER CARD ————— */

.order-card { background:var(--wht); border-radius:var(--r); border:1px solid var(--g200);
overflow:hidden; margin-bottom:20px; }

.order-hdr { background:var(--blue); color:#fff; padding:13px 18px; font-weight:700; font-size:14px; }

.order-row { display:flex; justify-content:space-between; padding:11px 18px; border-bottom:1px
solid var(--g100); font-size:13px; color:var(--g800); }

.order-divider { border-top:2px solid var(--g200); }

.order-total { display:flex; justify-content:space-between; padding:14px 18px; font-size:15px; font-
weight:700; color:var(--g800); }

.order-total-price { font-size:22px; color:var(--blue); }


/* — PAYMENT METHODS ————— */

.pay-methods { display:grid; grid-template-columns:repeat(5,1fr); gap:10px; margin-bottom:20px; }

.pay-method {
display:flex; flex-direction:column; align-items:center; gap:6px;
padding:14px 8px; border:2px solid var(--g200); border-radius:12px;
background:var(--wht); cursor:pointer; transition:all .2s;
position:relative; text-align:center;
}

```

```

.pay-method:hover { border-color:var(--cyan); }

.pay-method.active { border-color:var(--blue); background:#eff6ff; box-shadow:0 4px 12px
rgba(10,36,99,.1); }

.pay-icon { font-size:24px; }

.pay-lbl { font-size:11px; font-weight:700; color:var(--g800); line-height:1.2; }

.pay-tick {
  position:absolute; top:5px; right:7px; width:17px; height:17px;
  background:var(--green); color:#fff; border-radius:50%;
  display:flex; align-items:center; justify-content:center; font-size:10px; font-weight:700;
}

/* — SECURE TAG ————— */
.secure-tag {
  display:flex; align-items:center; gap:8px;
  background:#ecfdf5; border:1px solid #a7f3d0; border-radius:8px;
  padding:9px 14px; color:#065f46; font-size:13px; font-weight:600; margin-bottom:18px;
}

/* — UPI APPS ————— */
.upi-apps { display:flex; gap:10px; flex-wrap:wrap; }
.upi-app-tile {
  display:flex; flex-direction:column; align-items:center; gap:6px;
  padding:12px 14px; border:2px solid var(--g200); border-radius:12px;
  background:var(--wht); cursor:pointer; transition:all .2s;
  min-width:64px; font-size:11px; font-weight:700; color:var(--g800);
}
.upi-app-tile:hover { border-color:var(--cyan); }
.upi-app-tile.upi-active { border-color:var(--blue); background:#eff6ff; color:var(--blue); }

```

```
.upi-app-logo {  
  width:36px; height:36px; border-radius:10px;  
  display:flex; align-items:center; justify-content:center;  
  font-size:16px; font-weight:900; color:#fff;  
}
```

```
/* — CASH ————— */
```

```
.cash-card { text-align:center; padding:28px !important; }  
.cash-emoji { font-size:44px; margin-bottom:10px; }  
.cash-card h4 { font-size:17px; color:var(--g800); margin:0 0 8px; }  
.cash-card p { color:var(--g600); font-size:14px; margin:0 0 6px; }  
.cash-note { color:var(--g400); font-size:12px; font-style:italic; }
```

```
/* — STEP ACTIONS ————— */
```

```
.step-actions { display:flex; justify-content:space-between; align-items:center; gap:12px; flex-  
wrap:wrap; margin-top:4px; }  
.btn-back, .btn-next, .btn-pay {  
  display:inline-flex; align-items:center; gap:7px;  
  padding:12px 24px; border-radius:10px; font-size:14px; font-weight:700;  
  cursor:pointer; border:none; transition:all .2s;  
}  
.btn-back { background:var(--wht); color:var(--g600); border:2px solid var(--g200); }  
.btn-back:hover { border-color:var(--g400); }  
.btn-next { background:linear-gradient(135deg,var(--blue),var(--blue2)); color:#fff; box-shadow:0 4px  
12px rgba(10,36,99,.28); }  
.btn-next:hover { transform:translateY(-1px); box-shadow:0 6px 18px rgba(10,36,99,.34); }  
.btn-pay { background:linear-gradient(135deg,var(--green),#059669); color:#fff; box-shadow:0 4px  
12px rgba(16,185,129,.3); padding:13px 28px; font-size:15px; }  
.btn-pay:hover { transform:translateY(-1px); }
```

```
.btn-pay:disabled { opacity:.65; cursor:not-allowed; transform:none; }

/* — SUCCESS ————— */

.success-wrap { text-align:center; padding-top:16px; }

.success-circle {

  width:88px; height:88px; background:var(--green); border-radius:50%;

  display:inline-flex; align-items:center; justify-content:center;

  font-size:38px; color:#fff; margin-bottom:20px;

  box-shadow:0 8px 28px rgba(16,185,129,.38);

  animation:pop .5s cubic-bezier(.36,.07,.19,.97);

}

@keyframes pop { 0%{transform:scale(0)} 80%{transform:scale(1.1)} 100%{transform:scale(1)} }

.success-title { font-size:26px; font-weight:800; color:var(--g800); margin:0 0 10px; }

.success-sub { color:var(--g600); font-size:14px; margin:0 0 24px; }

.conf-card {

  background:var(--wht); border-radius:var(--r); border:1px solid var(--g200);

  padding:20px; text-align:left; max-width:480px; margin:0 auto 24px;

}

.conf-row { display:flex; justify-content:space-between; padding:8px 0; border-bottom:1px solid var(--g100); font-size:13px; }

.conf-row:last-child { border-bottom:none; }

.conf-row span { color:var(--g600); }

.conf-row strong { color:var(--g800); }

.appt-code { color:var(--blue); font-family:'Courier New',monospace; }

.paid-green { color:var(--green); }

.status-warn { color:var(--amber); }

.next-steps-wrap { max-width:480px; margin:0 auto 24px; text-align:left; }

.next-steps-wrap h4 { font-size:14px; font-weight:700; color:var(--g800); margin:0 0 12px; }
```

```
.next-step-row { display:flex; align-items:flex-start; gap:10px; background:var(--g50); border-radius:10px; padding:10px 12px; border:1px solid var(--g100); margin-bottom:8px; }
```

```
.ns-ico { font-size:20px; flex-shrink:0; }
```

```
.next-step-row strong { font-size:13px; color:var(--g800); display:block; margin-bottom:2px; }
```

```
.next-step-row span { font-size:12px; color:var(--g600); }
```

```
.success-btns { display:flex; gap:12px; justify-content:center; flex-wrap:wrap; }
```

```
/* — RESPONSIVE ————— */
```

```
@media (max-width:600px) {
```

```
  .form-grid { grid-template-columns:1fr; }
```

```
  .pay-methods { grid-template-columns:repeat(3,1fr); }
```

```
  .step-line { min-width:16px; }
```

```
  .appt-booking { padding:16px 12px 40px; }
```

```
}
```

```
/* VALIDATION TOAST */
```

```
.val-toast {
```

```
  background: #fef2f2;
```

```
  border: 2px solid #fca5a5;
```

```
  border-radius: 10px;
```

```
  padding: 12px 16px;
```

```
  margin-bottom: 16px;
```

```
  color: #b91c1c;
```

```
  font-size: 13px;
```

```
  font-weight: 600;
```

```
  display: flex;
```

```
  align-items: center;
```

```
  gap: 8px;
```

```
    animation: shake 0.4s ease;
}

@keyframes shake {
    0%,100%{transform:translateX(0)}
    20%,60%{transform:translateX(-5px)}
    40%,80%{transform:translateX(5px)}
}
```

Client Code:

```
function($timeout) {
    var c = this;

    // — PAGE IDs (confirmed from your ServiceNow Pages list) —
    var PAGE_IDS = {
        home:      'test_catalog',
        myAppointments: 'my_appointments',
        labReports:  'lab_reports'
    };

    c.step = 1;
    c.processing = false;
    c.errors = {};
    c.genderOpen = false;
    c.bankOpen = false;
    c.testPrice = '0.00';
    c.validationMsg = "";

    c.form = {
        first_name: "", last_name: "", email: "", phone_number: "",
```

```
date_of_birth: "", gender: "", address: "",
scheduled_date: "", slot_time: "", notes: ""
};
```

```
c.payment = {
  method: 'card',
  card_name: "", card_number: "", expiry: "", cvv: "",
  upi_id: "", upi_app: "",
  bank: "",
  insurance_provider: "", policy_number: ""
};
```

```
c.genderOptions = [
  { value: 'male',      label: 'Male' },
  { value: 'female',    label: 'Female' },
  { value: 'other',     label: 'Other' },
  { value: 'prefer_not_to_say', label: 'Prefer not to say' }
];
```

```
c.bankOptions = [
  { value: 'sbi', label: 'State Bank of India' },
  { value: 'hdfc', label: 'HDFC Bank' },
  { value: 'icici', label: 'ICICI Bank' },
  { value: 'axis', label: 'Axis Bank' },
  { value: 'kotak', label: 'Kotak Mahindra Bank' },
  { value: 'pnb', label: 'Punjab National Bank' },
  { value: 'bob', label: 'Bank of Baroda' },
  { value: 'other', label: 'Other Bank' }
];
```

```
];
```

```
c.timeSlots = [  
  '08:00 AM','08:30 AM','09:00 AM','09:30 AM',  
  '10:00 AM','10:30 AM','11:00 AM','11:30 AM',  
  '12:00 PM','12:30 PM','01:00 PM','01:30 PM',  
  '02:00 PM','02:30 PM','03:00 PM','03:30 PM',  
  '04:00 PM','04:30 PM','05:00 PM'  
];
```

```
// FIX: padStart() not always available in ServiceNow's JS engine — use manual pad  
function pad2(n) { return n < 10 ? '0' + n : '' + n; }  
  
var today = new Date();  
c.minDate = today.getFullYear() + '-' + pad2(today.getMonth() + 1) + '-' + pad2(today.getDate());
```

```
// — NAVIGATION —————  
  
var _nav = function(pageId) {  
  var portalId = window.location.pathname.split('/')[1] || 'sp';  
  window.location.href = '/' + portalId + '?id=' + pageId;  
};
```

```
// — INIT —————  
  
c.$onInit = function() {  
  var sysId   = sessionStorage.getItem('selected_test_sys_id') || '';  
  var name    = sessionStorage.getItem('selected_test_name')   || '';  
  var price   = sessionStorage.getItem('selected_test_price')  || '0';  
  var code    = sessionStorage.getItem('selected_test_code')   || '';  
  var category = sessionStorage.getItem('selected_test_category') || 'General';
```

```

var duration = sessionStorage.getItem('selected_test_duration') || '';

if (sysId) {
    var numPrice = parseFloat(price) || 0;
    c.selectedTest = {
        sys_id: sysId, test_name: name, price: numPrice,
        test_code: code, category: category, test_duration: duration
    };
    c.testPrice = numPrice.toFixed(2);
    ['selected_test_sys_id', 'selected_test_name', 'selected_test_price',
    'selected_test_code', 'selected_test_category', 'selected_test_duration']
    .forEach(function(k) { sessionStorage.removeItem(k); });
} else if (c.data && c.data.test) {
    c.selectedTest = c.data.test;
    c.testPrice = (parseFloat(c.data.test.price) || 0).toFixed(2);
}

if (c.data && c.data.currentUser) {
    c.form.first_name = c.data.currentUser.first_name || '';
    c.form.last_name = c.data.currentUser.last_name || '';
    c.form.email = c.data.currentUser.email || '';
    c.form.phone_number = c.data.currentUser.phone || '';
}
};

// — DROPDOWN HELPERS —————
c.getGenderLabel = function(val) {
    for (var i = 0; i < c.genderOptions.length; i++) {

```

```

    if (c.genderOptions[i].value === val) return c.genderOptions[i].label;
  }
  return '-- Select Gender --';
};

c.getBankLabel = function(val) {
  for (var i = 0; i < c.bankOptions.length; i++) {
    if (c.bankOptions[i].value === val) return c.bankOptions[i].label;
  }
  return '-- Select Bank --';
};

c.selectGender = function(val) { c.form.gender = val; c.genderOpen = false; c.clearError('gender'); };
c.selectBank = function(val) { c.payment.bank = val; c.bankOpen = false; };

c.setPaymentMethod = function(method) { c.payment.method = method; c.bankOpen = false;
c.genderOpen = false; };

c.selectUpiApp = function(app) { c.payment.upi_app = app; };

// — MISC HELPERS —————

c.getCategoryIcon = function(cat) {
  var icons = {
    'blood': '💧', 'urine': '🩺', 'imaging': '🦋', 'radiology': '🦋',
    'cardiology': '❤️', 'neurology': '🧠', 'genetics': '🧬', 'pathology': '🔬',
    'biochemistry': '🧪', 'allergy': '🌿', 'microbiology': '🦠', 'covid': '😷',
    'ecg': '❤️', 'x-ray': '🦋', 'xray': '🦋', 'diabetes': '🩺', 'thyroid': '🦋'
  };
  if (!cat) return '🔬';
  var key = cat.toLowerCase();
  for (var k in icons) { if (key.indexOf(k) !== -1) return icons[k]; }
  return '🔬';
};

```

```
};
```

```
c.formatDateDisplay = function(dateStr) {  
  if (!dateStr) return "";  
  // Normalize: handle both string and Date object  
  if (typeof dateStr !== 'string') {  
    try { dateStr = dateStr.toISOString().split('T')[0]; } catch(e) { return ""; }  
  }  
  var parts = dateStr.split('-');  
  if (parts.length !== 3) return dateStr;  
  var yr = parseInt(parts[0], 10);  
  var mo = parseInt(parts[1], 10) - 1;  
  var dy = parseInt(parts[2], 10);  
  var d = new Date(yr, mo, dy);  
  var months = ['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun', 'Jul', 'Aug', 'Sep', 'Oct', 'Nov', 'Dec'];  
  var days = ['Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday'];  
  return days[d.getDay()] + ', ' + dy + ' ' + months[mo] + ' ' + yr;  
};
```

```
c.getPaymentLabel = function(method) {  
  var labels = {  
    'card': 'Credit/Debit Card', 'upi': 'UPI Payment',  
    'netbanking': 'Net Banking', 'insurance': 'Insurance', 'cash': 'Pay on Arrival'  
  };  
  return labels[method] || method;  
};
```

```
c.selectSlot = function(slot) { c.form.slot_time = slot; c.clearError('slot_time'); };
```

```
c.onDateChange = function() { c.form.slot_time = ""; c.clearError('scheduled_date'); };
```

```
c.clearError = function(field) {  
  if (c.errors[field]) delete c.errors[field];  
  c.validationMsg = "";  
};
```

```
// — STEP NAVIGATION (direct — ng-click already triggers digest) —
```

```
var _goToStep = function(n) {  
  c.step = n;  
  window.scrollTo(0, 0);  
};
```

```
// — STEP 1 VALIDATION —————
```

```
c.validateStep1 = function() {  
  c.errors = {};  
  c.validationMsg = "";  
  var f = c.form;  
  var emailReg = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;  
  var phoneReg = /^[+?[\d\s\-(.)]{7,20}$/;
```

```
  if (!f.first_name || !f.first_name.trim()) c.errors.first_name = 'First name is required';  
  if (!f.last_name || !f.last_name.trim()) c.errors.last_name = 'Last name is required';  
  if (!f.email || !f.email.trim()) c.errors.email = 'Email is required';  
  else if (!emailReg.test(f.email.trim())) c.errors.email = 'Enter a valid email';  
  if (!f.phone_number || !f.phone_number.trim()) c.errors.phone_number = 'Phone number is required';
```

```
    else if (!phoneReg.test(f.phone_number.trim())) c.errors.phone_number = 'Enter a valid phone number';
```

```
    if (!f.date_of_birth) c.errors.date_of_birth = 'Date of birth is required';
```

```
    if (!f.gender) c.errors.gender = 'Please select a gender';
```

```
    if (Object.keys(c.errors).length > 0) {
```

```
        c.validationMsg = 'Please fill in all required fields marked below.';
```

```
        window.scrollTo(0, 0);
```

```
        return;
```

```
    }
```

```
    _goToStep(2);
```

```
};
```

```
// — STEP 2 VALIDATION —————
```

```
// KEY FIX: Robust date handling — works with string, Date object, or missing value
```

```
c.validateStep2 = function() {
```

```
    c.errors = {};
```

```
    c.validationMsg = '';
```

```
    // Normalize the date value safely
```

```
    var rawDate = c.form.scheduled_date;
```

```
    var dateStr = '';
```

```
    if (rawDate) {
```

```
        if (typeof rawDate === 'string') {
```

```
            dateStr = rawDate.trim();
```

```
        } else if (rawDate instanceof Date) {
```

```
            // ng-model on type="date" can return a Date object in some AngularJS builds
```

```

var yr = rawDate.getFullYear();
var mo = rawDate.getMonth() + 1;
var dy = rawDate.getDate();
dateStr = yr + '-' + pad2(mo) + '-' + pad2(dy);
c.form.scheduled_date = dateStr; // Normalize to string
} else {
    dateStr = String(rawDate).trim();
}
}

if (!dateStr) {
    c.errors.scheduled_date = 'Please select a date';
} else {
    try {
        var parts = dateStr.split('-');
        if (parts.length === 3) {
            var sel = new Date(parseInt(parts[0], 10), parseInt(parts[1], 10) - 1, parseInt(parts[2], 10));
            var now = new Date();
            now.setHours(0, 0, 0, 0);
            if (sel < now) c.errors.scheduled_date = 'Please select a future date';
        }
    } catch (ex) {
        c.errors.scheduled_date = 'Invalid date selected';
    }
}

if (!c.form.slot_time) {
    c.errors.slot_time = 'Please select a time slot';
}

```

```
}
```

```
if (Object.keys(c.errors).length > 0) {  
    c.validationMsg = 'Please select a date and time slot before continuing.';  
    window.scrollTo(0, 0);  
    return;  
}
```

```
_goToStep(3);  
};
```

```
// — PAYMENT —————  
c.processPayment = function() {  
    c.processing = true;  
    $timeout(function() { c.submitBooking(); }, 1200);  
};
```

```
c.submitBooking = function() {  
    c.server.get({  
        action: 'create_appointment',  
        data: {  
            form: c.form,  
            test_sys_id: c.selectedTest ? c.selectedTest.sys_id : '',  
            payment_method: c.payment.method,  
            total_amount: c.selectedTest ? c.selectedTest.price : 0  
        }  
    }).then(function(r) {  
        c.processing = false;
```

```

    if (r.data.success) {
        c.data.appointmentNumber = r.data.appointment_number;
        _goToStep(4);
    } else {
        alert('Error: ' + (r.data.error || 'Something went wrong. Please try again.'));
    }
}).catch(function() {
    c.processing = false;
    alert('Network error. Please try again. ');
});
};

c.prevStep = function() {
    if (c.step > 1) _goToStep(c.step - 1);
};

c.changeTest      = function() { _nav(PAGE_IDS.home); };
c.viewMyAppointments = function() { _nav(PAGE_IDS.myAppointments); };
c.bookAnother      = function() { _nav(PAGE_IDS.home); };
}

```

Server Code:

```

(function() {

    data.test      = null;
    data.currentUser = null;
    data.success    = false;
    data.error      = "";
    data.appointmentNumber = "";

```

```
// — Safe user detection (no isAnonymous — not allowed in scope) —
try {
    var userID = gs.getUserID() || "";
    var userName = gs.getUserName() || "";

    if (userID && userName !== 'guest' && userName !== '') {
        var userGr = new GlideRecord('sys_user');
        if (userGr.get(userID)) {
            data.currentUser = {
                first_name: userGr.getValue('first_name') || "",
                last_name: userGr.getValue('last_name') || "",
                email: userGr.getValue('email') || "",
                phone: userGr.getValue('mobile_phone') || userGr.getValue('phone') || ""
            };
        }
    }
} catch(e) {
    gs.error('Booking init error: ' + e.message);
}
```

```
// — Handle appointment creation —————
if (input && input.action === 'create_appointment') {
    try {
        var formData = input.data.form || {};
        var testSysId = input.data.test_sys_id || "";
        var totalAmount = parseFloat(input.data.total_amount) || 0;
        var paymentMethod = input.data.payment_method || 'card';
```

```
// Fetch test name & code for email

var testName = "", testCode = "";

if (testSysId) {

    var testGr = new GlideRecord('x_1883080_medica_0_diagnostic_test');

    if (testGr.get(testSysId)) {

        testName = testGr.getValue('test_name') || "";

        testCode = testGr.getValue('test_code') || "";

    }

}


// — Find or create PATIENT record (not sys_user!) —

var patientSysId = "";

var patGr = new GlideRecord('x_1883080_medica_0_patient');

patGr.addQuery('email', formData.email || "");

patGr.setLimit(1);

patGr.query();


if (patGr.next()) {

    // Update existing patient

    patientSysId = patGr.getUniqueValue();

    patGr.setValue('first_name', formData.first_name || "");

    patGr.setValue('last_name', formData.last_name || "");

    patGr.setValue('phone_number', formData.phone_number || "");

    patGr.setValue('address', formData.address || "");

    patGr.update();

} else {

    // Create new patient record
```

```

var newPat = new GlideRecord('x_1883080_medica_0_patient');
newPat.initialize();
newPat.setValue('first_name', formData.first_name || '');
newPat.setValue('last_name', formData.last_name || '');
newPat.setValue('email', formData.email || '');
newPat.setValue('phone_number', formData.phone_number || '');
newPat.setValue('date_of_birth', formData.date_of_birth || '');
newPat.setValue('gender', formData.gender || '');
newPat.setValue('address', formData.address || '');

// Link to sys_user if logged in
var uid = gs.getUserID();
if (uid && gs.getUserName() !== 'guest') {
    newPat.setValue('user', uid);
}
patientSysId = newPat.insert();
}

if (!patientSysId) {
    data.error = 'Failed to create patient record. Check table ACLs.';
    return;
}

// — Create appointment —————
var apptNum = 'APPT-' + new Date().getFullYear() + '-' +
    (Math.floor(Math.random() * 90000) + 10000);

var apptGr = new GlideRecord('x_1883080_medica_0_appointment_table');

```

```

apptGr.initialize();
apptGr.setValue('appointment_number', apptNum);
apptGr.setValue('patient',      patientSysId); // links to patient table
apptGr.setValue('test',        testSysId);  // links to diagnostic test
apptGr.setValue('status',      'pending');
apptGr.setValue('approval_status', 'requested');
apptGr.setValue('payment_status', 'paid');
apptGr.setValue('total_amount',  totalAmount);
apptGr.setValue('scheduled_date', formData.scheduled_date || '');
apptGr.setValue('slot_time',    formData.slot_time    || '');
apptGr.setValue('notes',        formData.notes        || '');
apptGr.setValue('confirmation_sent', false);
apptGr.setValue('email',        formData.email || ''); // ← NEW: Save email to appointment
table

```

```

var uid2 = gs.getUserID();
if (uid2 && gs.getUserName() !== 'guest') {
    apptGr.setValue('created_by', uid2);
}

```

```

var apptSysId = apptGr.insert();
if (!apptSysId) {
    data.error = 'Failed to create appointment. Check table permissions.';
    return;
}

```

```

// — Patient confirmation email —————
try {

```

```

var patEmail = new GlideEmailOutbound();

patEmail.setTo(formData.email);

patEmail.setSubject('Appointment Confirmed: ' + apptNum + ' — MediCare Diagnostic Center');

patEmail.setBody(

    '<div style="font-family:Arial,sans-serif;max-width:600px;margin:0 auto;">' +

    '<div style="background:#0a2463;padding:24px;text-align:center;border-radius:12px 12px 0 0;">' +

    '<h2 style="color:#fff;margin:0;">  MediCare Diagnostic Center</h2></div>' +

    '<div style="background:#f0fdf4;border:2px solid #10b981;border-radius:0 0 12px 12px;padding:24px;">' +

    '<h3 style="color:#065f46;">  Booking Confirmed!</h3>' +

    '<p>Dear ' + (formData.first_name || '') + ' ' + (formData.last_name || '') + ',</p>' +

    '<table style="width:100%;font-size:14px;border-collapse:collapse;background:#fff;border-radius:8px;">' +

    '<tr><td style="padding:10px;background:#f8f9fa;font-weight:600;">Appointment #</td><td style="padding:10px;">' + apptNum + '</td></tr>' +

    '<tr><td style="padding:10px;background:#f8f9fa;font-weight:600;">Test</td><td style="padding:10px;">' + testName + ' (' + testCode + ')</td></tr>' +

    '<tr><td style="padding:10px;background:#f8f9fa;font-weight:600;">Date</td><td style="padding:10px;">' + (formData.scheduled_date || '') + '</td></tr>' +

    '<tr><td style="padding:10px;background:#f8f9fa;font-weight:600;">Time</td><td style="padding:10px;">' + (formData.slot_time || '') + '</td></tr>' +

    '<tr><td style="padding:10px;background:#f8f9fa;font-weight:600;">Amount Paid</td><td style="padding:10px;color:#10b981;font-weight:700;">$' + totalAmount.toFixed(2) + '</td></tr>' +

    '<tr><td style="padding:10px;background:#f8f9fa;font-weight:600;">Payment</td><td style="padding:10px;">' + paymentMethod + '</td></tr>' +

    '</table>' +

    '<p style="margin-top:16px;color:#6b7280;font-size:13px;">Pending admin approval. You will receive a confirmation within 24 hours.</p>' +

    '</div></div>'

);

```

```

    patEmail.save();

} catch(emailErr) { gs.warn('Patient email error: ' + emailErr.message); }

// — Admin approval email —————

try {

    var adminEmail = gs.getProperty('medicare.admin.email', '');

    if (adminEmail) {

        var adminMail = new GlideEmailOutbound();

        adminMail.setTo(adminEmail);

        adminMail.setSubject('[Action Required] New Appointment: ' + apptNum);

        adminMail.setBody(

            '<div style="font-family:Arial,sans-serif;max-width:600px;">' +

                '<div style="background:#0a2463;padding:20px;border-radius:8px 8px 0 0;"><h2

style="color:#fff;margin:0;">New Appointment — Approval Required</h2></div>' +

                '<div style="background:#fffbeb;border:2px solid #f59e0b;border-radius:0 0 8px

8px;padding:24px;">' +

                    '<table style="width:100%;font-size:14px;border-collapse:collapse;">' +

                        '<tr><td style="padding:8px;font-weight:600;width:40%;">Appointment #</td><td

style="padding:8px;">' + apptNum + '</td></tr>' +

                        '<tr><td style="padding:8px;font-weight:600;">Patient</td><td style="padding:8px;">' +

(formData.first_name | |) + ' ' + (formData.last_name | |) + '</td></tr>' +

                        '<tr><td style="padding:8px;font-weight:600;">Email</td><td style="padding:8px;">' +

(formData.email | |) + '</td></tr>' +

                        '<tr><td style="padding:8px;font-weight:600;">Phone</td><td style="padding:8px;">' +

(formData.phone_number | |) + '</td></tr>' +

                        '<tr><td style="padding:8px;font-weight:600;">Test</td><td style="padding:8px;">' +

testName + '</td></tr>' +

                        '<tr><td style="padding:8px;font-weight:600;">Date & Time</td><td

style="padding:8px;">' + (formData.scheduled_date | |) + ' ' + (formData.slot_time | |) + '</td></tr>'

+

```

```

        '<tr><td style="padding:8px;font-weight:600;">Amount</td><td
style="padding:8px;color:#059669;font-weight:700;">$' + totalAmount.toFixed(2) + '</td></tr>' +

        '</table>' +

        '<div style="margin-top:20px;padding:12px;background:#f1f5f9;border-radius:8px;font-
size:13px;color:#475569;">To approve or reject: open the appointment record in ServiceNow
backend and change the <strong>Approval Status</strong> field.</div>' +

        '</div></div>'

    );

    adminMail.save();

}

} catch(admErr) { gs.warn('Admin email error: ' + admErr.message); }

// Mark confirmation sent

var cfGr = new GlideRecord('x_1883080_medica_0_appointment_table');

if (cfGr.get(apptSysId)) {

    cfGr.setValue('confirmation_sent', true);

    cfGr.update();

}

data.success      = true;

data.appointment_number = apptNum;

data.appointment_sys_id = apptSysId;

} catch(submitErr) {

    gs.error('Create Appointment Error: ' + submitErr.message);

    data.error = submitErr.message;

}

}

```

```
})();
```

Note: you need to modify the script as per your requirements to get appropriate results

Creation of Widgets(Lab Reports)

Navigate to the **Application Navigator**

Click on **All**

Search for **Service Portal**

Under **Service Portal**, select **Widgets**

Click on **New**

Fill in the widget details:


Name: Lab Reports

ID: lab_reports

Make Widget as **Public** to easily accessible to every user

Description: Widget to display and manage functionalities

Click on **Submit** or **Save**



servicenow					
All Favorites History Workspaces Admin					
Widgets					
Search					
Actions on selected rows...					
Name	ID	Data table	Updated	Package	
Appointment Booking	appointment_booking	Instance [up_instance]	2026-09-11 02:02:17	Medical Diagnosis Center	
My Appointments	my_appointments	Instance [up_instance]	2026-08-27 01:46:43	Medical Diagnosis Center	
Lab Reports	lab_reports	Instance [up_instance]	2026-08-14 01:30:15	Medical Diagnosis Center	
Medical Test Catalog	medical_test_catalog	Instance [up_instance]	2026-08-14 01:22:36	Medical Diagnosis Center	
Faceted Search	faceted_search	Instance with Search [up_instance_ak]	2026-06-03 12:13:32	Service Portal - Core	
Homepage Search		Instance with Search [up_instance_ak]	2026-06-03 12:53:04	Service Portal - Core	
Typeahead Search	typeahead-search	Instance with Search [up_instance_ak]	2026-06-03 12:49:22	Service Portal - Core	
SC Catalog Item	widget-sc-cat-item-v2	Instance [up_instance]	2026-05-06 06:50:28	Service Portal - Service Catalog (do not...	
SC Shopping Cart (Deprecated)	sc-shopping-cart	Instance [up_instance]	2026-04-30 02:30:29	Service Portal - Service Catalog (do not...	
Knowledge Article Comments	knowledge-comments	Instance [up_instance]	2026-04-06 23:22:54	Knowledge Management - Service Portal	

servicenow
All Favorites History Workspaces Admin
Widget - Appointment Booking

Secure public widgets using widget access controls. This widget is public and queries data from tables. [Learn more.](#)

Name Appointment Booking
ID appointment_booking
Description Widget to display and manage functionalities

Body HTML template

```

</div>
<div class="upi-app-title" ng-class="{ 'upi-active': c.payment.upi_app === 'phonepe' }" ng-click="c.selectUp
<div class="upi-app-logo" style="background:#5f259f;">P</div>
<span>PhonePe</span>
</div>
<div class="upi-app-title" ng-class="{ 'upi-active': c.payment.upi_app === 'paytm' }" ng-click="c.selectUpA
<div class="upi-app-logo" style="background:#00b9f5;color:#002970;">P</div>
<span>Paytm</span>
</div>
<div class="upi-app-title" ng-class="{ 'upi-active': c.payment.upi_app === 'bhim' }" ng-click="c.selectUpiAp
<div class="upi-app-logo" style="background:#ff6e00;">B</div>
<span>BHIM</span>
</div>
<div class="upi-app-title" ng-class="{ 'upi-active': c.payment.upi_app === 'amazonpay' }" ng-click="c.select
<div class="upi-app-logo" style="background:#ff9900;color:#232f3e;">A</div>
<span>Amazon</span>
</div>

```

Clone Widget
Update
Delete

Related Links
[Open in Widget Editor](#)
[Run Point Scan](#)

Copy and paste the script as mentioned below

HTML :

```
<div class="lab-reports">
```

```
<!-- HEADER -->
```

```
<div class="rpt-header">
```

```
<div class="rpt-header-left">
```

```
<h1 class="rpt-title"> 📄 My Lab Reports</h1>

<p class="rpt-sub">View and download your diagnostic test results.</p>

</div>

<div class="rpt-header-right">

  <button class="btn-back-home" ng-click="c.goHome()">

    <i class="fa fa-home"></i> Home

  </button>

  <button class="btn-my-bookings" ng-click="c.goBookings()">

    <i class="fa fa-calendar"></i> My Bookings

  </button>

</div>

</div>

<!-- STATS BAR -->

<div class="rpt-stats-bar">

  <div class="rpt-stat-card" ng-repeat="stat in c.stats">

    <span class="rpt-stat-icon">{{stat.icon}}</span>

    <div class="rpt-stat-info">

      <span class="rpt-stat-val">{{stat.count}}</span>

      <span class="rpt-stat-name">{{stat.label}}</span>

    </div>

  </div>

</div>

</div>

<!-- SEARCH -->

<div class="rpt-controls">

  <div class="rpt-search-wrap">

    <i class="fa fa-search"></i>

    <input type="text" class="rpt-search" placeholder="Search by test name or report number..."

  </div>

</div>
```

```
        ng-model="c.searchQuery" ng-change="c.filterReports()" />
    </div>

    <select class="rpt-sort" ng-model="c.sortBy" ng-change="c.filterReports()">

        <option value="date_desc">Newest First</option>

        <option value="date_asc">Oldest First</option>

        <option value="name">By Test Name</option>

    </select>
</div>
```

```
<!-- LOADING -->
```

```
<div class="rpt-loading" ng-if="c.loading">

    <div class="spinner-ring"></div>

    <p>Loading your reports...</p>

</div>
```

```
<!-- EMPTY STATE -->
```

```
<div class="rpt-empty" ng-if="!c.loading && c.filteredReports.length === 0">

    <div class="rpt-empty-icon"><img alt="No reports found icon" data-bbox="358 568 372 582"/></div>

    <h3>No reports found</h3>

    <p ng-if="c.searchQuery">No reports match your search.</p>

    <p ng-if="!c.searchQuery">Your lab reports will appear here once they are uploaded by the diagnostic center.</p>

    <button class="btn-book-test" ng-click="c.goHome()">Browse Tests</button>

</div>
```

```
<!-- REPORTS LIST -->
```

```
<div class="rpt-list" ng-if="!c.loading && c.filteredReports.length > 0">

    <div class="rpt-card" ng-repeat="report in c.filteredReports">
```

```
<!-- STATUS BAR -->
```

```
<div class="rpt-card-accent" ng-style="{ 'background': c.getStatusColor(report.status)}"></div>
```

```
<div class="rpt-card-content">
```

```
<!-- TOP ROW -->
```

```
<div class="rpt-card-top">
```

```
<div class="rpt-card-title-group">
```

```
<span class="rpt-icon">{{c.getCategoryIcon(report.test_category)}}</span>
```

```
<div>
```

```
<h3 class="rpt-test-name" ng-bind="report.test_name"></h3>
```

```
<span class="rpt-number" ng-bind="report.report_number"></span>
```

```
</div>
```

```
</div>
```

```
<div class="rpt-status-wrap">
```

```
<span class="rpt-status-pill"
```

```
ng-style="{ 'background': c.getStatusBg(report.status), 'color': c.getStatusColor(report.status)}">
```

```
{{c.getStatusLabel(report.status)}}</span>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- META -->
```

```
<div class="rpt-meta">
```

```
<div class="rpt-meta-chip">
```

```
<i class="fa fa-calendar"></i>
```

```
<span>Test Date: {{report.test_date_display || 'N/A'}}</span>
```

```
</div>
```

```
<div class="rpt-meta-chip">
```

```
<i class="fa fa-clock-o"></i>
```

```
<span>Report Date: {{report.report_date_display || 'N/A'}}</span>
```

```
</div>

<div class="rpt-meta-chip" ng-if="report.doctor_name">

  <i class="fa fa-user-md"></i>

  <span>Dr. {{report.doctor_name}}</span>

</div>

<div class="rpt-meta-chip" ng-if="report.test_category">

  <i class="fa fa-tag"></i>

  <span>{{report.test_category}}</span>

</div>
</div>

<!-- SUMMARY / FINDINGS — rendered as rich HTML -->
<div class="rpt-findings" ng-if="report.findings">

  <div class="rpt-findings-label"><i class="fa fa-file-text-o"></i> Findings</div>

  <div class="rpt-findings-body" ng-bind-html="report.findings"></div>

</div>

<!-- REMARKS -->
<div class="rpt-remarks" ng-if="report.remarks">

  <i class="fa fa-comment-o"></i> <em ng-bind="report.remarks"></em>

</div>

<!-- ACTIONS -->
<div class="rpt-actions">

  <button class="rpt-btn btn-view-detail" ng-click="c.viewDetail(report)">

    <i class="fa fa-eye"></i> View Details

  </button>

  <button class="rpt-btn btn-download" ng-if="report.report_url" ng-click="c.downloadReport(report)">

    <i class="fa fa-download"></i> Download Report
```

```

    </button>

    <span class="rpt-appt-link" ng-if="report.appointment_number">

        Booking: <strong ng-bind="report.appointment_number"></strong>

    </span>

</div>

</div>

</div>

</div>

```

```

<!-- DETAIL MODAL -->

<div class="rpt-modal-overlay" ng-if="c.showModal" ng-click="c.closeModal()">

    <div class="rpt-modal-box" ng-click="$event.stopPropagation()">

        <div class="rpt-modal-header">

            <h3>Report Details</h3>

            <button class="rpt-modal-close" ng-click="c.closeModal()">X</button>

        </div>

        <div class="rpt-modal-body" ng-if="c.selectedReport">

            <div class="rpt-detail-grid">

                <div class="rpt-detail-item">

                    <span class="rpt-detail-key">Report #</span>

                    <span class="rpt-detail-val mono" ng-bind="c.selectedReport.report_number"></span>

                </div>

                <div class="rpt-detail-item">

                    <span class="rpt-detail-key">Status</span>

                    <span class="rpt-detail-val">

                        <span class="rpt-status-pill"

                            ng-style="{ 'background': c.getStatusBg(c.selectedReport.status), 'color':
c.getStatusColor(c.selectedReport.status)}">

                                {{c.getStatusLabel(c.selectedReport.status)}}

                            </span>


```

```
</span>

</div>

<div class="rpt-detail-item">

  <span class="rpt-detail-key">Test Name</span>

  <span class="rpt-detail-val" ng-bind="c.selectedReport.test_name"></span>

</div>

<div class="rpt-detail-item">

  <span class="rpt-detail-key">Category</span>

  <span class="rpt-detail-val" ng-bind="c.selectedReport.test_category"></span>

</div>

<div class="rpt-detail-item">

  <span class="rpt-detail-key">Test Date</span>

  <span class="rpt-detail-val" ng-bind="c.selectedReport.test_date_display"></span>

</div>

<div class="rpt-detail-item">

  <span class="rpt-detail-key">Report Date</span>

  <span class="rpt-detail-val" ng-bind="c.selectedReport.report_date_display"></span>

</div>

<div class="rpt-detail-item">

  <span class="rpt-detail-key">Doctor</span>

  <span class="rpt-detail-val" ng-bind="c.selectedReport.doctor_name || 'N/A'"></span>

</div>

<div class="rpt-detail-item">

  <span class="rpt-detail-key">Appointment #</span>

  <span class="rpt-detail-val mono" ng-bind="c.selectedReport.appointment_number || 'N/A'"></span>

</div>

<!-- Findings rendered as rich HTML in modal -->

<div class="rpt-detail-item full">

  <span class="rpt-detail-key">Findings</span>
```

```

    <div class="rpt-modal-findings" ng-if="c.selectedReport.findings" ng-bind-
html="c.selectedReport.findings"></div>

    <span class="rpt-detail-val" ng-if="!c.selectedReport.findings">None</span>

</div>

<div class="rpt-detail-item full">

    <span class="rpt-detail-key">Remarks</span>

    <span class="rpt-detail-val" ng-bind="c.selectedReport.remarks || 'None'"></span>

</div>

</div>

</div>

<div class="rpt-modal-footer">

    <button class="rpt-btn btn-download"

        ng-if="c.selectedReport && c.selectedReport.report_url"

        ng-click="c.downloadReport(c.selectedReport)">

        <i class="fa fa-download"></i> Download Report

    </button>

    <button class="rpt-btn btn-close-modal" ng-click="c.closeModal()">Close</button>

</div>

</div>

</div>

```

</div>

CSS :

```

.lab-reports {

    --primary: #0a2463;

    --accent: #00b4d8;

    --success: #10b981;

    --warning: #f59e0b;

    --danger: #ef4444;

    --info: #3b82f6;

```

```
--gray-50: #f8fafc;
--gray-100: #f1f5f9;
--gray-200: #e2e8f0;
--gray-400: #94a3b8;
--gray-600: #475569;
--gray-800: #1e293b;
--white: #ffffff;
--shadow-sm: 0 1px 4px rgba(0,0,0,0.07);
--shadow-md: 0 4px 14px rgba(0,0,0,0.09);
--radius: 14px;
font-family: 'Segoe UI', system-ui, sans-serif;
background: var(--gray-50);
min-height: 100vh;
padding: 0 0 60px;
}

/* HEADER */
.rpt-header {
  background: linear-gradient(135deg, var(--primary) 0%, #1e3a8a 100%);
  padding: 40px 40px 50px;
  display: flex;
  align-items: flex-start;
  justify-content: space-between;
  border-radius: 0 0 32px 32px;
  flex-wrap: wrap;
  gap: 20px;
}
.rpt-title { font-size: 32px; font-weight: 800; color: #fff; margin: 0 0 8px; }
.rpt-sub { color: #bfdbfe; margin: 0; font-size: 15px; }
```

```
.rpt-header-right { display: flex; gap: 12px; flex-wrap: wrap; align-items: flex-start; }

.btn-back-home, .btn-my-bookings {
  display: inline-flex; align-items: center; gap: 8px;
  padding: 10px 20px; border: none; border-radius: 10px;
  font-size: 14px; font-weight: 700; cursor: pointer; transition: all 0.2s;
}

.btn-back-home {
  background: rgba(255,255,255,0.15);
  color: #fff; border: 1px solid rgba(255,255,255,0.3);
}

.btn-back-home:hover { background: rgba(255,255,255,0.25); }

.btn-my-bookings {
  background: var(--accent); color: #fff;
  box-shadow: 0 4px 14px rgba(0,180,216,0.35);
}

.btn-my-bookings:hover { transform: translateY(-2px); }

/* STATS BAR */

.rpt-stats-bar { display: flex; gap: 16px; padding: 24px 40px 0; flex-wrap: wrap; }

.rpt-stat-card {
  flex: 1; min-width: 120px; background: var(--white);
  border-radius: var(--radius); border: 1px solid var(--gray-200);
  padding: 16px 20px; display: flex; align-items: center; gap: 14px;
  box-shadow: var(--shadow-sm);
}

.rpt-stat-icon { font-size: 28px; }

.rpt-stat-info { display: flex; flex-direction: column; }

.rpt-stat-val { font-size: 22px; font-weight: 800; color: var(--primary); line-height: 1; }
```

```
.rpt-stat-name { font-size: 12px; color: var(--gray-600); margin-top: 2px; }
```

```
/* CONTROLS */
```

```
.rpt-controls {  
  display: flex; align-items: center; gap: 12px;  
  padding: 20px 40px; flex-wrap: wrap;  
}
```

```
.rpt-search-wrap {  
  position: relative; flex: 1; max-width: 400px;  
}
```

```
.rpt-search-wrap .fa {  
  position: absolute; left: 12px; top: 50%;  
  transform: translateY(-50%); color: var(--gray-400);  
}
```

```
.rpt-search {  
  padding: 10px 14px 10px 36px; border: 2px solid var(--gray-200);  
  border-radius: 10px; font-size: 14px; width: 100%; outline: none;  
  transition: border-color 0.2s; box-sizing: border-box;  
}
```

```
.rpt-search:focus { border-color: var(--accent); }
```

```
.rpt-sort {  
  padding: 10px 14px; border: 2px solid var(--gray-200);  
  border-radius: 10px; font-size: 14px; background: var(--white);  
  cursor: pointer; outline: none;  
}
```

```
.rpt-sort:focus { border-color: var(--accent); }
```

```
/* LOADING */
```

```
.rpt-loading { text-align: center; padding: 60px; color: var(--gray-600); }
```

```
.spinner-ring {  
  display: inline-block; width: 44px; height: 44px;  
  border: 4px solid var(--gray-200); border-top-color: var(--accent);  
  border-radius: 50%; animation: spin 0.8s linear infinite; margin-bottom: 14px;  
}  
  
@keyframes spin { to { transform: rotate(360deg); } }
```

```
/* EMPTY */
```

```
.rpt-empty { text-align: center; padding: 60px 40px; }  
.rpt-empty-icon { font-size: 56px; margin-bottom: 16px; }  
.rpt-empty h3 { font-size: 20px; color: var(--gray-800); margin: 0 0 8px; }  
.rpt-empty p { color: var(--gray-600); margin: 0 0 20px; }  
.btn-book-test {  
  padding: 12px 28px; background: var(--primary); color: #fff;  
  border: none; border-radius: 10px; font-size: 15px; font-weight: 700;  
  cursor: pointer; transition: background 0.2s;  
}  
  
.btn-book-test:hover { background: #1e3a8a; }
```

```
/* REPORTS LIST */
```

```
.rpt-list { padding: 8px 40px; display: flex; flex-direction: column; gap: 16px; }
```

```
/* REPORT CARD */
```

```
.rpt-card {  
  background: var(--white); border-radius: var(--radius);  
  border: 1px solid var(--gray-200); display: flex; overflow: hidden;  
  box-shadow: var(--shadow-sm); transition: box-shadow 0.2s, transform 0.2s;  
}  
  
.rpt-card:hover { box-shadow: var(--shadow-md); transform: translateY(-2px); }
```

```
.rpt-card-accent { width: 5px; flex-shrink: 0; }

.rpt-card-content { flex: 1; padding: 20px 24px; }


/* TOP ROW */

.rpt-card-top {

  display: flex; align-items: flex-start; justify-content: space-between;

  margin-bottom: 14px; gap: 12px; flex-wrap: wrap;

}

.rpt-card-title-group { display: flex; align-items: center; gap: 14px; }

.rpt-icon { font-size: 32px; }

.rpt-test-name { font-size: 17px; font-weight: 700; color: var(--gray-800); margin: 0 0 4px; }

.rpt-number { font-size: 12px; color: var(--gray-400); font-family: 'Courier New', monospace; }

.rpt-status-wrap { display: flex; flex-wrap: wrap; gap: 8px; align-items: center; }

.rpt-status-pill {

  display: inline-flex; align-items: center; gap: 5px;

  padding: 5px 14px; border-radius: 20px; font-size: 12px; font-weight: 700;

}


/* META */

.rpt-meta { display: flex; flex-wrap: wrap; gap: 10px; margin-bottom: 12px; }

.rpt-meta-chip {

  display: inline-flex; align-items: center; gap: 5px;

  font-size: 13px; color: var(--gray-600); background: var(--gray-100);

  padding: 4px 10px; border-radius: 6px;

}

.rpt-meta-chip .fa { color: var(--accent); font-size: 12px; }


/* FINDINGS — container */

.rpt-findings {
```

```
background: #f0f9ff;

border-left: 3px solid var(--accent);

border-radius: 0 8px 8px 0;

padding: 12px 16px;

margin-bottom: 12px;

overflow-x: auto;
}

.rpt-findings-label {

font-size: 11px; font-weight: 700; color: var(--accent);

margin-bottom: 10px; text-transform: uppercase; letter-spacing: 0.5px;
}


/* Rich HTML body inside findings (card view) */

.rpt-findings-body { font-size: 13px; color: var(--gray-800); }


.rpt-findings-body h3 {

font-size: 15px; font-weight: 700; color: var(--primary);

margin: 0 0 10px; padding-bottom: 6px;

border-bottom: 2px solid var(--accent);
}

.rpt-findings-body p { margin: 8px 0; font-size: 13px; color: var(--gray-600); }

.rpt-findings-body strong { color: var(--gray-800); }


/* Table inside findings */

.rpt-findings-body table,

.rpt-modal-findings table {

width: 100%;

border-collapse: collapse;

font-size: 13px;
```

```
margin: 8px 0;

background: var(--white);

border-radius: 8px;

overflow: hidden;

box-shadow: var(--shadow-sm);
}

.rpt-findings-body table thead tr,
.rpt-modal-findings table thead tr {

background: var(--primary);

color: #fff;

}

.rpt-findings-body table th,
.rpt-modal-findings table th {

padding: 10px 14px;

text-align: left;

font-size: 12px;

font-weight: 700;

letter-spacing: 0.3px;

border: none;

}

.rpt-findings-body table td,
.rpt-modal-findings table td {

padding: 9px 14px;

border-bottom: 1px solid var(--gray-100);

color: var(--gray-800);

vertical-align: middle;

}

.rpt-findings-body table tbody tr:last-child td,
.rpt-modal-findings table tbody tr:last-child td {
```

```
border-bottom: none;
}

.rpt-findings-body table tbody tr:nth-child(even),
.rpt-modal-findings table tbody tr:nth-child(even) {
    background: var(--gray-50);
}

.rpt-findings-body table tbody tr:hover,
.rpt-modal-findings table tbody tr:hover {
    background: #e0f2fe;
    transition: background 0.15s;
}

/* Status text colours inside findings table (Normal / Abnormal) */
.rpt-findings-body td:last-child,
.rpt-modal-findings td:last-child {
    font-weight: 700;
}

/* REMARKS */
.rpt-remarks {
    font-size: 13px; color: var(--gray-600); background: var(--gray-50);
    border-left: 3px solid var(--gray-200); padding: 6px 12px; margin-bottom: 12px;
    border-radius: 0 6px 6px 0;
}

/* ACTIONS */
.rpt-actions { display: flex; align-items: center; gap: 10px; flex-wrap: wrap; }
.rpt-btn {
    display: inline-flex; align-items: center; gap: 6px;
```

```
padding: 7px 16px; border-radius: 8px; font-size: 13px; font-weight: 600;

cursor: pointer; border: none; transition: all 0.2s;
}

.btn-view-detail { background: #dbeafe; color: #1d4ed8; }

.btn-view-detail:hover { background: #bdfdbf; }

.btn-download { background: #dcfce7; color: #166534; }

.btn-download:hover { background: #bbf7d0; }

.btn-close-modal { background: var(--primary); color: #fff; }

.btn-close-modal:hover { background: #1e3a8a; }

.rpt-appt-link { margin-left: auto; font-size: 11px; color: var(--gray-400); }


/* MODAL */

.rpt-modal-overlay {

  position: fixed; inset: 0; background: rgba(0,0,0,0.5);

  z-index: 9999; display: flex; align-items: center;

  justify-content: center; padding: 20px;
}

.rpt-modal-box {

  background: var(--white); border-radius: 20px;

  max-width: 680px; width: 100%; overflow: hidden;

  box-shadow: 0 20px 60px rgba(0,0,0,0.25);

  animation: slideUp 0.3s ease;

  max-height: 90vh;

  display: flex;

  flex-direction: column;
}

@keyframes slideUp {

  from { opacity: 0; transform: translateY(20px); }

  to { opacity: 1; transform: translateY(0); }
```

```
}

.rpt-modal-header {
  display: flex; align-items: center; justify-content: space-between;
  padding: 20px 24px; background: var(--primary); color: #fff;
  flex-shrink: 0;
}

.rpt-modal-header h3 { margin: 0; font-size: 18px; }

.rpt-modal-close {
  background: none; border: none; color: #fff;
  font-size: 20px; cursor: pointer; opacity: 0.8;
}

.rpt-modal-close:hover { opacity: 1; }

.rpt-modal-body { padding: 24px; overflow-y: auto; flex: 1; }

.rpt-modal-footer {
  padding: 16px 24px; border-top: 1px solid var(--gray-100);
  display: flex; justify-content: flex-end; gap: 10px;
  flex-shrink: 0;
}

/* Rich HTML findings inside modal */

.rpt-modal-findings {
  margin-top: 6px;
  font-size: 13px;
  color: var(--gray-800);
  overflow-x: auto;
}

.rpt-modal-findings h3 {
  font-size: 15px; font-weight: 700; color: var(--primary);
  margin: 0 0 10px; padding-bottom: 6px;
}
```

```

border-bottom: 2px solid var(--accent);
}

.rpt-modal-findings p { margin: 8px 0; color: var(--gray-600); }

/* DETAIL GRID */

.rpt-detail-grid { display: grid; grid-template-columns: 1fr 1fr; gap: 14px; }

.rpt-detail-item { display: flex; flex-direction: column; gap: 4px; }

.rpt-detail-item.full { grid-column: 1 / -1; }

.rpt-detail-key {
  font-size: 11px; font-weight: 700; text-transform: uppercase;
  color: var(--gray-400); letter-spacing: 0.4px;
}

.rpt-detail-val { font-size: 14px; font-weight: 600; color: var(--gray-800); }

.rpt-detail-val.mono { font-family: 'Courier New', monospace; color: var(--primary); }

/* RESPONSIVE */

@media (max-width: 768px) {
  .rpt-header, .rpt-stats-bar, .rpt-controls, .rpt-list {
    padding-left: 16px; padding-right: 16px;
  }

  .rpt-card-top { flex-direction: column; }

  .rpt-detail-grid { grid-template-columns: 1fr; }

  .rpt-modal-box { max-width: 100%; }
}

```

Client Code:

```

function($sce) {
  var c = this;

```

```

// — PAGE IDs —————

```

```

var PAGE_IDS = {
    home:      'test_catalog',
    myAppointments: 'my_appointments'
};

c.loading      = false;
c.searchQuery  = '';
c.sortBy       = 'date_desc';
c.filteredReports = [];
c.showModal    = false;
c.selectedReport = null;

c.stats = [
    { icon: '📄', label: 'Total Reports', count: 0 },
    { icon: '☑', label: 'Ready',      count: 0 },
    { icon: '⌚', label: 'Pending',    count: 0 },
    { icon: '🔗', label: 'Tests Completed', count: 0 }
];

// — TRUST HTML FINDINGS —————
// Converts raw HTML string in findings to trusted HTML so
// ng-bind-html renders the formatted table instead of plain text
var trustFindings = function(reports) {
    reports.forEach(function(r) {
        if (r.findings && typeof r.findings === 'string') {
            r.findings = $sce.trustAsHtml(r.findings);
        }
    });
};

```

```
// — NAVIGATION —————
```

```
var _nav = function(pageId) {  
    var portalId = window.location.pathname.split('/')[1] || 'sp';  
    window.location.href = '/' + portalId + '?id=' + pageId;  
};
```

```
// — INIT —————
```

```
c.$onInit = function() {  
    c.buildStats();  
    c.filterReports();  
};
```

```
c.buildStats = function() {  
    var rpts = c.data.reports || [];  
    c.stats[0].count = rpts.length;  
    c.stats[1].count = rpts.filter(function(r) { return r.status === 'ready'; }).length;  
    c.stats[2].count = rpts.filter(function(r) { return r.status === 'pending'; }).length;  
    c.stats[3].count = rpts.filter(function(r) {  
        return r.status === 'completed' || r.status === 'ready';  
    }).length;  
};
```

```
c.filterReports = function() {  
    var all = angular.copy(c.data.reports || []);  
    var q = (c.searchQuery || '').toLowerCase();
```

```
c.filteredReports = all.filter(function(r) {  
    return !q ||
```

```

(r.test_name  && r.test_name.toLowerCase().indexOf(q)  !== -1) ||
(r.report_number && r.report_number.toLowerCase().indexOf(q) !== -1) ||
(r.doctor_name  && r.doctor_name.toLowerCase().indexOf(q)  !== -1);
});

c.filteredReports.sort(function(a, b) {
  if (c.sortBy === 'date_asc') return (a.report_date || '').localeCompare(b.report_date || '');
  if (c.sortBy === 'date_desc') return (b.report_date || '').localeCompare(a.report_date || '');
  if (c.sortBy === 'name')    return (a.test_name  || '').localeCompare(b.test_name  || '');
  return 0;
});

// ★ Trust HTML findings for all filtered reports so ng-bind-html renders properly
trustFindings(c.filteredReports);
};

// — STATUS HELPERS —————
var RPT_STATUS = {
  'ready':    { color: '#10b981', bg: '#dcfce7', label: '☑ Ready'    },
  'completed': { color: '#10b981', bg: '#dcfce7', label: '☑ Completed' },
  'pending':  { color: '#f59e0b', bg: '#fef3c7', label: '⌚ Pending'  },
  'processing': { color: '#3b82f6', bg: '#dbeafe', label: '🔄 Processing' }
};

var _rptProp = function(s, prop, fallback) {
  return (RPT_STATUS[s] && RPT_STATUS[s][prop]) ? RPT_STATUS[s][prop] : fallback;
};

c.getStatusColor = function(s) { return _rptProp(s, 'color', '#94a3b8'); };

```

```
c.getStatusBg = function(s) { return _rptProp(s, 'bg', '#f1f5f9'); };  
c.getStatusLabel = function(s) { return _rptProp(s, 'label', s || 'Ready'); };
```

```
c.getCategoryIcon = function(cat) {  
  var icons = {  
    'blood': '💧',  
    'urine': '🩺',  
    'imaging': '🦴',  
    'radiology': '🦴',  
    'cardiology': '❤️',  
    'neurology': '🧠',  
    'genetics': '🧬',  
    'pathology': '🔬'  
  };  
  
  if (!cat) return '🔬';  
  
  var k = cat.toLowerCase();  
  
  for (var key in icons) { if (k.indexOf(key) !== -1) return icons[key]; }  
  
  return '🔬';  
};
```

```
// — MODAL —————
```

```
c.viewDetail = function(report) {  
  // Use angular.copy so modal has its own independent copy  
  c.selectedReport = angular.copy(report);  
  
  // ★ Trust HTML findings for the modal view  
  if (c.selectedReport.findings && typeof c.selectedReport.findings === 'string') {  
    c.selectedReport.findings = $sce.trustAsHtml(c.selectedReport.findings);  
  }  
}
```

```
c.showModal = true;

};
```

```
c.closeModal = function() {

    c.showModal    = false;

    c.selectedReport = null;

};
```

```
c.downloadReport = function(report) {

    if (report && report.report_url) {

        window.open(report.report_url, '_blank');

    } else {

        alert('Report file is not yet available for download.');
```

```
// — NAVIGATION —————
```

```
c.goHome    = function() { _nav(PAGE_IDS.home); };

c.goBookings = function() { _nav(PAGE_IDS.myAppointments); };

}
```

Server Code:

```
(function() {

    data.reports = [];

    try {

        var userID  = gs.getUserID();

        var userEmail = gs.getUser().getEmail() || '';
```

```
// — STEP 1: Collect ALL patient sys_ids for this user —————
```

```
var patientMap = {};
```

```
var patientSysIds = [];
```

```
// A) By user reference field on patient table
```

```
var p1 = new GlideRecord('x_1883080_medica_0_patient');
```

```
p1.addQuery('user', userID);
```

```
p1.query();
```

```
while (p1.next()) {
```

```
    var pid1 = p1.getUniqueValue();
```

```
    if (!patientMap[pid1]) { patientMap[pid1] = true; patientSysIds.push(pid1); }
```

```
}
```

```
// B) By email match
```

```
if (userEmail) {
```

```
    var p2 = new GlideRecord('x_1883080_medica_0_patient');
```

```
    p2.addQuery('email', userEmail);
```

```
    p2.query();
```

```
    while (p2.next()) {
```

```
        var pid2 = p2.getUniqueValue();
```

```
        if (!patientMap[pid2]) { patientMap[pid2] = true; patientSysIds.push(pid2); }
```

```
    }
```

```
}
```

```
// C) Find patients via appointments created by this user
```

```
var a1 = new GlideRecord('x_1883080_medica_0_appointment_table');
```

```
a1.addQuery('created_by', userID);
```

```
a1.query();
```

```
while (a1.next()) {  
    var pRef = a1.getValue('patient');  
    if (pRef && !patientMap[pRef]) {  
        patientMap[pRef] = true;  
        patientSysIds.push(pRef);  
    }  
}
```

```
if (patientSysIds.length === 0) {  
    data.reports = [];  
    return;  
}
```

// — STEP 2: Query reports by patient field —————

```
var reportGr = new GlideRecord('x_1883080_medica_0_report_table');  
reportGr.addQuery('patient', 'IN', patientSysIds.join(','));  
reportGr.orderByDesc('sys_created_on');  
reportGr.query();
```

```
while (reportGr.next()) {
```

```
    // Get appointment details — number, test name, category, test date
```

```
    var testName      = "";  
    var testCategory  = "";  
    var apptNum       = "";  
    var testDateRaw   = "";  
    var testDateDisplay = "";  
    var apptRef       = reportGr.getValue('appointment');
```

```

if (apptRef) {

    var apptGr = new GlideRecord('x_1883080_medica_0_appointment_table');

    if (apptGr.get(apptRef)) {

        apptNum = apptGr.getValue('appointment_number') || '';

        // Try common date field names on appointment table
        var rawApptDate = apptGr.getValue('appointment_date')

            || apptGr.getValue('scheduled_date')

            || apptGr.getValue('test_date')

            || apptGr.getValue('date')

            || '';

        if (rawApptDate) {

            testDateRaw = rawApptDate;

            try {

                testDateDisplay = new GlideDateTime(rawApptDate).getLocalDate().getValue();

            } catch(de) {

                testDateDisplay = rawApptDate.split(' ')[0] || rawApptDate;

            }

        }

        // Test name and category from linked diagnostic test
        var testRef = apptGr.getValue('test');

        if (testRef) {

            var testGr = new GlideRecord('x_1883080_medica_0_diagnostic_test');

            if (testGr.get(testRef)) {

                testName    = testGr.getValue('test_name') || '';

                testCategory = testGr.getDisplayValue('category') || testGr.getValue('category') || '';
            }
        }
    }
}

```

```
    }  
  }  
}  
}
```

```
// Verified by / doctor name
```

```
var doctorName = "";
```

```
var verifiedRef = reportGr.getValue('verified_by');
```

```
if (verifiedRef) {
```

```
    var docGr = new GlideRecord('sys_user');
```

```
    if (docGr.get(verifiedRef)) {
```

```
        doctorName = docGr.getDisplayValue('name') || "";
```

```
    }
```

```
}
```

```
// Format report date
```

```
var reportDateRaw = reportGr.getValue('report_date') || "";
```

```
var reportDateDisplay = "";
```

```
if (reportDateRaw) {
```

```
    try {
```

```
        reportDateDisplay = new GlideDateTime(reportDateRaw).getLocalDate().getValue();
```

```
    } catch(de) {
```

```
        reportDateDisplay = reportDateRaw.split(' ')[0] || reportDateRaw;
```

```
    }
```

```
}
```

```
// Status
```

```
var rptStatus = 'ready';
```

```
try {
```

```

var sv = reportGr.getValue('status');

if (sv) rptStatus = sv;

} catch(se) { /* field doesn't exist, use default */ }


// Findings — preserve full HTML for rich table display
var findingsHTML = "";

try {

    findingsHTML = reportGr.getHTMLValue('findings') || "";

} catch(fe) {

    findingsHTML = reportGr.getValue('findings') || "";

}


data.reports.push({

    sys_id:      reportGr.getUniqueValue(),

    report_number:  reportGr.getValue('report_number') || "",

    status:      rptStatus,

    findings:      findingsHTML,

    test_date:      testDateRaw,

    test_date_display: testDateDisplay,

    report_date:      reportDateRaw,

    report_date_display: reportDateDisplay,

    doctor_name:      doctorName,

    report_url:      "",

    test_name:      testName || ('Report ' + (reportGr.getValue('report_number') || "")),

    test_category:      testCategory,

    appointment_number: apptNum

});

}

```

```

} catch(e) {

    gs.error('Lab Reports Widget Error: ' + e.message);

    data.error = e.message;

    data.reports = [];

}

})();

```

Creation of pages(Test Catlog Pages):

Navigate to the **Application Navigator**

Click on **All**

Search for **Service Portal**

Under **Service Portal**, select **Pages**

Click on **New**

Fill in the page details:

Page Title: Test Catalog


ID: test_catalog

Page Type: Standard

Description: Page for Medical Diagnostic Center through Service Portal

Make Public as True

Click on **Submit** or **Save**



servicenow Pages					
All Favorites History Workspaces Admin					
Pages Updated Search					
Actions on selected rows... New					
ID	Title	Short description	Updated	Package	
lab_reports	lab Reports	Page for Medical Diagnostic Center throu...	2026-08-18 02:30:31	Medical Diagnosis Center	
my_appointments	My Appointments	Page for Medical	2026-08-18 02:29:49	Medical Diagnosis Center	
appointment_booking	Book Appointment	Page for Medical	2026-08-18 02:28:55	Medical Diagnosis Center	
test_catalog	Test Catalog	Page for Medical Diagnostic Center throu...	2026-08-12 09:25:29	Medical Diagnosis Center	
mw_sc_cat_item_guide	Order Guide	Displays an Order guide for Next wave ex...	2026-04-04 02:48:30	Service Portal - Service Catalog (do not...	
mw_sc_cat_item	Catalog Item	Display a Catalog Item for Next wave exp...	2026-04-04 02:48:15	Service Portal - Service Catalog (do not...	
va_order_status	Order Status	Order status page for VA experiences	2026-04-04 02:47:56	Service Portal - Service Catalog (do not...	
landing	Service Portal		2026-01-28 03:18:16	Service Portal - Core	
kb_article_view	Knowledge Article View	Knowledge Article View Page	2025-11-20 23:37:11	Knowledge Management - Service Portal	
enroll_soft_pin	Enroll Soft PIN	Enroll Soft PIN for user	2025-11-08 21:42:47	Authentication Factors - Soft PIN	
approval_details	Approval Details		2025-10-13 04:12:28	Service Portal - Core	
ec_standard_home	Employee Center Homepage	An employee's one stop shop to get help.	2025-10-02 23:21:16	Employee Center	

Page

test_catalog

Try It

Update

Title

Test Catalog

* ID

test_catalog

Application

Medical Diagnosis Center

Public

☒

Draft

☐

Short description

Page for Medical Diagnostic Center through Service Portal

Page Specific CSS

Dynamic page title

Use SEO script

☐

Human readable url structure

Creation of pages(Book Appointments):

Navigate to the Application Navigator

Click on All

Search for Service Portal

Under Service Portal, select Pages

Click on New

Fill in the page details:

Page Title: Book Appointment


ID: appointment_booking

Page Type: Standard

Description: Page for Medical Diagnostic Center through Service Portal

Make Public as True

Click on Submit or Save



servicenow All Favorites History Workspaces Admin Pages					
Pages Updated Search					
All	ID	Title	Short description	Updated	Package
☐	lab_reports	Lab Reports	Page for Medical Diagnostic Center thro...	2026-08-18 02:30:31	Medical Diagnosis Center
☐	my_appointments	My Appointments	Page for Medical Page for Medical Diagnostic Center through Service Portal	2026-08-18 02:29:49	Medical Diagnosis Center
☐	appointment_booking	Book Appointment	Page for Medical	2026-08-18 02:28:55	Medical Diagnosis Center
☒	test_catalog	Test Catalog	Page for Medical Diagnostic Center thro...	2026-08-12 09:25:29	Medical Diagnosis Center
☐	nw_sc_cat_item_guide	Order Guide	Displays an Order guide for Next wave ex...	2026-04-04 02:48:30	Service Portal - Service Catalog (do not...
☐	nw_sc_cat_item	Catalog Item	Display a Catalog item for Next wave exp...	2026-04-04 02:48:15	Service Portal - Service Catalog (do not...
☐	va_order_status	Order Status	Order status page for VA experiences	2026-04-04 02:47:56	Service Portal - Service Catalog (do not...
☐	landing	Service Portal		2026-01-28 03:18:16	Service Portal - Core
☐	kb_article_view	Knowledge Article View	Knowledge Article View Page	2025-11-20 23:37:11	Knowledge Management - Service Portal
☐	enroll_soft_pin	Enroll Soft PIN	Enroll Soft PIN for user	2025-11-08 21:42:47	Authentication Factors - Soft PIN
☐	approval_details	Approval Details		2025-10-13 04:12:28	Service Portal - Core
☐	ec_standard_home	Employee Center Homepage	An employee's one stop shop to get help.	2025-10-02 23:21:16	Employee Center

Page

appointment_booking

Title

Book Appointment

Application

Medical Diagnosis Center

* ID

appointment_booking

Public

☒

Draft

☐

Short description

Page for Medical Diagnostic Center through Service Portal

Page Specific CSS

Dynamic page title

Use SEO script

☐

Creation of pages(My Appointments):

Navigate to the Application Navigator

Click on All

Search for Service Portal

Under Service Portal, select Pages

Click on New

Fill in the page details:

Page Title: My Appointments


ID: my_appointments

Page Type: Standard

Description: Page for Medical Diagnostic Center through Service Portal

Make Public as True

Click on Submit or Save



ID	Title	Short description	Updated	Package
lab_reports	Lab Reports	Page for Medical Diagnostic Center throu...	2024-08-18 02:30:31	Medical Diagnosis Center
my_appointments	My Appointments	Page for Medical Diagnostic Center throu...	2024-08-18 02:29:49	Medical Diagnosis Center
appointment_booking	Book Appointment	Page for Medical Diagnostic Center throu...	2024-08-18 02:28:55	Medical Diagnosis Center
test_catalog	Test Catalog	Page for Medical Diagnostic Center throu...	2024-08-12 09:25:29	Medical Diagnosis Center
nw_sc_cat_item_guide	Order Guide	Displays an Order guide for Next wave ex...	2024-04-04 02:48:30	Service Portal - Service Catalog (do not...
nw_sc_cat_item	Catalog Item	Display a Catalog item for Next wave exp...	2024-04-04 02:48:15	Service Portal - Service Catalog (do not...
va_order_status	Order Status	Order status page for VA experiences	2024-04-04 02:47:56	Service Portal - Service Catalog (do not...
landing	Service Portal		2024-01-28 03:18:16	Service Portal - Core
kb_article_view	Knowledge Article View	Knowledge Article View Page	2023-11-20 23:37:11	Knowledge Management - Service Portal
enroll_soft_pin	Enroll Soft PIN	Enroll Soft PIN for user	2023-11-08 21:42:47	Authentication Factors - Soft PIN
approval_details	Approval Details		2023-10-13 04:12:28	Service Portal - Core
ec_standard_home	Employee Center Homepage	An employee's one stop shop to get help.	2023-10-02 23:21:16	Employee Center

servicenow Page - my_appointments

Title:

* ID:

Application:

Public: ☒

Draft: ☐

Short description:

Page Specific CSS:

Dynamic page title:

Use SEO script: ☐

Creation of pages(Lab Reports):

Navigate to the Application Navigator

Click on All

Search for Service Portal

Under Service Portal, select Pages

Click on New

Fill in the page details:

Page Title: lab Reports


ID: lab_reports

Page Type: Standard

Description: Page for Medical Diagnostic Center through Service Portal

Make Public as True

Click on Submit or Save



servicenow Pages					
All Favorites History Workspaces Admin					
Pages Updated Search					
Actions on selected rows... New					
ID	Title	Short description	Updated	Package	
lab_reports	lab Reports	Page for Medical Diagnostic Center thro...	2026-08-18 02:30:31	Medical Diagnosis Center	
my_appointments	My Appointments	Page for Medical Diagnostic Center through Service Portal	2026-08-18 02:29:49	Medical Diagnosis Center	
appointment_booking	Book Appointment	Page for Medical Diagnostic Center thro...	2026-08-18 02:28:55	Medical Diagnosis Center	
test_catalog	Test Catalog	Page for Medical Diagnostic Center thro...	2026-08-12 09:25:29	Medical Diagnosis Center	
mw_sc_cat_item_guide	Order Guide	Displays an Order guide for Next wave ex...	2026-04-04 02:48:30	Service Portal - Service Catalog (do not...	
mw_sc_cat_item	Catalog Item	Display a Catalog Item for Next wave exp...	2026-04-04 02:48:15	Service Portal - Service Catalog (do not...	
va_order_status	Order Status	Order status page for VA experiences	2026-04-04 02:47:56	Service Portal - Service Catalog (do not...	
landing	Service Portal		2026-01-28 03:18:16	Service Portal - Core	
kb_article_view	Knowledge Article View	Knowledge Article View Page	2025-11-20 23:37:11	Knowledge Management - Service Portal	
enroll_soft_pin	Enroll Soft PIN	Enroll Soft PIN for user	2025-11-08 21:42:47	Authentication Factors - Soft PIN	
approval_details	Approval Details		2025-10-13 04:12:28	Service Portal - Core	
ec_standard_home	Employee Center Homepage	An employee's one stop shop to get help.	2025-10-02 23:21:16	Employee Center	

Page lab_reports

Title

lab Report

Application

Medical Diagnosis Center

Public

☒

Draft

☐

Short description

Page for Medical Diagnostic Center through Service Portal

Page Specific CSS

Dynamic page title

Use SEO script

☐


Human readable url structure

Try It

Update

Close

Page Configuration:



Procedure:

Login to ServiceNow PDI

Copy the Instance domain ex: <https://domain.service-now.com>.

Paste the URL in the Next tab and add Prefix SP to the URL.

ex: <https://dpamin.service-now.com/mdc>

Select the Test which you want book and click on Book test button

You'll navigate to User Details page, Provide the details properly

Make payment and click on Submit button

Upon successful payments you will get a confirmation email with test code and test number.

In this phase we need to configure Email Notifications to notify the Customers

Activity 1: Configure Email Notifications(Based on Approvals):

Navigate to the Application Navigator

Click on All

Search for System Notification

Under System Notification, select Email > Notifications

Click on New

Fill in the notification details:


Name: Approval Notifications

Table: x_1883080_medica_0_appointment

When to Send: Record Inserted or Updated

Apply Condition : Approval Status Changes to Approved

Active: True



</

servicenow
All Favorites History Workspaces Admin
Notifications - Approval Notifications
Search

Notification [event_email_action] Approval Notifications
Preview Notification Update Delete

Use Notifications to notify users about specific activities in ServiceNow, such as updates to incidents or change requests. Notifications allow administrators to specify

- When to send the notification
- Who receives the notification
- What content is in the notification

Name: Approval Notifications
Application: Medical Diagnosis Center
Table: APPOINTMENT TABLE [x_1959076_medica_0_appointment_table]
Active: ☒
Mandatory: ☐
Category: Uncategorized

A digest combines and summarises multiple updates for a single or multiple target records within a set time interval.
Allow Digest: ☐

When to send Who will receive What it will contain

Notifications can be sent (if the specified Conditions are met) under one of the following circumstances:

- A record is Inserted or Updated into the Table specified above
- The specified event is fired
- Via a Flow Action

Send when: Record inserted or updated
Updated: ☒

Conditions: Add Filter Condition Add OR Clause

Who will receive:

Allow Digest ☐

When to send Who will receive What it will contain

Notifications can be sent to specific Users and Groups or to User/Groups in fields on the record that generated this notification

Users: ☐ System Administrator

Users/Groups in fields: ☐

Email: ☐

Preview Notification Update Delete

Related Links
[Show Notification Scripts](#)
[Advanced view](#)
[Run Point Scan](#)

servicenow All Favorites History Workspaces Admin Notification - Approval Notifications

Notification [system_email_action] Approval Notifications

When to send Who will receive What it will contain

When using an Email Template, the Subject and Message content is picked from that template unless a different Subject or Message content is specified in this form.

Email template Unsubscribe and Preferences

Subject \$\${test.test_name} Reports --\${patient.first_name}

Message HTML

Your Slot booking request has been Approved.
Kindly reach out the last center 15 mins before for smooth operations.
Team:
Medical Diagnosis,
Banjara Hills-Road no.2,
Hyderabad,
9999999999.

Preview Notification Update Delete

Related Links
Show Notification Scripts
Advanced view
Run Point Scan

Activity 2: Configure Email Notifications(Based on Reports Generation)

Navigate to the Application Navigator

Click on All

Search for System Notification

Under System Notification, select Email > Notifications

Click on New

Fill in the notification details:


Name: reportsNotifications

Table: x_1883080_medica_0_report_table

When to Send: Record Inserted

Apply Condition : Report number is Not Empty

Active: True



servicenow All Favorites History Workspaces Admin Notification - ReportNotifications

Notification [sysevent_email_action] ReportNotifications

Use Notifications to notify users about specific activities in ServiceNow, such as updates to incidents or change requests. Notifications allow administrators to specify

- When to send the notification
- Who receives the notification
- What content is in the notification

Name Application Active ☒

* Table Mandatory ☐

* Category

A digest combines and summarises multiple updates for a single or multiple target records within a set time interval.

Allow Digest ☐

When to send Who will receive What it will contain

When using an Email Template, the Subject and Message content is picked from that template unless a different Subject or Message content is specified in this form.

Email template

Subject

servicenow All Favorites History Workspaces Admin Notification - ReportNotifications

Notification [sysevent_email_action] ReportNotifications

When to send Who will receive What it will contain

When using an Email Template, the Subject and Message content is picked from that template unless a different Subject or Message content is specified in this form.

Email template

Subject

Message HTML

Preview Notification Update Delete

Related Links

Notification Preview

Preview records for this breakdown source

Event Creator Preview Record

Users

daniel.martinez@example.com

Subject

Reports --Rajesh

Body

Hello Rajesh,

Your Test Reports are Generated with the Report Number: RPT-007.

Kindly login to our portal and download the Reports.

Team

Medical Diagnosis,
Banjarahills-Road no.2,
Hyderabad,
9090909090.

[Unsubscribe](#) | [Notification Preferences](#)


Description

Created Role-Based ACL's

Users/Clients are directly able to Book Sports booking hall, But they can not access the Database table.

While creating a custom table 4 ACL's are created automatically, in this scenario I used the default ACL's only

Access Control Rules (ACLs): Configured to restrict read/write access to sensitive fields depending on the role.



servicenow				
All Favorites History Workspaces Admin				
Access Controls Updated Search				
All				
	Name	Decision Type	Operation	Type
	x_1959076_medica_0_patients	Allow If	read	record
	x_1959076_medica_0_patients	Allow If	delete	record
	x_1959076_medica_0_patients	Allow If	write	record
	x_1959076_medica_0_patients	Allow If	create	record
	x_1959076_medica_0_report_table	Allow If	write	record
	x_1959076_medica_0_diagnostic_test	Allow If	read	record
	x_1959076_medica_0_appointment_table	Allow If	write	record
	x_1959076_medica_0_patient	Allow If	write	record
	x_1959076_medica_0_patient	Allow If	delete	record
	x_1959076_medica_0_patient	Allow If	create	record
	x_1959076_medica_0_patient	Allow If	read	record
	x_1959076_medica_0_report_table	Allow If	create	record
	x_1959076_medica_0_diagnostic_test	Allow If	write	record
	x_1959076_medica_0_diagnostic_test	Allow If	delete	record
	x_1959076_medica_0_diagnostic_test	Allow If	create	record
	x_1959076_medica_0_diagnostic_test	Allow If	read	record
	x_1959076_medica_0_patient	Allow If	create	record
	x_1959076_medica_0_patient	Allow If	write	record
	x_1959076_medica_0_patient	Allow If	delete	record

Activity 1: Dashboard Creation in ServiceNow


Navigate to ServiceNow Home page- Click on All Menu

Type Dashboard→ Usage and Governance → Dashboard

Click on New button to Create New Dashboard

Name as : Health Reports Dashboard

Save the Dashboard



Activity 2: Reports Creation in ServiceNow(Appointment Reports)

Navigate to ServiceNow Home page- Click on All Menu

Type Reports→ Usage and Governance → Reports

Click on New button to Create New Report

Name as : Appointments Reports

Select Data Source as Table

Select the Table as : x_1883080_medica_0_appointment

Click on Next and select Type as Bar Chart

Click on Configure tab and configure the following options:

Select Group By: Status



Additional Group By: Approval Status

Stack By: Created, Approval Date

Aggregation: Count

Save and Run the Report

Add the generated report to the Dashboard through the share icon, which you have created earlier as Health Reports Dashboard.



Edit report

Data > Type > Configure > Style

Filter the visualizations

Select one of the valid types

Bars

Compare individual or aggregate scores across data dimensions.









Pies and Donuts

Pies and Donuts show the proportions that make up a whole.



Report Title

Type a question

What do you want to modify the current report?

Table: APPOINTMENT

All

Edit report

Data > Type > Configure > Style

Group by

Appointment Number

Appointment Number

Approval Date

Approval Status

Approved By

Confirmation Sent

Created

Created By

Created by

Email

Notes

Patient


Payment Status

Type a question about your report

What do you want to modify the current report?



Table: APPOINTMENT TABLE

All




Provide valid user name and password

You'll get login successful message



- Click on Book Now Button
- You'll see the User Details page
- Fill the required details and Click on Continue button



Details

Schedule

Payment

Done

12-Lead Electrocardiogram (ECG)
\$500.00

Cardiology · Code: DT-CAR-001 · Duration: 20

Change Test

Patient Information

Fill in your personal details to proceed.

FIRST NAME *

raghu

LAST NAME *

A

EMAIL ADDRESS *

admin@example.com

PHONE NUMBER *

91 098765432

DATE OF BIRTH *

30-01-2024

GENDER *

Male

ADDRESS

Guntur

Back to Catalog

Continue

- You'll navigate to the Appointment Schedule Page, select the date and time slot as per your convenience then Click on Continue to Payment Button.

Details

Schedule

Payment

Done



12-Lead Electrocardiogram (ECG)

Cardiology · Code: DT-CAR-001 · Duration: 20

\$500.00

Change Test



Schedule Appointment

Choose your preferred date and time slot.

PREFERRED DATE *

29-09-2026



AVAILABLE TIME SLOTS *

08:00 AM

08:30 AM

09:00 AM

09:30 AM

10:00 AM

10:30 AM

11:00 AM

11:30 AM

12:00 PM

12:30 PM

01:00 PM

01:30 PM

02:00 PM

02:30 PM

03:00 PM

03:30 PM

04:00 PM

04:30 PM

05:00 PM

NOTES (OPTIONAL)

Any special instructions...





Booking Summary

Test

12-Lead Electrocardiogram (ECG)

Patient

raghu A

Date

Monday, 28 Sep 2026

Time

09:00 AM

Amount

\$500.00

← Back

Continue to Payment →

- You'll navigate to the Payment processing page. Make the payment and click on Confirmation button

Payment

Select a payment method and confirm your booking.

Order Summary

12-Lead Electrocardiogram (ECG)

\$500.00

Date & Time

Tuesday, 29 Sep 2026 · 09:00 AM

Service Fee

\$0.00

Total

\$500.00

SELECT PAYMENT METHOD

 Card

 UPI

 Net Banking

 Insurance

 Pay on Arrival

 Secure Demo Payment

CARDHOLDER NAME

Name on card

CARD NUMBER

4242 4242 4242 4242

EXPIRY

MM/YY

CVV



Appointment Confirmed! 🎉

Pending admin approval. Confirmation sent to **testuser@gmail.com**

Appointment #	APPT-2026-34210
Patient	Testing User test User
Test	Chest X-Ray
Date & Time	Friday, 20 Feb 2026 · 12:30 PM
Amount Paid	\$80.00 ✓
Payment Via	Net Banking
Status	⌚ Pending Approval

- After receiving the confirmation, if you want to see your booking history and reports and payment details, just click on My Reports and Bookings Section
- You'll see all of your booking details and their status also

The screenshot shows the 'My Appointments' dashboard. At the top, there's a blue header with the title 'My Appointments' and a '+ Book New Test' button. Below the header, there's a summary section with four cards: '1 Total' (with a calendar icon), '0 Confirmed' (with a green checkmark icon), '1 Pending' (with a clock icon), and '0 Completed' (with a purple checkmark icon). Below these cards, there's a filter section with buttons for 'All', 'Pending 1', 'Confirmed', 'Completed', and 'Cancelled'. A search bar and a 'Newest First' dropdown are also present. The main content area shows a list of appointments. The first appointment is for 'APPT-2026-T7998' with a 'Pending' status. It includes details like the date '2026-09-24', time '09:30 AM', and category 'General'. It also shows 'Payment: ✓ Paid' and 'Confirmation Sent'. At the bottom of the appointment card, there are 'View Details' and 'Cancel' buttons. A small timestamp 'Booked: 2026-09-11 02:03:14' is visible in the bottom right corner of the card.

- After this booking confirmation, a record will be created in the Appointment table and an email will be sent to the registered email address.
- Check your system email logs to find the email and confirm the slot as shown below pictures

APPOINTMENT TABLES Appointment Numb Search										
All Actions on selected rows...										
	Appointment Number	Approval Date	Approval Status	Approved By	Confirmation Sent	Created By	Email	Notes	Patient	Payment Status
	APT-2026-77998	(empty)		(empty)	true	System Administrator	admin@example.com		(empty)	paid
	APT-0006	2026-09-18 06:20:00	Pending	Jimmie Barringer	true	Billie Cowley	kavya.nair@email.com	Pediatric vaccination appointment. Seco...	(empty)	Paid
	APT-0024	2026-11-01 06:20:00	Pending	Christian Marnell	true	Jewel Agresta	daniel.kim@healthbridge.net	Allergy and Immunology testing - compreh...	(empty)	Pending
	APT-0028	2026-11-09 06:30:00	Rejected	Jewel Agresta	false	Billie Cowley	chris.yamamoto@medconnect.net	Sports medicine consultation for chronic...	(empty)	Pending
	APT-0025	2026-11-02 01:30:00	Approved	Lucius Bagrolli	true	Sean Bonnet	rachel.murphy@patientportal.com	Pediatric well-child visit for 4-year-old...	PAT00000003	Paid
	APT-0013	2026-10-05 02:45:00	Cancelled	Jewel Agresta	false	Melinda Carleton	olivia.chen@patientportal.com	Dermatology consultation for suspicious ...	(empty)	Failed
	APT-0019	2026-10-05 02:00:00	Rejected	survey user	true	Christian Marnell	jeniffer.aronov@medportal.com	Gastroenterology procedure - super endos...	(empty)	Paid
	APT-0011	2026-10-01 03:30:00	Pending	Jimmie Barringer	true	Lucius Bagrolli	sarah.mitchell@healthmail.com	New patient consultation for persistent ...	(empty)	Pending
	APT-0005	2026-09-14 03:00:00	Approved	Lucius Bagrolli	true	Krystle Stika	ramesh.kumar@email.com	Pre-operative assessment for knee replac...	(empty)	Pending
	APT-0015	2026-10-10 09:00:00	Pending	Jacinto Gawron	true	Sean Bonnet	emily.watson@healthcare.io	Prenatal checkup at 28 weeks gestation ...	(empty)	Paid
	APT-0008	2026-09-19 10:00:00	Cancelled	Krystle Stika	false	Jacinto Gawron	sneha.gupta2@email.com	Orthopedic consultation for back pain A...	PAT00000002	Pending
	APT-0026	2026-11-05 09:45:00	Rejected	Jimmie Barringer	false	Jacinto Gawron	kevin.bharati@clinicportal.org	Urology consultation for recurrent nephr...	PAT00000002	Failed
	APT-0004	2026-09-14 09:45:00	Rejected	Christian Marnell	false	Sean Bonnet	sneha.gupta@email.com	Dermatology consultation cancelled due L...	(empty)	Failed
	APT-0020	2026-10-22 06:45:00	Approved	Lucius Bagrolli	false	survey user	aleu.ramirez@clinicmail.org	Physical therapy initial evaluation for ...	(empty)	Failed

Checking for the Email Notifications:


Navigate to the All menu

Type Emails

System Logs>> Emails

Open the emails table and search for the latest created

Open the email and click on Preview Email



Content type

multipart/mixed

Headers

X-ServiceNow-Source-Notification-cb3d87a2c3131000b959fd251eba8f81

List-Unsubscribe=<mailto:?

body=Sending+this+email+with+the+predefined+content+in+the+subject+and+body+will+unsubscribe+you+from+the+notification.%0D%0A%0D%0AUnsubscribe%3A%7B%22id%22%3A%22cb3d87a2c3131000b959fd251eba8f81%22%2C%22token%22%3A%22c797e2132%22%7D

&subject=Unsubscribe+from+%22Asset+Restocking%22>

X-ServiceNow-SysEmail-Version:2

Update

Delete

Related Links

[Preview Email](#)

Email Log (1)

Email Attachments

Created

Search

Actions on se

Description

Appointment Booking & Slot Validation Issues

Debugged appointment conflicts, incorrect time-slot availability, duplicate bookings, and test pricing mismatches using:

System Logs (System Logs → All)

[gs.info\(\)](#) statements in Business Rules

Browser console logs inside Service Portal widgets

GlideRecord debugging in server scripts

Resolved issues related to:

Overlapping appointment bookings

Incorrect scheduled date validation

Test price not auto-populating from Diagnostic Test table

Payment status not updating correctly

Ensured real-time slot validation and accurate price calculation.

Data Binding & Variable Population Issues

Resolved missing or incorrect data mapping between:

Service Portal widgets

Record Producers

Custom tables (Patient, Appointment, Diagnostic Test, Report)

Troubleshooting steps included:

Verifying widget server-side and client-side script objects

Using data object correctly in widget server scripts

Debugging \$scope variables in client controller

Validating GlideRecord inserts and updates

Also ensured:

Correct mapping of reference fields (Patient → Appointment → Report)

Auto-population of Test Price from Diagnostic Test table

Proper data transfer in Flow Designer record actions

Email & Notification Issues

Troubleshoot email template and notification trigger problems by:

Testing notifications manually

Previewing email templates

Verifying event registration (gs.eventQueue)

Checking Email Logs

Resolved issues such as:

Confirmation email not sent after booking

Approval email not triggered

Report availability notification not reaching patient

Incorrect email recipient mapping

Ensured patients receive:

Appointment confirmation

Approval/rejection updates

Payment confirmation

Report ready notification

Cancellation alerts

Security & Access Issues

Debugged ACL-related issues by reviewing:

Table-level ACLs

Field-level ACLs

Service Portal access control

Resolved:

Patients viewing other patients' records

Lab technicians unable to upload reports

Receptionist unable to create appointments

Admin permission inheritance issues

Validated access using:

Debug Security Rules

Impersonation testing

Role-based login testing

Ensured secure, role-based access control and data privacy compliance.

Conclusion:

The Medical Diagnostic System successfully delivers a comprehensive, secure, and user-friendly healthcare service solution built on the ServiceNow platform. By leveraging Service Portal, custom widgets, Flow Designer automation, approvals, scheduled jobs, and robust security controls, the system streamlines the complete diagnostic lifecycle—from appointment booking to report delivery and notifications.

The project demonstrates strong alignment with real-world diagnostic center operations, ensuring accurate slot availability, structured processing workflows, secure report management, and consistent communication with patients. High standards of quality, realism, and data security were maintained throughout the implementation, resulting in a reliable and production-ready solution.

The modular architecture and adherence to ServiceNow best practices ensure ease of maintenance, scalability, and long-term sustainability. The system is designed to support future enhancements such as online payment integration, advanced analytics dashboards, mobile application support, and integration with hospital management systems.

Overall, the project showcases effective utilization of ServiceNow capabilities to address practical healthcare management challenges, delivering improved operational efficiency, enhanced patient experience, and secure handling of sensitive medical data.